


◆ ST03 ◆ ST04 ◆ ST01 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-12 00:00:00	59,7	67,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-12 00:00:00	58,2	67,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-12 00:00:00	55,1	65,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-12 00:00:00	50,3	66,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 23:30:00	58,9	67,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 23:30:00	57,3	66,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 23:30:00	54,6	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 23:30:00	49,1	65,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 23:00:00	58,9	66,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 23:00:00	57,4	67,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 23:00:00	54,9	63,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 23:00:00	48,7	63,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 22:30:00	59,2	69,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 22:30:00	57,6	68,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 22:30:00	54,9	64,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 22:30:00	47,6	63,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 22:00:00	59,7	68,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 22:00:00	58,1	71,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 22:00:00	55,4	65,9	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 22:00:00	49,5	70,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 21:30:00	60,2	70,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 21:30:00	59,1	71,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 21:30:00	56,0	64,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 21:30:00	50,5	64,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 21:00:00	60,5	72,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 21:00:00	59,3	69,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 21:00:00	55,6	66,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 21:00:00	49,6	70,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 20:30:00	60,6	69,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 20:30:00	58,8	68,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 20:30:00	56,4	65,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 20:30:00	50,8	65,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 20:00:00	60,6	72,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 20:00:00	59,1	72,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 20:00:00	56,4	68,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 20:00:00	50,5	64,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 19:30:00	61,6	70,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-11 19:30:00	59,8	69,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-11 19:30:00	57,3	67,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-11 19:30:00	50,8	65,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-11 19:00:00	62,1	71,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 19:00:00	60,5	70,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 19:00:00	57,5	67,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 19:00:00	49,7	65,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-11 18:30:00	62,9	71,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 18:30:00	61,7	69,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 18:30:00	57,2	67,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 18:30:00	47,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 18:00:00	63,1	71,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 18:00:00	62,3	70,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 18:00:00	57,0	64,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 18:00:00	46,9	64,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 17:30:00	63,7	71,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 17:30:00	62,7	71,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 17:30:00	57,9	67,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 17:30:00	48,3	64,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 17:00:00	64,3	72,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 17:00:00	63,7	71,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 17:00:00	57,6	69,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 17:00:00	46,8	68,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 16:30:00	64,5	72,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 16:30:00	64,1	71,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 16:30:00	56,8	69,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 16:30:00	46,9	66,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 16:00:00	64,7	75,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 16:00:00	64,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 16:00:00	57,0	67,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 16:00:00	46,8	64,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 15:30:00	64,6	71,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 15:30:00	63,8	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 15:30:00	46,7	63,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 15:30:00	57,2	65,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 15:00:00	64,5	72,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 15:00:00	63,9	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 15:00:00	45,9	63,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 15:00:00	57,0	63,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 14:30:00	64,9	72,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 14:30:00	64,3	71,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 14:30:00	48,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 14:30:00	57,1	66,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 14:00:00	64,9	74,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 14:00:00	64,5	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 14:00:00	47,0	65,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 14:00:00	57,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 13:30:00	64,5	72,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 13:30:00	47,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 13:30:00	57,6	63,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 13:30:00	63,8	72,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-11 13:00:00	63,7	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 13:00:00	49,0	66,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 13:00:00	58,2	69,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 13:00:00	62,7	72,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 12:30:00	63,9	82,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 12:30:00	50,0	67,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 12:30:00	58,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 12:30:00	62,7	80,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 12:00:00	63,5	71,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 12:00:00	49,6	69,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 12:00:00	58,3	68,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 12:00:00	62,1	71,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 11:30:00	62,9	70,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 11:30:00	49,0	63,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 11:30:00	57,7	65,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 11:30:00	61,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 11:00:00	62,6	76,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 11:00:00	49,6	66,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 11:00:00	57,9	66,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 11:00:00	61,2	74,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 10:30:00	62,8	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 10:30:00	47,9	68,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 10:30:00	57,0	64,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 10:30:00	61,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 10:00:00	62,9	71,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 10:00:00	47,3	64,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 10:00:00	57,3	69,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 10:00:00	61,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 09:30:00	62,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 09:30:00	46,8	66,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 09:30:00	56,3	63,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 09:30:00	61,2	77,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 09:00:00	61,0	70,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 09:00:00	46,2	64,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 09:00:00	56,1	64,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 09:00:00	60,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 08:30:00	60,8	69,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 08:30:00	46,7	64,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 08:30:00	56,2	74,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 08:30:00	60,0	68,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 08:00:00	60,1	72,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 08:00:00	45,9	63,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 08:00:00	55,6	69,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 08:00:00	59,0	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-11 07:30:00	59,3	67,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 07:30:00	43,8	65,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 07:30:00	53,3	66,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 07:30:00	58,7	66,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 07:00:00	58,4	67,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-11 07:00:00	42,7	63,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-11 07:00:00	52,7	64,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-11 07:00:00	57,5	68,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-11 06:30:00	57,9	71,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 06:30:00	43,5	68,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 06:30:00	53,5	64,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 06:30:00	57,4	73,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 06:00:00	54,9	68,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 06:00:00	40,9	65,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 06:00:00	50,3	63,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 06:00:00	53,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 05:30:00	53,7	64,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 05:30:00	39,8	63,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 05:30:00	50,5	65,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 05:30:00	53,3	68,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 05:00:00	51,7	63,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 05:00:00	36,7	49,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 05:00:00	48,7	62,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 05:00:00	51,2	67,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 04:30:00	51,7	66,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 04:30:00	42,4	66,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 04:30:00	49,2	65,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 04:30:00	50,5	66,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 04:00:00	53,1	66,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 04:00:00	39,1	51,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 04:00:00	49,8	63,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 04:00:00	52,5	68,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 03:30:00	54,2	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 03:30:00	38,1	47,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 03:30:00	49,6	62,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 03:30:00	53,2	68,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 03:00:00	53,4	67,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 03:00:00	39,4	46,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 03:00:00	49,1	61,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 03:00:00	53,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 02:30:00	53,8	69,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 02:30:00	39,3	46,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 02:30:00	48,3	61,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 02:30:00	52,3	69,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-11 02:00:00	54,4	65,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 02:00:00	38,4	46,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 02:00:00	49,0	60,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 02:00:00	53,3	68,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 01:30:00	55,7	71,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 01:30:00	41,4	63,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 01:30:00	50,9	67,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 01:30:00	54,5	69,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 01:00:00	56,7	71,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 01:00:00	44,7	68,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 01:00:00	52,0	65,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 01:00:00	55,8	70,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 00:30:00	57,1	68,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 00:30:00	45,8	65,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 00:30:00	53,0	65,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 00:30:00	56,3	65,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-11 00:00:00	57,8	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-11 00:00:00	46,2	72,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-11 00:00:00	52,3	65,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-11 00:00:00	56,8	69,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 23:30:00	58,8	70,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 23:30:00	48,4	64,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 23:30:00	53,6	65,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 23:30:00	57,6	70,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 23:00:00	59,1	69,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 23:00:00	46,8	63,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 23:00:00	53,8	64,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 23:00:00	58,0	68,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 22:30:00	60,1	72,9	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 22:30:00	47,7	65,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 22:30:00	54,8	64,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 22:30:00	58,7	69,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 22:00:00	59,7	68,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 22:00:00	46,5	64,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 22:00:00	54,8	64,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 22:00:00	57,9	67,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 21:30:00	60,5	75,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 21:30:00	51,0	74,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 21:30:00	56,3	74,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 21:30:00	59,4	70,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 21:00:00	61,3	74,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 21:00:00	45,6	71,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 21:00:00	55,3	66,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 21:00:00	60,2	73,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-10 20:30:00	61,6	71,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 20:30:00	45,4	63,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 20:30:00	55,8	63,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 20:30:00	60,5	70,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 20:00:00	61,9	69,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 20:00:00	46,9	65,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 20:00:00	57,0	67,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 20:00:00	60,4	69,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 19:30:00	62,5	69,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-10 19:30:00	46,0	64,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-10 19:30:00	56,4	64,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-10 19:30:00	61,3	71,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-10 19:00:00	63,3	76,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 19:00:00	46,3	67,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 19:00:00	57,0	72,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 19:00:00	62,7	74,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 18:30:00	64,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 18:30:00	46,6	64,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 18:30:00	57,3	68,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 18:30:00	63,4	71,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 18:00:00	64,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 18:00:00	46,7	64,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 18:00:00	57,5	66,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 18:00:00	63,3	73,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 17:30:00	64,4	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 17:30:00	47,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 17:30:00	58,3	70,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 17:30:00	63,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 17:00:00	63,1	72,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 17:00:00	46,1	65,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 17:00:00	57,2	64,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 17:00:00	62,8	70,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 16:30:00	64,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 16:30:00	52,8	89,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 16:30:00	57,3	66,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 16:30:00	63,3	71,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 16:00:00	62,5	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 16:00:00	59,6	88,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 16:00:00	55,6	68,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 16:00:00	63,0	72,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 15:30:00	62,5	70,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 15:30:00	55,8	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 15:30:00	46,7	70,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 15:30:00	63,1	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-10 15:00:00	62,6	72,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 15:00:00	56,1	68,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 15:00:00	46,7	64,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 15:00:00	62,9	72,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 14:30:00	64,5	74,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 14:30:00	58,1	70,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 14:30:00	48,1	67,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 14:30:00	63,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 14:00:00	65,3	71,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 14:00:00	58,3	66,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 14:00:00	48,2	65,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 14:00:00	64,2	70,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 13:30:00	65,5	76,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 13:30:00	57,8	66,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 13:30:00	47,8	64,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 13:30:00	64,4	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 13:00:00	65,5	73,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 13:00:00	57,6	69,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 13:00:00	48,5	68,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 13:00:00	64,3	73,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 12:30:00	65,0	72,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 12:30:00	57,2	67,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 12:30:00	47,1	66,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 12:30:00	64,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 12:00:00	65,2	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 12:00:00	57,7	69,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 12:00:00	47,2	63,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 12:00:00	64,5	72,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 11:30:00	58,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 11:30:00	47,7	67,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 11:30:00	64,4	72,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 11:30:00	64,9	71,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 11:00:00	58,5	66,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 11:00:00	50,8	66,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 11:00:00	63,1	69,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 11:00:00	64,5	70,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 10:30:00	59,2	69,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 10:30:00	53,9	67,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 10:30:00	63,3	74,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 10:30:00	64,2	72,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 10:00:00	59,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 10:00:00	53,0	64,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 10:00:00	62,6	71,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 10:00:00	64,0	72,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-10 09:30:00	57,1	69,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 09:30:00	50,9	67,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 09:30:00	61,3	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 09:30:00	62,8	74,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 09:00:00	57,6	71,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 09:00:00	49,7	68,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 09:00:00	61,8	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 09:00:00	63,3	74,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 08:30:00	56,6	69,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 08:30:00	47,5	68,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 08:30:00	61,0	74,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 08:30:00	62,7	75,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 08:00:00	57,7	68,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 08:00:00	48,0	65,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 08:00:00	61,6	74,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 08:00:00	63,3	73,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 07:30:00	59,1	67,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 07:30:00	50,4	66,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 07:30:00	64,6	75,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 07:30:00	64,6	74,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 07:00:00	58,8	67,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-10 07:00:00	50,2	65,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-10 07:00:00	64,5	73,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-10 07:00:00	64,6	74,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-10 06:30:00	58,9	70,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 06:30:00	48,6	68,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 06:30:00	63,7	70,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 06:30:00	63,8	70,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 06:00:00	57,6	69,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 06:00:00	46,5	62,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 06:00:00	62,1	69,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 06:00:00	62,3	69,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 05:30:00	55,7	70,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 05:30:00	45,3	67,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 05:30:00	59,5	68,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 05:30:00	59,9	69,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 05:00:00	54,1	64,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 05:00:00	45,5	62,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 05:00:00	57,8	68,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 05:00:00	57,4	68,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 04:30:00	53,8	63,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 04:30:00	46,5	57,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 04:30:00	56,5	68,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 04:30:00	57,2	70,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-10 04:00:00	53,0	64,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 04:00:00	45,9	55,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 04:00:00	55,0	67,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 04:00:00	55,8	66,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 03:30:00	51,0	62,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 03:30:00	44,1	54,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 03:30:00	53,4	68,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 03:30:00	53,9	67,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 03:00:00	50,8	62,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 03:00:00	43,5	58,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 03:00:00	53,3	67,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 03:00:00	54,3	67,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 02:30:00	51,1	63,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 02:30:00	43,0	53,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 02:30:00	53,3	68,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 02:30:00	54,5	68,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 02:00:00	50,9	62,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 02:00:00	41,1	50,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 02:00:00	54,6	75,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 02:00:00	55,0	74,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 01:30:00	50,6	69,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 01:30:00	40,3	62,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 01:30:00	53,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 01:30:00	54,9	66,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 01:00:00	51,1	65,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 01:00:00	41,3	62,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 01:00:00	55,9	72,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 01:00:00	56,5	72,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 00:30:00	50,4	64,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 00:30:00	41,2	62,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 00:30:00	54,8	73,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 00:30:00	55,7	70,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-10 00:00:00	51,2	68,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-10 00:00:00	46,7	70,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-10 00:00:00	55,8	73,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-10 00:00:00	57,2	72,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 23:30:00	52,2	67,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 23:30:00	45,2	67,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 23:30:00	56,8	72,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 23:30:00	57,9	70,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 23:00:00	52,7	69,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 23:00:00	44,3	65,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 23:00:00	57,4	69,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 23:00:00	58,9	68,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-09 22:30:00	54,2	66,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 22:30:00	45,4	63,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 22:30:00	60,1	70,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 22:30:00	61,0	70,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 22:00:00	56,7	76,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 22:00:00	54,2	76,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 22:00:00	60,3	74,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 22:00:00	61,4	70,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 21:30:00	55,1	67,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 21:30:00	45,9	66,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 21:30:00	61,1	72,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 21:30:00	61,9	76,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 21:00:00	55,5	68,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 21:00:00	45,9	66,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 21:00:00	61,6	73,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 21:00:00	62,5	74,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 20:30:00	55,9	66,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 20:30:00	46,6	64,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 20:30:00	61,8	72,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 20:30:00	62,9	73,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 20:00:00	56,0	69,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 20:00:00	46,9	65,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 20:00:00	62,1	70,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 20:00:00	63,1	75,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 19:30:00	56,4	64,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-09 19:30:00	46,4	65,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-09 19:30:00	62,6	73,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-09 19:30:00	63,6	73,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-09 19:00:00	56,6	69,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 19:00:00	46,9	65,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 19:00:00	62,9	72,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 19:00:00	63,6	72,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 18:30:00	57,0	68,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 18:30:00	47,4	66,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 18:30:00	63,4	73,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 18:30:00	64,3	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 18:00:00	57,0	68,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 18:00:00	47,1	65,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 18:00:00	63,7	72,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 18:00:00	64,6	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 17:30:00	57,1	67,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 17:30:00	47,8	64,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 17:30:00	64,2	74,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 17:30:00	65,1	76,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-09 17:00:00	57,4	67,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 17:00:00	48,4	65,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 17:00:00	64,3	74,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 17:00:00	65,1	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 16:30:00	57,1	70,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 16:30:00	48,0	69,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 16:30:00	63,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 16:30:00	64,6	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 16:00:00	57,4	64,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 16:00:00	48,4	69,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 16:00:00	63,7	71,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 16:00:00	64,5	73,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 15:30:00	57,8	65,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 15:30:00	48,6	67,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 15:30:00	64,2	74,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 15:30:00	65,0	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 15:00:00	58,2	67,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 15:00:00	49,2	71,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 15:00:00	64,1	73,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 15:00:00	64,9	72,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 14:30:00	58,7	67,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 14:30:00	50,2	76,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 14:30:00	64,0	72,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 14:30:00	64,7	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 14:00:00	58,2	66,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 14:00:00	48,7	62,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 14:00:00	63,4	80,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 14:00:00	64,3	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 13:30:00	58,5	64,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 13:30:00	48,9	62,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 13:30:00	63,3	75,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 13:30:00	64,5	73,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 13:00:00	58,4	66,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 13:00:00	49,0	66,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 13:00:00	63,3	74,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 13:00:00	64,4	74,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 12:30:00	58,3	69,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 12:30:00	48,7	68,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 12:30:00	63,8	76,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 12:30:00	64,8	74,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 12:00:00	58,2	68,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 12:00:00	49,6	68,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 12:00:00	63,3	73,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 12:00:00	64,6	79,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-09 11:30:00	58,6	68,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 11:30:00	49,6	66,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 11:30:00	62,7	75,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 11:30:00	64,2	76,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 11:00:00	58,2	70,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 11:00:00	48,8	65,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 11:00:00	62,8	74,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 11:00:00	64,2	72,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 10:30:00	55,7	65,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 10:30:00	47,1	67,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 10:30:00	62,1	75,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 10:30:00	63,6	73,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 10:00:00	55,8	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 10:00:00	46,9	66,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 10:00:00	62,3	74,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 10:00:00	63,6	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 09:30:00	55,5	68,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 09:30:00	47,5	67,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 09:30:00	61,3	75,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 09:30:00	63,0	72,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 09:00:00	55,4	65,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 09:00:00	48,9	82,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 09:00:00	59,7	70,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 09:00:00	61,9	71,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 08:30:00	55,2	66,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 08:30:00	47,4	67,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 08:30:00	59,6	71,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 08:30:00	62,0	77,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 08:00:00	55,3	66,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 08:00:00	46,9	65,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 08:00:00	60,7	79,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 08:00:00	62,5	72,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 07:30:00	46,5	63,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 07:30:00	55,7	73,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 07:30:00	59,5	70,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 07:30:00	61,9	71,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 07:00:00	47,6	66,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-09 07:00:00	55,6	67,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-09 07:00:00	59,4	74,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-09 07:00:00	61,9	70,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-09 06:30:00	46,6	69,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 06:30:00	55,7	65,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 06:30:00	61,9	72,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 06:30:00	62,5	70,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-09 06:00:00	47,5	70,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 06:00:00	61,0	71,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 06:00:00	56,6	68,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 06:00:00	61,8	70,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 05:30:00	44,7	63,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 05:30:00	58,5	70,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 05:30:00	54,9	67,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 05:30:00	59,4	71,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 05:00:00	40,0	47,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 05:00:00	55,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 05:00:00	51,6	60,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 05:00:00	56,8	68,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 04:30:00	41,2	53,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 04:30:00	54,8	68,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 04:30:00	51,9	62,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 04:30:00	55,6	65,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 04:00:00	42,9	70,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 04:00:00	53,7	71,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 04:00:00	50,0	62,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 04:00:00	54,7	71,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 03:30:00	39,4	48,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 03:30:00	54,2	68,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 03:30:00	50,7	61,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 03:30:00	55,2	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 03:00:00	40,8	49,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 03:00:00	54,8	73,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 03:00:00	50,9	61,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 03:00:00	55,4	72,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 02:30:00	45,4	78,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 02:30:00	53,7	72,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 02:30:00	50,5	65,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 02:30:00	54,8	72,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 02:00:00	38,5	46,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 02:00:00	52,7	67,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 02:00:00	49,8	60,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 02:00:00	53,6	65,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 01:30:00	39,5	62,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 01:30:00	52,8	70,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 01:30:00	49,5	65,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 01:30:00	54,3	70,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 01:00:00	43,8	68,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 01:00:00	54,4	74,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 01:00:00	50,4	69,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 01:00:00	55,9	73,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-09 00:30:00	42,4	63,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 00:30:00	53,9	69,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 00:30:00	50,8	68,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 00:30:00	55,3	69,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-09 00:00:00	41,5	61,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-09 00:00:00	55,4	72,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-09 00:00:00	50,6	65,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-09 00:00:00	57,1	72,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 23:30:00	44,0	70,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 23:30:00	56,7	71,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 23:30:00	52,1	65,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 23:30:00	58,1	70,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 23:00:00	41,9	64,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 23:00:00	57,5	78,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 23:00:00	51,7	67,8	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 23:00:00	59,0	79,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 22:30:00	44,1	64,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 22:30:00	58,1	68,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 22:30:00	53,6	63,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 22:30:00	59,9	68,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 22:00:00	45,6	62,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 22:00:00	58,8	68,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 22:00:00	54,8	66,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 22:00:00	60,7	69,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 21:30:00	44,4	64,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 21:30:00	60,6	70,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 21:30:00	54,6	66,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 21:30:00	61,7	71,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 21:00:00	44,8	65,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 21:00:00	60,9	72,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 21:00:00	54,9	66,8	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 21:00:00	61,9	73,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 20:30:00	45,0	63,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 20:30:00	61,7	70,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 20:30:00	55,4	67,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 20:30:00	62,6	71,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 20:00:00	45,6	65,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 20:00:00	61,5	73,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 20:00:00	55,7	66,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 20:00:00	62,8	72,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-08 19:30:00	45,8	65,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-08 19:30:00	61,7	73,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-08 19:30:00	56,6	65,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-08 19:30:00	63,1	73,5	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-08 19:00:00	45,7	62,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 19:00:00	62,0	72,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 19:00:00	56,4	63,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 19:00:00	63,0	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 18:30:00	46,0	63,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 18:30:00	62,5	73,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 18:30:00	56,5	65,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 18:30:00	63,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 18:00:00	47,7	67,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 18:00:00	63,1	78,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 18:00:00	57,6	67,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 18:00:00	63,9	78,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 17:30:00	47,6	70,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 17:30:00	62,6	72,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 17:30:00	58,1	68,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 17:30:00	63,9	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 17:00:00	47,5	62,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 17:00:00	62,6	70,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 17:00:00	57,9	67,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 17:00:00	63,8	71,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 16:30:00	46,7	65,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 16:30:00	62,5	70,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 16:30:00	57,4	69,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 16:30:00	63,9	71,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 16:00:00	45,9	70,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 16:00:00	62,5	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 16:00:00	56,0	66,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 16:00:00	62,7	73,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 15:30:00	45,0	71,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 15:30:00	62,5	77,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 15:30:00	55,3	69,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 15:30:00	62,5	77,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 15:00:00	45,7	63,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 15:00:00	62,9	73,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 15:00:00	57,0	73,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 15:00:00	62,9	71,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 14:30:00	47,0	64,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 14:30:00	64,0	71,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 14:30:00	57,8	70,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 14:30:00	65,0	73,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 14:00:00	47,6	64,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 14:00:00	63,3	74,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 14:00:00	57,9	69,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 14:00:00	64,7	74,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-08 13:30:00	47,3	64,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 13:30:00	63,4	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 13:30:00	57,8	65,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 13:30:00	64,6	75,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 13:00:00	47,6	65,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 13:00:00	62,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 13:00:00	57,7	66,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 13:00:00	64,2	72,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 12:30:00	46,7	65,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 12:30:00	62,6	71,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 12:30:00	57,6	72,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 12:30:00	64,0	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 12:00:00	48,9	64,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 12:00:00	63,5	72,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 12:00:00	57,6	64,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 12:00:00	64,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 11:30:00	48,1	64,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 11:30:00	62,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 11:30:00	57,4	65,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 11:30:00	63,9	73,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 11:00:00	48,5	64,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 11:00:00	62,4	77,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 11:00:00	60,4	81,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 11:00:00	64,0	77,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 10:30:00	48,0	65,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 10:30:00	61,8	76,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 10:30:00	57,2	65,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 10:30:00	63,7	80,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 10:00:00	46,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 10:00:00	59,9	71,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 10:00:00	55,3	68,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 10:00:00	61,8	70,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 09:30:00	45,2	64,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 09:30:00	60,0	67,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 09:30:00	55,3	73,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 09:30:00	62,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 09:00:00	45,3	70,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 09:00:00	59,8	73,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 09:00:00	54,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 09:00:00	61,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 08:30:00	44,6	61,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 08:30:00	59,7	73,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 08:30:00	53,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 08:30:00	61,9	72,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-08 08:00:00	43,9	62,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 08:00:00	59,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 08:00:00	53,6	64,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 08:00:00	61,6	68,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 07:30:00	44,8	62,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 07:30:00	60,0	76,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 07:30:00	53,6	68,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 07:30:00	61,7	77,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 07:00:00	44,9	67,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-08 07:00:00	59,8	78,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-08 07:00:00	54,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-08 07:00:00	61,3	74,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-08 06:30:00	45,3	62,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 06:30:00	59,5	75,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 06:30:00	55,2	69,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 06:30:00	60,9	74,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 06:00:00	47,4	62,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 06:00:00	59,1	68,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 06:00:00	55,5	71,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 06:00:00	59,8	70,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 05:30:00	45,3	65,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 05:30:00	56,9	71,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 05:30:00	55,1	72,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 05:30:00	57,8	70,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 05:00:00	43,3	60,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 05:00:00	57,0	73,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 05:00:00	52,3	68,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 05:00:00	57,2	71,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 04:30:00	41,7	50,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 04:30:00	53,3	68,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 04:30:00	51,3	65,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 04:30:00	55,0	66,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 04:00:00	40,5	49,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 04:00:00	51,7	67,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 04:00:00	49,3	59,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 04:00:00	52,9	63,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 03:30:00	40,0	48,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 03:30:00	52,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 03:30:00	49,4	60,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 03:30:00	53,0	66,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 03:00:00	38,9	51,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 03:00:00	54,1	74,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 03:00:00	48,3	60,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 03:00:00	54,8	74,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-08 02:30:00	39,8	51,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 02:30:00	54,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 02:30:00	49,5	62,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 02:30:00	55,3	72,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 02:00:00	44,1	66,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 02:00:00	52,3	67,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 02:00:00	49,0	65,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 02:00:00	53,3	64,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 01:30:00	40,6	60,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 01:30:00	54,2	70,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 01:30:00	49,6	60,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 01:30:00	55,0	68,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 01:00:00	41,5	64,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 01:00:00	54,0	70,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 01:00:00	49,7	63,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 01:00:00	54,6	71,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 00:30:00	46,1	68,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 00:30:00	53,3	73,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 00:30:00	49,4	63,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 00:30:00	54,6	70,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-08 00:00:00	41,6	60,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-08 00:00:00	54,2	70,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-08 00:00:00	53,3	69,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-08 00:00:00	56,4	73,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 23:30:00	42,3	62,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 23:30:00	54,6	74,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 23:30:00	51,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 23:30:00	56,3	73,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 23:00:00	43,0	62,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 23:00:00	56,1	71,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 23:00:00	51,9	63,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 23:00:00	58,1	73,3	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 22:30:00	43,4	62,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 22:30:00	58,0	80,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 22:30:00	51,8	64,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 22:30:00	60,0	76,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 22:00:00	44,1	66,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 22:00:00	58,2	79,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 22:00:00	52,6	63,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 22:00:00	60,8	79,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 21:30:00	44,3	61,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 21:30:00	57,6	73,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 21:30:00	52,7	63,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 21:30:00	59,8	76,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-07 21:00:00	44,9	64,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 21:00:00	58,1	71,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 21:00:00	53,1	61,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 21:00:00	60,1	75,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 20:30:00	45,6	69,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 20:30:00	59,7	75,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 20:30:00	53,9	64,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 20:30:00	62,0	85,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 20:00:00	47,5	69,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 20:00:00	61,3	80,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 20:00:00	55,5	72,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 20:00:00	63,0	80,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 19:30:00	48,2	63,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-07 19:30:00	61,9	78,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-07 19:30:00	56,1	76,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-07 19:30:00	63,8	78,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-07 19:00:00	46,6	61,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 19:00:00	61,6	81,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 19:00:00	55,5	67,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 19:00:00	62,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 18:30:00	45,7	66,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 18:30:00	63,0	76,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 18:30:00	55,2	65,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 18:30:00	64,1	78,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 18:00:00	46,0	62,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 18:00:00	63,8	74,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 18:00:00	55,6	67,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 18:00:00	65,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 17:30:00	47,0	68,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 17:30:00	65,1	81,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 17:30:00	56,5	76,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 17:30:00	66,1	80,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 17:00:00	46,3	66,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 17:00:00	64,9	76,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 17:00:00	55,8	66,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 17:00:00	66,0	77,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 16:45:00	66,5	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 16:30:00	48,4	82,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 16:30:00	65,2	73,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 16:30:00	56,6	65,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 16:00:00	48,0	63,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 16:00:00	65,2	73,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 16:00:00	57,1	65,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 16:00:00	66,2	74,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-07 15:30:00	48,9	64,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 15:30:00	65,6	74,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 15:30:00	57,7	67,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 15:30:00	66,6	75,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 15:00:00	49,8	68,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 15:00:00	65,0	74,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 15:00:00	57,4	64,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 15:00:00	66,0	74,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 14:45:00	65,9	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 14:30:00	49,7	67,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 14:30:00	65,1	74,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 14:30:00	57,7	66,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 14:00:00	48,3	67,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 14:00:00	64,2	74,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 14:00:00	57,5	73,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 14:00:00	65,2	73,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 13:30:00	47,8	64,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 13:30:00	63,8	73,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 13:30:00	56,8	66,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 13:30:00	64,8	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 13:00:00	48,4	62,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 13:00:00	64,7	84,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 13:00:00	57,3	64,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 13:00:00	65,5	81,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 12:30:00	48,4	62,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 12:30:00	64,3	80,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 12:30:00	57,1	64,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 12:30:00	65,2	79,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 12:00:00	48,2	62,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 12:00:00	63,8	80,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 12:00:00	57,0	66,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 12:00:00	65,0	79,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 11:30:00	48,0	62,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 11:30:00	63,7	75,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 11:30:00	56,3	66,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 11:30:00	66,6	82,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 11:00:00	47,7	61,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 11:00:00	63,0	75,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 11:00:00	56,1	64,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 11:00:00	68,2	80,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 10:30:00	48,2	65,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 10:30:00	63,5	74,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 10:30:00	56,8	66,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 10:30:00	64,8	85,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-07 10:00:00	47,9	65,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 10:00:00	62,7	74,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 10:00:00	55,8	70,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 10:00:00	63,7	76,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 09:30:00	48,7	66,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 09:30:00	63,3	77,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 09:30:00	56,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 09:30:00	64,3	75,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 09:00:00	48,2	67,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 09:00:00	64,0	77,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 09:00:00	55,9	68,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 09:00:00	64,5	78,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 08:30:00	47,6	62,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 08:30:00	63,7	79,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 08:30:00	55,7	66,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 08:30:00	65,1	80,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 08:00:00	47,5	62,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 08:00:00	62,8	76,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 08:00:00	55,7	70,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 08:00:00	63,7	76,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 07:30:00	46,5	60,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 07:30:00	62,0	75,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 07:30:00	54,6	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 07:30:00	62,5	73,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 07:00:00	45,5	66,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-07 07:00:00	60,0	70,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-07 07:00:00	53,0	59,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-07 07:00:00	61,2	70,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-07 06:30:00	44,8	62,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 06:30:00	59,2	73,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 06:30:00	53,4	75,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 06:30:00	61,3	80,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 06:00:00	42,0	62,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 06:00:00	56,2	75,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 06:00:00	48,2	57,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 06:00:00	58,5	80,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 05:30:00	39,8	55,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 05:30:00	55,8	73,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 05:30:00	47,9	58,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 05:30:00	56,5	74,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 05:00:00	40,3	56,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 05:00:00	53,8	69,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 05:00:00	48,5	60,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 05:00:00	55,3	70,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-07 04:30:00	40,2	60,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 04:30:00	50,7	71,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 04:30:00	44,4	64,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 04:30:00	51,7	70,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 04:00:00	37,5	48,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 04:00:00	46,8	63,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 04:00:00	43,1	57,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 04:00:00	49,2	64,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 03:30:00	38,4	52,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 03:30:00	48,2	64,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 03:30:00	45,6	60,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 03:30:00	46,8	59,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 03:00:00	36,2	49,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 03:00:00	47,9	65,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 03:00:00	51,1	72,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 03:00:00	50,3	70,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 02:30:00	37,1	51,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 02:30:00	53,0	75,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 02:30:00	44,5	56,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 02:30:00	53,8	75,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 02:00:00	46,7	73,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 02:00:00	52,8	74,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 02:00:00	43,7	63,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 02:00:00	52,3	71,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 01:30:00	38,6	62,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 01:30:00	53,9	80,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 01:30:00	56,5	84,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 01:30:00	53,0	80,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 01:15:00	45,1	57,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 01:00:00	37,2	63,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 01:00:00	46,7	61,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 01:00:00	42,6	57,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 00:30:00	38,8	59,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 00:30:00	49,5	70,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 00:30:00	44,7	63,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 00:30:00	52,0	74,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-07 00:00:00	41,6	61,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-07 00:00:00	56,6	82,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-07 00:00:00	45,7	60,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-07 00:00:00	54,5	77,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 23:30:00	39,2	60,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 23:30:00	55,3	83,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 23:30:00	43,5	59,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 23:30:00	54,9	79,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2025-01-06 23:00:00	52,3	71,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 23:00:00	44,8	62,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 23:00:00	46,7	73,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 23:00:00	52,2	70,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 22:30:00	52,5	64,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 22:30:00	46,3	61,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 22:30:00	42,2	68,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 22:30:00	53,3	65,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 22:00:00	52,8	65,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 22:00:00	47,0	64,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 22:00:00	42,0	64,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 22:00:00	54,9	65,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 21:45:00	57,2	77,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 21:30:00	49,1	66,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 21:30:00	47,4	79,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 21:30:00	57,7	74,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 21:00:00	58,1	76,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 21:00:00	48,4	63,3	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 21:00:00	41,9	63,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 21:00:00	57,5	77,5	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 20:30:00	57,2	77,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 20:30:00	49,3	62,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 20:30:00	43,2	64,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 20:30:00	57,7	73,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 20:00:00	57,6	80,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 20:00:00	51,0	68,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 20:00:00	44,5	62,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 20:00:00	58,6	80,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 19:30:00	57,9	73,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-06 19:30:00	51,6	65,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-06 19:30:00	50,1	79,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-06 19:30:00	58,4	71,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-06 19:00:00	60,8	77,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 19:00:00	53,6	69,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 19:00:00	47,5	73,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 19:00:00	60,5	77,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 18:45:00	60,7	72,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 18:30:00	59,2	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 18:30:00	53,2	66,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 18:30:00	47,8	66,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 18:15:00	60,0	73,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 18:00:00	59,7	73,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 18:00:00	53,3	67,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 18:00:00	47,9	69,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2025-01-06 17:30:00	61,0	77,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 17:30:00	53,0	65,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 17:30:00	48,2	71,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 17:30:00	61,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 17:15:00	59,7	73,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 17:00:00	53,7	66,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 17:00:00	47,1	64,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 17:00:00	62,4	80,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 16:45:00	62,9	70,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 16:30:00	61,8	77,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 16:30:00	56,2	72,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 16:30:00	48,0	72,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 16:00:00	61,6	76,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 16:00:00	54,8	66,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 16:00:00	48,0	69,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 15:45:00	62,6	79,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 15:45:00	63,6	76,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 15:30:00	55,2	65,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 15:30:00	48,1	70,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 15:15:00	63,8	79,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 15:00:00	62,7	79,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 15:00:00	56,1	66,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 15:00:00	47,8	64,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 14:30:00	63,1	78,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 14:30:00	56,4	64,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 14:30:00	47,9	63,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 14:30:00	64,3	77,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 14:00:00	62,7	76,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 14:00:00	55,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 14:00:00	47,9	70,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 14:00:00	63,7	77,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 13:30:00	62,5	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 13:30:00	56,2	69,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 13:30:00	47,9	70,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 13:00:00	63,3	80,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 13:00:00	56,3	76,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 13:00:00	47,4	64,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 13:00:00	64,2	78,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 12:45:00	63,3	74,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 12:30:00	62,9	80,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 12:30:00	55,6	64,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 12:30:00	47,1	65,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 12:00:00	62,3	76,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 12:00:00	56,3	71,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-06 12:00:00	48,2	69,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 12:00:00	64,0	79,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 11:30:00	63,3	79,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 11:30:00	55,4	70,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 11:30:00	46,9	65,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 11:30:00	63,7	78,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 11:00:00	54,3	62,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 11:00:00	45,7	64,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 11:00:00	62,6	79,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 10:30:00	60,9	76,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 10:30:00	54,6	64,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 10:30:00	46,4	62,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 10:30:00	61,9	76,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 10:00:00	60,2	79,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 10:00:00	55,5	71,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 10:00:00	49,6	82,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 10:00:00	62,2	84,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 09:30:00	58,5	78,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 09:30:00	53,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 09:30:00	47,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 09:30:00	60,2	78,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 09:00:00	54,9	73,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 09:00:00	51,3	66,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 09:00:00	45,4	64,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 09:00:00	57,5	72,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 08:30:00	55,0	70,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 08:30:00	52,8	70,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 08:30:00	46,0	64,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 08:30:00	59,0	78,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 08:00:00	56,4	78,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 08:00:00	52,4	69,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 08:00:00	47,2	67,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 08:00:00	58,1	75,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 07:30:00	54,6	71,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 07:30:00	51,2	62,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 07:30:00	45,4	65,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 07:30:00	57,3	70,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 07:00:00	56,6	77,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-06 07:00:00	50,6	62,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-06 07:00:00	43,1	64,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-06 07:00:00	58,1	77,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-06 06:30:00	55,4	68,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 06:30:00	51,5	62,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 06:30:00	44,7	67,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-06 06:30:00	57,3	70,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 06:00:00	56,2	65,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 06:00:00	53,4	64,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 06:00:00	46,8	71,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 06:00:00	57,8	68,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 05:30:00	56,3	72,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 05:30:00	53,1	70,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 05:30:00	44,1	66,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 05:30:00	58,1	76,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 05:00:00	51,7	65,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 05:00:00	49,5	65,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 05:00:00	42,4	66,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 05:00:00	52,8	63,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 04:30:00	55,3	78,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 04:30:00	50,7	69,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 04:30:00	44,2	67,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 04:30:00	55,9	75,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 04:00:00	53,3	75,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 04:00:00	47,8	63,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 04:00:00	39,0	51,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 04:00:00	56,2	79,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 03:30:00	52,7	74,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 03:30:00	51,5	72,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 03:30:00	42,0	60,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 03:30:00	58,5	80,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 03:00:00	54,2	77,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 03:00:00	50,3	71,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 03:00:00	40,8	57,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 03:00:00	54,4	78,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 02:30:00	48,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 02:30:00	45,4	57,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 02:30:00	37,7	46,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 02:30:00	50,0	64,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 02:00:00	55,2	75,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 02:00:00	52,7	72,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 02:00:00	43,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 02:00:00	58,3	80,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 01:30:00	56,7	80,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 01:30:00	53,0	73,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 01:30:00	44,2	70,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 01:30:00	56,3	78,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 01:00:00	55,2	78,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 01:00:00	48,9	69,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 01:00:00	42,6	67,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-06 01:00:00	54,1	76,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 00:30:00	54,3	79,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 00:30:00	49,1	68,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 00:30:00	42,5	69,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 00:30:00	56,0	80,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-06 00:00:00	51,7	66,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-06 00:00:00	49,3	63,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-06 00:00:00	42,0	63,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-06 00:00:00	53,1	64,6	-6,0	45	