


◆ ST02 ◆ ST04 ◆ ST03 ◆ ST01 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-19 00:00:00	48,4	70,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-19 00:00:00	57,1	72,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-19 00:00:00	58,9	71,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-19 00:00:00	54,1	69,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 23:30:00	47,2	68,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 23:30:00	57,4	71,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 23:30:00	59,1	70,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 23:30:00	54,6	69,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 23:00:00	47,5	68,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 23:00:00	58,0	70,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 23:00:00	59,8	70,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 23:00:00	55,3	68,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 22:30:00	47,4	67,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 22:30:00	58,3	70,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 22:30:00	60,2	72,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 22:30:00	55,6	68,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 22:00:00	47,3	69,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 22:00:00	58,2	70,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 22:00:00	59,9	69,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 22:00:00	54,9	67,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 21:30:00	47,6	68,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 21:30:00	58,7	70,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 21:30:00	60,4	71,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 21:30:00	55,4	67,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 21:00:00	47,6	73,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 21:00:00	58,5	69,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 21:00:00	60,2	70,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 21:00:00	55,1	69,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 20:30:00	47,4	71,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 20:30:00	59,1	70,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 20:30:00	60,7	78,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 20:30:00	55,5	67,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 20:00:00	47,7	67,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 20:00:00	59,9	72,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 20:00:00	61,4	74,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 20:00:00	56,1	68,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 19:30:00	48,6	67,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-18 19:30:00	60,7	71,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-18 19:30:00	62,3	74,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-18 19:30:00	56,9	69,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-18 19:00:00	49,1	67,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 19:00:00	62,1	71,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 19:00:00	63,3	71,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 19:00:00	57,5	66,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2025-01-18 18:30:00	49,4	71,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 18:30:00	62,1	73,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 18:30:00	63,7	72,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 18:30:00	57,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 18:00:00	49,3	68,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 18:00:00	62,5	72,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 18:00:00	64,2	72,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 18:00:00	57,6	68,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 17:30:00	49,7	67,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 17:30:00	63,1	71,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 17:30:00	64,6	71,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 17:30:00	58,4	66,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 17:00:00	51,0	72,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 17:00:00	63,6	71,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 17:00:00	65,0	71,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 17:00:00	59,1	68,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 16:30:00	51,9	66,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 16:30:00	63,8	76,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 16:30:00	65,4	76,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 16:30:00	59,7	69,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 16:00:00	52,1	67,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 16:00:00	64,0	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 16:00:00	65,6	73,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 16:00:00	59,6	70,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 15:30:00	63,5	71,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 15:30:00	65,1	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 15:30:00	52,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 15:30:00	60,3	70,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 15:00:00	63,8	71,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 15:00:00	65,4	72,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 15:00:00	51,6	65,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 15:00:00	60,0	67,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 14:30:00	63,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 14:30:00	64,8	73,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 14:30:00	51,5	68,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 14:30:00	60,0	70,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 14:00:00	63,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 14:00:00	65,6	73,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 14:00:00	51,1	66,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 14:00:00	59,9	69,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 13:30:00	63,9	75,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 13:30:00	65,6	72,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 13:30:00	51,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 13:30:00	59,5	68,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2025-01-18 13:00:00	63,8	73,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 13:00:00	65,5	74,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 13:00:00	51,4	67,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 13:00:00	59,4	68,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 12:30:00	64,8	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 12:30:00	66,1	73,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 12:30:00	50,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 12:30:00	59,0	70,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 12:00:00	64,8	74,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 12:00:00	65,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 12:00:00	49,4	71,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 12:00:00	58,4	67,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 11:30:00	64,1	76,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 11:30:00	65,4	76,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 11:30:00	50,5	68,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 11:30:00	58,8	67,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 11:00:00	62,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 11:00:00	64,5	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 11:00:00	50,9	66,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 11:00:00	58,9	68,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 10:30:00	63,2	76,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 10:30:00	64,7	75,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 10:30:00	51,2	63,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 10:30:00	58,9	66,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 10:00:00	62,9	76,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 10:00:00	63,9	73,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 10:00:00	49,8	66,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 10:00:00	58,3	68,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 09:30:00	61,7	74,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 09:30:00	63,0	75,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 09:30:00	49,6	68,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 09:30:00	57,5	68,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 09:00:00	61,2	72,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 09:00:00	62,2	72,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 09:00:00	49,4	67,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 09:00:00	57,0	67,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 08:30:00	60,3	73,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 08:30:00	61,5	75,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 08:30:00	49,2	69,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 08:30:00	57,2	69,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 08:00:00	59,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 08:00:00	61,2	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 08:00:00	48,8	66,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 08:00:00	56,4	68,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2025-01-18 07:30:00	58,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 07:30:00	60,3	67,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 07:30:00	49,1	68,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 07:30:00	55,5	66,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 07:00:00	59,8	67,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-18 07:00:00	57,7	68,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-18 07:00:00	48,4	68,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-18 07:00:00	54,6	68,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-18 06:30:00	58,6	67,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 06:30:00	57,3	68,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 06:30:00	47,4	66,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 06:30:00	53,9	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 06:00:00	56,4	69,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 06:00:00	54,9	69,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 06:00:00	46,2	69,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 06:00:00	52,1	70,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 05:30:00	53,7	65,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 05:30:00	52,5	66,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 05:30:00	45,1	66,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 05:30:00	54,0	82,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 05:00:00	53,2	68,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 05:00:00	52,2	67,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 05:00:00	43,5	64,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 05:00:00	50,3	67,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 04:30:00	53,6	67,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 04:30:00	52,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 04:30:00	50,1	77,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 04:30:00	52,9	75,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 04:00:00	53,9	63,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 04:00:00	52,4	66,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 04:00:00	42,5	50,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 04:00:00	50,9	61,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 03:30:00	54,9	69,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 03:30:00	53,2	66,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 03:30:00	54,9	76,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 03:30:00	56,1	77,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 03:00:00	54,9	67,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 03:00:00	53,8	69,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 03:00:00	44,6	65,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 03:00:00	51,8	69,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 02:30:00	55,2	68,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 02:30:00	53,9	68,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 02:30:00	44,3	52,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 02:30:00	51,8	62,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-18 02:00:00	55,3	69,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 02:00:00	54,1	67,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 02:00:00	46,6	73,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 02:00:00	52,4	70,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 01:30:00	56,9	66,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 01:30:00	55,7	68,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 01:30:00	46,1	69,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 01:30:00	52,6	66,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 01:00:00	57,6	65,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 01:00:00	56,4	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 01:00:00	46,7	71,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 01:00:00	53,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 00:30:00	57,6	66,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 00:30:00	56,3	68,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 00:30:00	47,4	68,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 00:30:00	53,9	67,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-18 00:00:00	59,0	69,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-18 00:00:00	57,9	68,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-18 00:00:00	54,1	78,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-18 00:00:00	56,6	76,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 23:30:00	58,5	68,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 23:30:00	57,1	68,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 23:30:00	48,8	68,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 23:30:00	55,1	68,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 23:00:00	59,5	66,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 23:00:00	57,5	68,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 23:00:00	48,7	69,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 23:00:00	55,6	69,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 22:30:00	61,2	71,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 22:30:00	59,5	71,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 22:30:00	50,4	70,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 22:30:00	57,2	70,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 22:00:00	61,1	70,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 22:00:00	59,6	73,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 22:00:00	50,5	71,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 22:00:00	56,4	68,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 21:30:00	61,1	68,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 21:30:00	59,5	69,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 21:30:00	49,5	67,6	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 21:30:00	57,0	67,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 21:00:00	61,9	73,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 21:00:00	60,7	69,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 21:00:00	49,7	66,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 21:00:00	56,7	69,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-17 20:30:00	61,6	71,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 20:30:00	60,3	70,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 20:30:00	50,9	82,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 20:30:00	57,1	69,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 20:00:00	62,2	71,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 20:00:00	60,8	72,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 20:00:00	50,6	75,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 20:00:00	57,6	68,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 19:30:00	63,2	72,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-17 19:30:00	61,9	71,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-17 19:30:00	51,2	69,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-17 19:30:00	58,0	69,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-17 19:00:00	63,9	75,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 19:00:00	62,4	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 19:00:00	51,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 19:00:00	58,8	68,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 18:30:00	64,4	73,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 18:30:00	62,9	72,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 18:30:00	51,5	71,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 18:30:00	59,0	68,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 18:00:00	64,5	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 18:00:00	62,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 18:00:00	52,1	76,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 18:00:00	59,1	69,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 17:30:00	64,9	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 17:30:00	63,5	72,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 17:30:00	51,7	67,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 17:30:00	58,8	71,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 17:00:00	64,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 17:00:00	63,3	73,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 17:00:00	50,5	66,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 17:00:00	58,0	72,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 16:30:00	64,8	72,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 16:30:00	63,7	74,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 16:30:00	50,8	73,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 16:30:00	57,4	68,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 16:00:00	64,4	73,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 16:00:00	63,5	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 16:00:00	50,9	73,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 16:00:00	57,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 15:30:00	55,4	76,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 15:30:00	63,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 15:30:00	63,4	74,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 15:30:00	49,3	68,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-17 15:00:00	58,8	71,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 15:00:00	65,0	73,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 15:00:00	63,2	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 15:00:00	51,4	68,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 14:30:00	59,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 14:30:00	65,5	75,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 14:30:00	64,0	75,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 14:30:00	52,7	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 14:00:00	59,8	68,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 14:00:00	66,0	74,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 14:00:00	64,5	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 14:00:00	52,2	68,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 13:30:00	60,0	72,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 13:30:00	65,8	76,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 13:30:00	64,4	74,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 13:30:00	52,1	71,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 13:00:00	60,1	69,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 13:00:00	65,9	74,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 13:00:00	64,4	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 13:00:00	51,8	69,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 12:30:00	60,0	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 12:30:00	65,6	75,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 12:30:00	64,2	75,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 12:30:00	52,0	69,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 12:00:00	59,7	71,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 12:00:00	65,7	73,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 12:00:00	64,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 12:00:00	51,8	70,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 11:30:00	59,7	71,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 11:30:00	65,1	74,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 11:30:00	63,8	73,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 11:30:00	50,9	71,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 11:00:00	60,2	71,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 11:00:00	65,3	73,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 11:00:00	64,2	74,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 11:00:00	51,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 10:30:00	59,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 10:30:00	65,1	72,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 10:30:00	64,2	74,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 10:30:00	51,5	71,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 10:00:00	59,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 10:00:00	64,6	76,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 10:00:00	63,1	75,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 10:00:00	51,1	66,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-17 09:30:00	58,6	68,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 09:30:00	64,2	76,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 09:30:00	62,7	73,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 09:30:00	50,6	66,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 09:00:00	57,1	69,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 09:00:00	63,4	75,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 09:00:00	61,8	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 09:00:00	50,7	70,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 08:30:00	56,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 08:30:00	63,4	72,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 08:30:00	61,7	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 08:30:00	50,1	71,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 08:00:00	57,1	67,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 08:00:00	63,2	72,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 08:00:00	61,5	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 08:00:00	50,0	70,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 07:30:00	59,7	71,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 07:30:00	64,6	74,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 07:30:00	63,2	75,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 07:30:00	52,5	74,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 07:00:00	59,2	67,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-17 07:00:00	64,2	71,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-17 07:00:00	62,6	70,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-17 07:00:00	51,3	67,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-17 06:30:00	59,2	71,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 06:30:00	63,9	73,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 06:30:00	62,5	71,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 06:30:00	51,0	68,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 06:00:00	58,5	70,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 06:00:00	62,4	74,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 06:00:00	61,6	75,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 06:00:00	50,5	70,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 05:30:00	56,1	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 05:30:00	59,2	70,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 05:30:00	58,6	70,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 05:30:00	47,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 05:00:00	54,0	62,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 05:00:00	58,4	72,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 05:00:00	56,4	70,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 05:00:00	44,6	52,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 04:30:00	51,8	64,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 04:30:00	54,8	67,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 04:30:00	53,4	67,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 04:30:00	44,5	65,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-17 04:00:00	63,2	79,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 04:00:00	57,2	67,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 04:00:00	54,8	66,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 04:00:00	62,1	77,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 03:30:00	50,0	60,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 03:30:00	54,4	67,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 03:30:00	52,9	68,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 03:30:00	39,7	48,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 03:00:00	50,3	61,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 03:00:00	55,1	73,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 03:00:00	53,8	73,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 03:00:00	40,2	49,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 02:30:00	50,6	62,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 02:30:00	54,1	66,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 02:30:00	52,9	68,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 02:30:00	40,7	49,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 02:00:00	63,8	78,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 02:00:00	57,8	72,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 02:00:00	55,7	74,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 02:00:00	63,1	78,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 01:30:00	50,8	61,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 01:30:00	54,4	66,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 01:30:00	52,7	68,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 01:30:00	43,4	71,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 01:00:00	51,2	64,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 01:00:00	55,7	68,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 01:00:00	54,1	67,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 01:00:00	43,1	64,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 00:30:00	52,1	64,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 00:30:00	56,0	68,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 00:30:00	54,6	69,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 00:30:00	43,6	63,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-17 00:00:00	53,0	69,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-17 00:00:00	56,8	72,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-17 00:00:00	55,5	72,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-17 00:00:00	46,1	72,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 23:30:00	54,2	69,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 23:30:00	58,4	71,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 23:30:00	57,1	72,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 23:30:00	46,0	64,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 23:00:00	54,7	69,5	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 23:00:00	59,4	79,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 23:00:00	57,6	73,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 23:00:00	46,1	67,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-16 22:30:00	55,2	69,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 22:30:00	59,6	70,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 22:30:00	57,6	69,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 22:30:00	47,6	70,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 22:00:00	55,5	68,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 22:00:00	61,4	75,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 22:00:00	59,7	72,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 22:00:00	46,6	64,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 21:30:00	56,4	67,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 21:30:00	62,3	77,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 21:30:00	60,7	73,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 21:30:00	48,1	67,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 21:00:00	57,2	66,6	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 21:00:00	62,6	73,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 21:00:00	61,2	74,3	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 21:00:00	48,8	67,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 20:30:00	57,5	67,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 20:30:00	62,7	71,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 20:30:00	61,1	72,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 20:30:00	48,9	68,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 20:00:00	57,5	69,8	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 20:00:00	62,8	70,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 20:00:00	61,3	70,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 20:00:00	49,6	70,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 19:30:00	57,7	65,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-16 19:30:00	63,8	72,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-16 19:30:00	62,1	72,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-16 19:30:00	49,0	73,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-16 19:00:00	58,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 19:00:00	63,8	74,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 19:00:00	62,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 19:00:00	49,7	66,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 18:30:00	58,8	67,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 18:30:00	64,5	78,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 18:30:00	63,0	72,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 18:30:00	50,2	65,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 18:00:00	59,1	66,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 18:00:00	64,6	72,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 18:00:00	63,0	71,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 18:00:00	50,4	65,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 17:30:00	59,1	66,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 17:30:00	64,8	72,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 17:30:00	63,5	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 17:30:00	50,1	64,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-16 17:00:00	58,6	66,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 17:00:00	63,9	72,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 17:00:00	62,5	74,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 17:00:00	49,6	66,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 16:30:00	57,0	72,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 16:30:00	64,5	76,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 16:30:00	63,0	80,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 16:30:00	48,9	70,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 16:00:00	56,9	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 16:00:00	64,1	72,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 16:00:00	62,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 16:00:00	49,0	65,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 15:30:00	57,8	72,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 15:30:00	64,8	74,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 15:30:00	63,5	75,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 15:30:00	49,6	67,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 15:00:00	59,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 15:00:00	65,2	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 15:00:00	63,5	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 15:00:00	50,7	70,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 14:30:00	60,3	69,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 14:30:00	65,4	74,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 14:30:00	63,6	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 14:30:00	51,6	71,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 14:00:00	59,5	67,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 14:00:00	65,8	74,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 14:00:00	64,4	81,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 14:00:00	50,9	68,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 13:30:00	59,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 13:30:00	64,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 13:30:00	63,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 13:30:00	50,4	69,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 13:00:00	59,7	68,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 13:00:00	65,0	77,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 13:00:00	63,5	78,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 13:00:00	51,3	72,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 12:30:00	59,3	66,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 12:30:00	65,5	74,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 12:30:00	63,7	75,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 12:30:00	50,1	67,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 12:00:00	59,1	68,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 12:00:00	65,6	74,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 12:00:00	63,9	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 12:00:00	50,9	77,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-16 11:30:00	59,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 11:30:00	65,4	72,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 11:30:00	64,3	73,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 11:30:00	49,7	65,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 11:00:00	57,1	68,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 11:00:00	64,2	75,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 11:00:00	62,9	74,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 11:00:00	48,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 10:30:00	57,0	72,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 10:30:00	63,9	73,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 10:30:00	62,4	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 10:30:00	50,4	71,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 10:00:00	57,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 10:00:00	63,5	72,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 10:00:00	62,2	76,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 10:00:00	48,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 09:30:00	58,9	78,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 09:30:00	63,8	75,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 09:30:00	62,1	77,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 09:30:00	48,9	65,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 09:00:00	56,2	66,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 09:00:00	63,5	74,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 09:00:00	61,8	74,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 09:00:00	48,0	67,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 08:30:00	56,3	67,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 08:30:00	63,0	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 08:30:00	61,1	73,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 08:30:00	47,6	65,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 08:00:00	56,3	67,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 08:00:00	63,1	73,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 08:00:00	61,0	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 08:00:00	47,5	66,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 07:30:00	57,4	74,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 07:30:00	64,1	81,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 07:30:00	61,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 07:30:00	50,6	71,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 07:00:00	56,7	65,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-16 07:00:00	63,1	71,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-16 07:00:00	61,3	74,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-16 07:00:00	48,2	64,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-16 06:30:00	58,0	67,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 06:30:00	63,3	73,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 06:30:00	61,5	74,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 06:30:00	49,1	64,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-16 06:00:00	58,1	65,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 06:00:00	62,4	71,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 06:00:00	61,4	71,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 06:00:00	48,7	65,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 05:30:00	55,4	65,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 05:30:00	59,3	67,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 05:30:00	58,4	69,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 05:30:00	46,4	65,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 05:00:00	53,2	61,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 05:00:00	57,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 05:00:00	56,8	70,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 05:00:00	43,8	51,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 04:30:00	52,2	62,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 04:30:00	56,5	70,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 04:30:00	55,3	70,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 04:30:00	42,3	50,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 04:00:00	51,1	62,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 04:00:00	54,7	72,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 04:00:00	53,5	71,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 04:00:00	41,3	52,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 03:30:00	50,0	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 03:30:00	55,3	67,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 03:30:00	53,5	71,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 03:30:00	40,3	49,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 03:00:00	50,0	65,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 03:00:00	55,0	70,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 03:00:00	54,3	72,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 03:00:00	40,2	53,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 02:30:00	51,4	61,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 02:30:00	55,3	72,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 02:30:00	54,4	73,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 02:30:00	41,8	50,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 02:00:00	49,7	63,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 02:00:00	53,3	67,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 02:00:00	53,1	75,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 02:00:00	40,0	49,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 01:30:00	50,0	61,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 01:30:00	53,7	64,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 01:30:00	52,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 01:30:00	42,8	71,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 01:00:00	52,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 01:00:00	55,8	69,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 01:00:00	54,6	68,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 01:00:00	44,3	65,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-16 00:30:00	51,8	66,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 00:30:00	56,3	74,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 00:30:00	54,8	74,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 00:30:00	44,7	64,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-16 00:15:00	45,0	62,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-16 00:00:00	52,4	66,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-16 00:00:00	57,4	72,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-16 00:00:00	56,3	72,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 23:30:00	52,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 23:30:00	58,3	74,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 23:30:00	56,9	75,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 23:30:00	46,4	67,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 23:00:00	54,3	65,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 23:00:00	59,8	72,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 23:00:00	58,2	70,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 23:00:00	46,7	66,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 22:30:00	56,5	66,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 22:30:00	61,4	75,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 22:30:00	59,6	70,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 22:30:00	49,1	66,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 22:00:00	56,4	69,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 22:00:00	61,2	71,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 22:00:00	59,5	70,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 22:00:00	49,2	70,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 21:30:00	57,4	76,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 21:30:00	62,0	72,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 21:30:00	60,6	73,7	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 21:30:00	48,2	67,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 21:00:00	57,6	74,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 21:00:00	62,0	71,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 21:00:00	60,5	71,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 21:00:00	49,1	70,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 20:30:00	57,2	67,8	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 20:30:00	62,9	73,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 20:30:00	61,4	73,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 20:30:00	49,0	66,4	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 20:00:00	57,4	67,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 20:00:00	63,2	72,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 20:00:00	61,9	72,9	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 20:00:00	49,1	63,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-15 19:30:00	58,0	66,2	-6,0	55	
ST03	Sandviksveien 52	2025-01-15 19:30:00	63,5	70,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-15 19:30:00	62,4	70,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-15 19:30:00	49,9	75,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-15 19:00:00	58,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 19:00:00	63,9	71,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 19:00:00	62,2	71,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 19:00:00	50,7	77,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 18:30:00	58,6	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 18:30:00	64,3	71,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 18:30:00	62,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 18:30:00	51,2	68,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 18:00:00	59,2	67,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 18:00:00	64,9	72,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 18:00:00	63,4	72,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 18:00:00	51,0	67,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 17:30:00	59,1	69,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 17:30:00	64,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 17:30:00	63,2	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 17:30:00	50,9	71,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 17:00:00	57,3	73,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 17:00:00	63,8	74,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 17:00:00	62,6	73,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 17:00:00	50,3	68,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 16:30:00	57,1	68,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 16:30:00	63,9	75,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 16:30:00	62,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 16:30:00	49,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 16:00:00	58,3	68,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 16:00:00	64,8	74,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 16:00:00	63,3	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 16:00:00	50,1	70,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 15:30:00	58,1	67,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 15:30:00	65,2	76,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 15:30:00	63,9	74,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 15:30:00	50,1	66,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 15:00:00	59,6	70,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 15:00:00	65,2	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 15:00:00	63,6	74,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 15:00:00	50,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 14:30:00	59,4	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 14:30:00	65,2	74,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 14:30:00	63,5	75,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 14:30:00	50,0	64,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 14:00:00	59,7	68,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 14:00:00	65,3	74,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 14:00:00	63,3	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 14:00:00	50,5	64,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-15 13:30:00	59,4	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 13:30:00	65,3	74,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 13:30:00	63,4	74,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 13:30:00	50,6	74,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 13:00:00	58,9	68,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 13:00:00	65,4	76,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 13:00:00	63,6	74,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 13:00:00	50,5	69,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 12:30:00	59,8	73,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 12:30:00	64,6	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 12:30:00	63,0	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 12:30:00	54,9	74,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 12:00:00	59,3	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 12:00:00	64,6	72,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 12:00:00	62,8	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 12:00:00	51,8	71,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 11:30:00	58,5	69,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 11:30:00	64,7	74,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 11:30:00	63,1	73,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 11:30:00	50,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 11:00:00	58,7	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 11:00:00	64,3	73,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 11:00:00	62,6	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 11:00:00	50,5	65,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 10:30:00	58,6	66,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 10:30:00	64,4	75,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 10:30:00	62,8	74,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 10:30:00	50,4	65,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 10:00:00	58,8	66,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 10:00:00	64,3	76,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 10:00:00	62,4	74,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 10:00:00	50,4	64,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 09:30:00	59,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 09:30:00	64,0	73,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 09:30:00	62,2	72,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 09:30:00	51,6	66,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 09:00:00	57,1	73,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 09:00:00	62,8	73,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 09:00:00	61,0	73,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 09:00:00	50,0	69,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 08:30:00	56,4	67,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 08:30:00	63,0	73,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 08:30:00	60,7	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 08:30:00	48,7	65,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-15 08:00:00	57,2	75,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 08:00:00	62,8	73,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 08:00:00	60,2	71,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 08:00:00	50,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 07:30:00	57,2	68,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 07:30:00	62,9	71,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 07:30:00	60,8	72,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 07:30:00	50,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 07:00:00	56,8	69,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-15 07:00:00	62,7	72,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-15 07:00:00	60,1	70,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-15 07:00:00	50,0	66,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-15 06:30:00	59,9	79,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 06:30:00	63,1	73,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 06:30:00	61,7	72,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 06:30:00	54,0	75,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 06:00:00	58,8	67,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 06:00:00	62,7	71,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 06:00:00	62,3	69,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 06:00:00	51,4	70,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 05:30:00	57,0	67,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 05:30:00	60,3	68,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 05:30:00	59,5	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 05:30:00	49,5	69,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 05:00:00	54,0	63,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 05:00:00	57,1	68,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 05:00:00	56,2	67,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 05:00:00	47,4	70,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 04:30:00	53,6	63,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 04:30:00	56,8	71,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 04:30:00	55,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 04:30:00	45,5	52,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 04:00:00	52,0	68,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 04:00:00	54,0	65,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 04:00:00	53,1	66,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 04:00:00	45,7	70,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 03:30:00	52,5	63,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 03:30:00	54,8	66,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 03:30:00	54,3	67,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 03:30:00	44,0	53,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 03:00:00	50,8	61,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 03:00:00	53,9	66,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 03:00:00	52,1	65,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 03:00:00	43,7	53,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2025-01-15 02:30:00	51,2	62,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 02:30:00	54,5	67,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 02:30:00	53,5	67,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 02:30:00	42,9	52,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 02:00:00	50,4	61,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 02:00:00	52,9	67,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 02:00:00	52,3	69,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 02:00:00	42,2	50,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 01:30:00	51,6	65,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 01:30:00	54,4	68,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 01:30:00	53,3	70,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 01:30:00	44,5	66,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 01:00:00	51,1	62,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 01:00:00	54,8	69,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 01:00:00	53,4	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 01:00:00	44,2	63,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 00:30:00	51,8	68,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 00:30:00	55,9	71,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 00:30:00	54,6	72,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 00:30:00	45,0	64,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-15 00:00:00	53,7	73,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-15 00:00:00	56,7	71,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-15 00:00:00	55,4	72,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-15 00:00:00	51,1	74,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 23:30:00	57,3	72,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 23:30:00	53,4	65,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 23:30:00	55,4	73,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 23:30:00	47,0	66,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 23:00:00	58,5	73,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 23:00:00	54,4	67,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 23:00:00	57,4	74,3	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 23:00:00	47,7	68,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 22:30:00	59,9	71,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 22:30:00	55,4	68,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 22:30:00	58,0	67,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 22:30:00	48,1	67,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 22:00:00	60,7	70,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 22:00:00	56,3	68,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 22:00:00	59,3	69,2	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 22:00:00	49,4	66,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 21:30:00	61,7	72,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 21:30:00	57,2	64,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 21:30:00	60,1	71,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 21:30:00	49,7	66,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-14 21:00:00	61,8	71,2	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 21:00:00	57,0	70,3	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 21:00:00	60,3	69,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 21:00:00	49,1	64,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 20:30:00	62,6	71,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 20:30:00	57,1	67,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 20:30:00	61,2	72,1	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 20:30:00	48,4	64,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 20:00:00	62,8	74,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 20:00:00	57,1	70,2	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 20:00:00	61,7	73,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 20:00:00	49,5	68,9	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 19:30:00	63,3	76,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-14 19:30:00	57,2	64,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-14 19:30:00	62,0	76,5	-6,0	55	
ST02	Kirkeveien 4	2025-01-14 19:30:00	48,7	68,4	-6,0	55	
ST03	Sandviksveien 52	2025-01-14 19:00:00	63,8	81,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 19:00:00	57,5	66,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 19:00:00	62,3	82,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 19:00:00	48,8	66,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 18:30:00	63,8	73,7	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 18:30:00	57,9	70,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 18:30:00	62,4	72,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 18:30:00	49,3	65,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 18:00:00	64,0	72,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 18:00:00	58,0	65,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 18:00:00	62,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 18:00:00	54,4	89,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 17:30:00	64,6	73,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 17:30:00	58,3	70,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 17:30:00	63,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 17:30:00	49,9	69,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 17:00:00	64,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 17:00:00	57,9	69,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 17:00:00	64,0	76,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 17:00:00	49,6	65,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 16:30:00	64,1	71,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 16:30:00	56,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 16:30:00	63,0	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 16:30:00	48,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 16:00:00	64,4	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 16:00:00	56,8	68,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 16:00:00	63,0	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 16:00:00	48,8	68,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-14 15:30:00	64,8	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 15:30:00	58,8	67,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 15:30:00	63,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 15:30:00	50,2	69,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 15:00:00	65,1	75,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 15:00:00	59,3	66,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 15:00:00	63,9	73,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 15:00:00	50,8	69,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 14:30:00	65,2	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 14:30:00	59,4	67,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 14:30:00	63,8	73,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 14:30:00	50,8	71,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 14:00:00	65,5	74,2	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 14:00:00	59,4	70,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 14:00:00	64,4	73,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 14:00:00	51,2	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 13:30:00	65,2	74,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 13:30:00	59,2	67,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 13:30:00	64,0	74,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 13:30:00	50,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 13:00:00	64,9	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 13:00:00	59,4	67,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 13:00:00	63,6	74,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 13:00:00	50,5	68,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 12:30:00	64,8	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 12:30:00	59,6	68,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 12:30:00	63,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 12:30:00	51,2	76,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 12:00:00	64,5	73,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 12:00:00	59,5	66,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 12:00:00	63,2	73,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 12:00:00	50,7	76,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 11:30:00	64,4	83,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 11:30:00	59,1	67,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 11:30:00	62,7	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 11:30:00	50,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 11:00:00	64,4	76,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 11:00:00	57,3	70,2	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 11:00:00	63,2	73,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 11:00:00	49,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 10:30:00	64,3	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 10:30:00	56,4	67,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 10:30:00	63,0	75,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 10:30:00	47,4	63,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-14 10:00:00	63,9	74,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 10:00:00	56,6	66,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 10:00:00	62,5	76,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 10:00:00	47,8	66,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 09:30:00	63,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 09:30:00	56,5	66,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 09:30:00	61,8	71,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 09:30:00	49,1	75,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 09:00:00	63,7	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 09:00:00	56,4	65,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 09:00:00	61,9	72,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 09:00:00	49,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 08:30:00	62,3	70,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 08:30:00	56,5	69,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 08:30:00	60,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 08:30:00	49,0	65,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 08:00:00	63,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 08:00:00	57,1	69,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 08:00:00	60,8	70,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 08:00:00	49,7	66,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 07:30:00	62,7	75,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 07:30:00	57,6	70,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 07:30:00	60,7	74,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 07:30:00	50,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 07:00:00	62,7	71,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-14 07:00:00	57,0	66,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-14 07:00:00	61,2	71,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-14 07:00:00	49,9	65,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-14 06:30:00	63,1	70,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 06:30:00	59,8	77,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 06:30:00	61,9	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 06:30:00	55,9	77,5	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 06:00:00	62,5	69,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 06:00:00	58,6	66,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 06:00:00	61,9	69,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 06:00:00	50,7	67,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 05:30:00	60,7	69,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 05:30:00	56,9	69,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 05:30:00	59,8	70,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 05:30:00	48,5	66,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 05:00:00	57,9	71,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 05:00:00	54,6	69,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 05:00:00	57,1	71,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 05:00:00	47,3	74,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-14 04:30:00	56,4	69,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 04:30:00	53,6	66,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 04:30:00	55,3	67,5	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 04:30:00	44,2	52,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 04:00:00	55,7	66,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 04:00:00	52,8	64,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 04:00:00	54,8	68,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 04:00:00	43,9	52,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 03:30:00	54,1	65,0	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 03:30:00	51,4	61,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 03:30:00	53,3	66,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 03:30:00	42,7	50,9	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 03:00:00	53,6	66,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 03:00:00	50,2	62,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 03:00:00	52,2	68,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 03:00:00	42,8	52,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 02:30:00	55,1	73,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 02:30:00	50,2	60,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 02:30:00	52,6	68,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 02:30:00	42,2	52,1	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 02:00:00	55,3	74,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 02:00:00	51,3	61,7	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 02:00:00	54,3	74,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 02:00:00	42,4	51,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 01:30:00	54,9	71,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 01:30:00	50,8	62,3	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 01:30:00	54,1	71,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 01:30:00	43,2	67,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 01:00:00	56,3	70,3	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 01:00:00	52,3	64,9	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 01:00:00	55,5	69,8	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 01:00:00	44,5	64,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 00:30:00	55,4	67,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 00:30:00	52,4	66,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 00:30:00	54,3	67,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 00:30:00	45,2	64,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-14 00:00:00	56,5	70,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-14 00:00:00	52,6	66,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-14 00:00:00	55,6	71,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-14 00:00:00	45,4	64,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 23:30:00	57,9	71,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 23:30:00	53,6	65,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 23:30:00	56,8	71,7	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 23:30:00	46,5	64,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-13 23:00:00	59,0	72,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 23:00:00	54,7	69,7	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 23:00:00	58,0	72,6	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 23:00:00	48,2	69,7	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 22:30:00	60,7	71,7	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 22:30:00	55,4	66,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 22:30:00	59,8	72,9	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 22:30:00	47,3	65,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 22:00:00	61,8	70,8	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 22:00:00	56,4	65,9	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 22:00:00	60,6	70,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 22:00:00	48,7	64,3	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 21:30:00	62,4	83,0	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 21:30:00	57,5	67,0	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 21:30:00	61,3	70,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 21:30:00	51,5	65,8	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 21:00:00	62,7	69,9	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 21:00:00	58,0	67,4	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 21:00:00	62,0	70,0	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 21:00:00	51,9	65,0	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 20:30:00	63,0	72,1	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 20:30:00	57,9	65,1	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 20:30:00	62,1	72,8	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 20:30:00	51,0	65,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 20:00:00	63,4	72,3	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 20:00:00	57,3	73,8	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 20:00:00	62,4	71,4	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 20:00:00	49,8	71,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 19:30:00	63,8	74,5	-6,0	55	
ST01	Høvikveien 2C	2025-01-13 19:30:00	58,4	63,6	-6,0	55	
ST04	Sandviksveien 70	2025-01-13 19:30:00	63,1	75,3	-6,0	55	
ST02	Kirkeveien 4	2025-01-13 19:30:00	51,2	71,1	-6,0	55	
ST03	Sandviksveien 52	2025-01-13 19:00:00	64,2	73,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 19:00:00	58,8	67,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 19:00:00	63,3	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 19:00:00	51,3	63,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 18:30:00	64,3	72,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 18:30:00	58,9	66,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 18:30:00	63,5	74,9	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 18:30:00	51,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 18:00:00	64,8	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 18:00:00	59,3	65,7	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 18:00:00	63,7	74,6	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 18:00:00	52,3	65,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-13 17:30:00	65,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 17:30:00	60,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 17:30:00	64,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 17:30:00	55,7	75,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 17:00:00	65,1	74,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 17:00:00	58,8	65,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 17:00:00	64,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 17:00:00	52,9	81,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 16:30:00	65,1	71,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 16:30:00	59,0	65,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 16:30:00	64,3	72,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 16:30:00	51,8	69,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 16:00:00	65,9	73,8	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 16:00:00	59,9	66,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 16:00:00	64,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 16:00:00	54,6	64,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 15:30:00	65,7	77,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 15:30:00	60,3	75,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 15:30:00	64,6	76,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 15:30:00	53,4	66,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 15:00:00	65,8	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 15:00:00	60,8	68,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 15:00:00	64,5	73,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 15:00:00	55,1	66,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 14:30:00	65,8	74,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 14:30:00	60,1	67,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 14:30:00	64,7	74,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 14:30:00	54,4	67,0	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 14:00:00	65,3	75,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 14:00:00	61,8	76,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 14:00:00	63,7	75,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 14:00:00	59,9	79,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 13:30:00	64,2	73,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 13:30:00	59,9	65,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 13:30:00	62,8	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 13:30:00	52,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 13:00:00	64,3	79,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 13:00:00	59,2	65,9	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 13:00:00	63,1	71,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 13:00:00	50,9	63,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 12:30:00	64,4	81,9	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 12:30:00	59,4	69,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 12:30:00	62,6	72,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 12:30:00	52,0	70,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-13 12:00:00	64,4	74,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 12:00:00	58,8	67,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 12:00:00	63,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 12:00:00	50,2	64,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 11:30:00	64,3	73,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 11:30:00	58,2	69,3	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 11:30:00	63,1	75,8	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 11:30:00	49,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 11:00:00	63,7	72,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 11:00:00	58,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 11:00:00	62,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 11:00:00	49,5	66,2	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 10:30:00	63,0	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 10:30:00	57,2	75,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 10:30:00	61,4	72,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 10:30:00	49,2	69,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 10:00:00	63,2	79,3	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 10:00:00	55,6	67,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 10:00:00	61,7	73,7	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 10:00:00	47,2	66,3	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 09:30:00	62,7	73,6	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 09:30:00	56,1	70,5	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 09:30:00	61,0	71,4	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 09:30:00	48,0	64,8	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 09:00:00	61,6	72,4	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 09:00:00	54,8	68,4	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 09:00:00	60,0	71,3	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 09:00:00	47,8	67,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 08:30:00	62,0	72,0	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 08:30:00	55,1	66,8	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 08:30:00	60,0	72,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 08:30:00	47,5	70,4	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 08:00:00	62,2	70,5	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 08:00:00	55,3	69,1	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 08:00:00	60,3	77,5	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 08:00:00	46,9	66,6	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 07:30:00	62,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 07:30:00	55,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 07:30:00	60,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 07:30:00	45,9	64,7	-6,0	60	
ST03	Sandviksveien 52	2025-01-13 07:00:00	61,9	71,1	-6,0	60	
ST01	Høvikveien 2C	2025-01-13 07:00:00	55,0	66,6	-6,0	60	
ST04	Sandviksveien 70	2025-01-13 07:00:00	59,8	72,0	-6,0	60	
ST02	Kirkeveien 4	2025-01-13 07:00:00	47,3	67,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-13 06:30:00	62,1	70,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 06:30:00	57,0	69,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 06:30:00	60,7	70,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 06:30:00	47,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 06:00:00	61,3	72,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 06:00:00	56,3	66,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 06:00:00	60,7	72,0	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 06:00:00	47,5	71,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 05:30:00	58,4	68,5	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 05:30:00	54,5	66,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 05:30:00	57,8	67,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 05:30:00	44,7	64,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 05:00:00	55,8	72,4	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 05:00:00	51,2	65,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 05:00:00	54,6	70,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 05:00:00	41,6	65,0	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 04:30:00	54,5	67,9	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 04:30:00	50,2	68,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 04:30:00	52,9	70,2	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 04:30:00	43,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 04:00:00	52,7	63,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 04:00:00	48,6	58,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 04:00:00	51,2	65,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 04:00:00	37,9	47,7	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 03:30:00	50,9	63,8	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 03:30:00	46,4	58,8	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 03:30:00	49,6	65,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 03:30:00	35,7	46,3	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 03:00:00	51,8	66,7	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 03:00:00	47,4	60,6	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 03:00:00	50,9	67,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 03:00:00	37,5	46,8	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 02:30:00	51,8	65,1	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 02:30:00	47,3	59,0	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 02:30:00	50,6	66,3	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 02:30:00	38,0	49,4	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 02:00:00	51,4	70,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 02:00:00	45,9	58,4	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 02:00:00	49,7	69,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 02:00:00	36,5	46,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 01:30:00	52,6	70,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 01:30:00	47,5	66,1	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 01:30:00	51,0	70,1	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 01:30:00	39,4	62,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2025-01-13 01:00:00	53,7	69,6	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 01:00:00	48,8	66,2	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 01:00:00	52,0	67,9	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 01:00:00	41,6	65,6	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 00:30:00	53,6	69,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 00:30:00	48,7	63,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 00:30:00	52,2	68,6	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 00:30:00	41,6	63,2	-6,0	45	
ST03	Sandviksveien 52	2025-01-13 00:00:00	55,0	72,2	-6,0	45	
ST01	Høvikveien 2C	2025-01-13 00:00:00	50,4	65,5	-6,0	45	
ST04	Sandviksveien 70	2025-01-13 00:00:00	53,4	68,4	-6,0	45	
ST02	Kirkeveien 4	2025-01-13 00:00:00	42,7	65,0	-6,0	45	