


◆ ST04 ◆ ST03 ◆ ST01 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-18 00:00:00	59,1	74,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-18 00:00:00	60,7	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-18 00:00:00	57,6	74,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 23:30:00	58,4	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 23:30:00	60,0	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 23:30:00	57,2	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 23:00:00	59,1	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 23:00:00	60,2	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 23:00:00	57,7	77,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 22:30:00	59,6	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 22:30:00	60,6	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 22:30:00	58,0	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 22:00:00	59,9	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 22:00:00	61,4	71,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 22:00:00	57,8	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 21:30:00	60,5	77,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 21:30:00	61,6	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 21:30:00	58,8	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 21:00:00	59,7	73,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 21:00:00	61,5	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 21:00:00	58,8	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 20:30:00	60,0	73,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 20:30:00	61,8	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 20:30:00	59,2	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-17 20:30:00	51,8	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 20:00:00	60,1	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 20:00:00	62,0	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 20:00:00	59,7	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-17 20:00:00	51,3	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 19:30:00	60,1	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-17 19:30:00	62,2	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-17 19:30:00	60,0	70,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-17 19:30:00	51,2	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-17 19:00:00	60,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 19:00:00	62,4	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 19:00:00	60,3	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 19:00:00	51,4	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 18:30:00	60,1	65,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 18:30:00	62,6	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 18:30:00	60,8	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 18:30:00	52,1	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 18:00:00	60,4	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 18:00:00	63,1	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 18:00:00	61,3	77,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-17 18:00:00	52,9	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 17:30:00	60,3	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 17:30:00	63,0	80,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 17:30:00	61,2	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 17:30:00	53,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 17:00:00	60,5	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 17:00:00	62,5	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 17:00:00	60,8	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 17:00:00	53,0	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 16:30:00	59,9	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 16:30:00	62,4	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 16:30:00	60,1	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 16:30:00	52,6	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 16:00:00	58,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 16:00:00	61,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 16:00:00	59,9	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 16:00:00	52,5	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 15:30:00	59,0	81,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 15:30:00	62,2	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 15:30:00	60,2	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 15:30:00	52,2	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 15:00:00	58,2	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 15:00:00	62,5	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 15:00:00	60,7	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 15:00:00	52,4	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 14:30:00	57,8	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 14:30:00	61,6	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 14:30:00	59,9	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 14:30:00	51,9	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 14:00:00	58,5	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 14:00:00	61,9	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 14:00:00	59,5	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 14:00:00	52,5	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 13:30:00	57,8	65,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 13:30:00	61,9	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 13:30:00	59,4	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 13:30:00	52,7	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 13:00:00	57,8	65,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 13:00:00	61,4	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 13:00:00	59,6	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 13:00:00	52,1	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 12:30:00	58,7	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 12:30:00	62,0	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 12:30:00	60,5	72,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-17 12:30:00	52,5	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 12:00:00	60,6	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 12:00:00	63,1	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 12:00:00	61,7	79,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 12:00:00	56,4	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 11:30:00	61,0	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 11:30:00	63,2	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 11:30:00	61,0	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 11:30:00	53,8	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 11:00:00	60,8	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 11:00:00	62,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 11:00:00	60,6	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 11:00:00	52,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 10:30:00	63,0	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 10:30:00	60,5	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 10:30:00	60,5	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 10:30:00	53,1	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 10:00:00	63,7	86,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 10:00:00	60,3	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 10:00:00	60,2	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 10:00:00	51,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 09:30:00	62,4	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 09:30:00	60,1	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 09:30:00	59,7	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 09:30:00	51,2	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 09:00:00	61,6	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 09:00:00	59,8	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 09:00:00	58,6	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 09:00:00	49,4	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 08:30:00	62,4	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 08:30:00	60,7	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 08:30:00	58,2	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 08:30:00	51,5	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 08:00:00	61,4	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 08:00:00	59,7	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 08:00:00	56,9	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 08:00:00	48,7	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 07:30:00	60,3	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 07:30:00	58,3	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 07:30:00	57,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-17 07:30:00	48,8	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 07:00:00	59,3	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-17 07:00:00	58,1	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-17 07:00:00	55,7	72,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-17 07:00:00	47,6	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-17 06:30:00	58,0	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 06:30:00	57,0	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 06:30:00	54,9	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 06:30:00	46,3	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 06:00:00	55,9	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 06:00:00	54,7	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 06:00:00	53,0	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 06:00:00	45,6	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 05:30:00	54,7	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 05:30:00	53,7	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 05:30:00	52,5	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 05:30:00	45,8	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 05:00:00	54,2	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 05:00:00	53,0	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 05:00:00	51,8	71,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 05:00:00	44,8	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 04:30:00	53,9	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 04:30:00	53,2	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 04:30:00	51,7	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 04:30:00	44,1	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 04:00:00	54,3	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 04:00:00	53,3	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 04:00:00	51,2	60,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 04:00:00	42,3	49,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 03:30:00	55,0	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 03:30:00	53,6	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 03:30:00	51,6	61,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 03:30:00	42,7	50,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 03:00:00	54,4	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 03:00:00	53,2	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 03:00:00	51,3	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 03:00:00	41,9	50,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 02:30:00	57,6	74,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 02:30:00	55,1	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 02:30:00	63,8	86,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 02:30:00	61,6	83,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 02:00:00	55,9	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 02:00:00	54,7	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 02:00:00	52,6	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 02:00:00	43,6	52,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 01:30:00	56,9	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 01:30:00	55,8	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 01:30:00	53,7	71,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-17 01:30:00	45,6	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 01:00:00	57,4	78,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 01:00:00	55,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 01:00:00	54,0	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 01:00:00	46,1	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 00:30:00	57,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 00:30:00	57,0	78,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 00:30:00	54,9	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 00:30:00	46,9	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-17 00:00:00	58,9	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-17 00:00:00	57,6	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-17 00:00:00	55,7	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-17 00:00:00	48,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 23:30:00	59,5	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 23:30:00	58,1	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 23:30:00	56,0	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 23:30:00	48,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 23:00:00	60,3	78,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 23:00:00	58,9	73,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 23:00:00	57,7	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 23:00:00	50,0	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 22:30:00	60,3	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 22:30:00	59,5	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 22:30:00	58,5	76,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 22:30:00	51,0	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 22:00:00	61,1	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 22:00:00	59,8	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 22:00:00	59,2	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 22:00:00	51,4	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 21:30:00	61,3	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 21:30:00	60,4	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 21:30:00	59,6	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 21:30:00	54,1	77,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 21:00:00	62,2	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 21:00:00	60,8	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 21:00:00	59,8	76,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 21:00:00	52,3	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 20:30:00	62,5	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 20:30:00	60,1	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 20:30:00	60,0	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 20:30:00	52,1	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 20:00:00	62,4	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 20:00:00	60,2	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 20:00:00	60,4	74,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-16 20:00:00	53,3	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 19:30:00	63,3	77,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-16 19:30:00	60,7	78,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-16 19:30:00	61,2	76,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-16 19:30:00	53,9	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-16 19:00:00	63,0	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 19:00:00	60,7	77,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 19:00:00	61,5	87,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 19:00:00	53,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 18:30:00	63,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 18:30:00	60,8	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 18:30:00	61,8	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 18:30:00	55,9	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 18:00:00	64,2	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 18:00:00	61,0	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 18:00:00	66,5	87,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 18:00:00	63,2	84,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 17:30:00	63,1	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 17:30:00	60,6	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 17:30:00	61,1	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 17:30:00	53,6	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 17:00:00	60,8	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 17:00:00	59,6	66,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 17:00:00	59,4	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 17:00:00	52,2	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 16:30:00	59,3	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 16:30:00	57,4	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 16:30:00	58,0	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 16:30:00	50,8	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 16:00:00	57,6	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 16:00:00	59,6	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 16:00:00	57,9	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 16:00:00	50,3	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 15:30:00	58,8	78,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 15:30:00	61,8	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 15:30:00	57,5	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 15:30:00	53,3	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 15:00:00	58,0	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 15:00:00	60,3	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 15:00:00	57,6	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 15:00:00	51,9	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 14:30:00	56,5	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 14:30:00	58,8	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 14:30:00	55,1	75,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-16 14:30:00	51,3	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 14:00:00	55,7	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 14:00:00	59,6	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 14:00:00	56,8	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 14:00:00	49,5	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 13:30:00	56,2	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 13:30:00	60,9	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 13:30:00	59,8	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 13:30:00	48,6	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 13:00:00	57,3	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 13:00:00	61,4	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 13:00:00	59,5	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 13:00:00	48,7	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 12:30:00	57,2	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 12:30:00	61,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 12:30:00	59,7	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 12:30:00	49,2	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 12:00:00	59,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 12:00:00	64,2	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 12:00:00	61,7	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 12:00:00	49,7	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 11:30:00	60,2	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 11:30:00	64,6	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 11:30:00	63,2	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 11:30:00	50,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 11:00:00	59,6	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 11:00:00	63,8	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 11:00:00	62,6	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 11:00:00	50,1	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 10:30:00	60,3	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 10:30:00	64,8	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 10:30:00	62,7	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 10:30:00	51,3	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 10:00:00	60,6	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 10:00:00	65,4	84,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 10:00:00	63,0	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 10:00:00	52,1	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 09:30:00	60,8	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 09:30:00	65,2	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 09:30:00	63,4	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 09:30:00	51,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 09:00:00	60,5	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 09:00:00	65,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 09:00:00	62,8	69,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-16 09:00:00	51,4	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 08:30:00	61,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 08:30:00	65,7	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 08:30:00	62,6	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 08:30:00	52,5	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 08:00:00	61,6	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 08:00:00	65,5	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 08:00:00	62,9	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 08:00:00	53,5	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 07:30:00	61,5	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 07:30:00	65,8	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 07:30:00	63,3	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 07:30:00	52,9	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 07:00:00	61,0	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-16 07:00:00	65,2	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-16 07:00:00	63,5	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-16 07:00:00	51,9	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-16 06:30:00	60,8	77,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 06:30:00	64,0	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 06:30:00	62,2	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 06:30:00	52,2	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 06:00:00	59,8	71,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 06:00:00	63,0	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 06:00:00	62,1	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 06:00:00	51,2	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 05:30:00	58,1	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 05:30:00	60,4	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 05:30:00	59,3	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 05:30:00	50,5	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 05:00:00	56,3	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 05:00:00	58,8	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 05:00:00	57,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 05:00:00	47,9	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 04:30:00	53,8	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 04:30:00	56,4	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 04:30:00	55,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 04:30:00	45,4	52,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 04:00:00	52,8	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 04:00:00	55,8	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 04:00:00	54,2	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 04:00:00	44,1	53,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 03:30:00	53,2	64,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 03:30:00	55,0	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 03:30:00	53,6	68,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-16 03:30:00	46,0	58,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 03:00:00	53,2	64,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 03:00:00	54,9	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 03:00:00	53,3	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 03:00:00	46,1	57,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 02:30:00	51,9	62,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 02:30:00	54,8	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 02:30:00	52,4	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 02:30:00	44,6	53,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 02:00:00	54,2	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 02:00:00	56,2	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 02:00:00	53,5	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 02:00:00	47,1	58,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 01:30:00	55,6	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 01:30:00	57,2	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 01:30:00	54,6	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 01:30:00	48,7	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 01:00:00	56,1	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 01:00:00	57,2	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 01:00:00	53,7	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 01:00:00	49,3	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 00:30:00	56,2	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 00:30:00	57,5	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 00:30:00	54,3	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 00:30:00	49,2	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-16 00:00:00	56,4	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-16 00:00:00	58,3	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-16 00:00:00	55,0	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-16 00:00:00	50,1	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 23:30:00	57,5	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 23:30:00	59,1	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 23:30:00	56,0	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 23:30:00	51,5	73,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 23:00:00	58,9	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 23:00:00	60,8	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 23:00:00	57,4	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 23:00:00	52,6	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 22:30:00	59,2	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 22:30:00	61,8	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 22:30:00	58,5	66,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 22:30:00	52,0	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 22:00:00	59,7	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 22:00:00	62,5	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 22:00:00	59,0	68,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-15 22:00:00	52,0	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 21:30:00	60,8	77,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 21:30:00	63,4	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 21:30:00	59,8	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 21:30:00	53,3	71,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 21:00:00	61,9	79,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 21:00:00	64,2	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 21:00:00	60,6	66,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 21:00:00	53,7	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 20:30:00	61,5	71,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 20:30:00	64,3	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 20:30:00	60,8	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 20:30:00	53,4	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 20:00:00	62,2	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 20:00:00	64,6	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 20:00:00	61,2	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 20:00:00	54,5	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 19:30:00	62,1	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-15 19:30:00	65,1	80,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-15 19:30:00	61,3	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-15 19:30:00	54,8	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-15 19:00:00	62,5	83,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 19:00:00	64,6	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 19:00:00	60,1	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 19:00:00	54,6	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 18:30:00	61,5	79,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 18:30:00	64,6	86,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 18:30:00	59,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 18:30:00	54,8	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 18:00:00	66,6	87,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 18:00:00	65,0	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 18:00:00	59,9	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 18:00:00	64,8	86,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 17:30:00	60,7	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 17:30:00	63,2	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 17:30:00	58,9	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 17:30:00	53,1	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 17:00:00	61,7	78,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 17:00:00	61,0	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 17:00:00	57,3	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 17:00:00	65,8	93,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 16:30:00	59,5	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 16:30:00	60,5	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 16:30:00	58,0	73,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-15 16:30:00	51,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 16:00:00	60,6	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 16:00:00	60,2	64,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 16:00:00	57,5	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 16:00:00	52,7	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 15:30:00	60,4	78,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 15:30:00	62,2	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 15:30:00	58,4	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 15:30:00	53,3	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 15:15:00	59,3	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 15:00:00	62,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 15:00:00	58,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 15:00:00	55,1	79,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 14:30:00	62,5	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 14:30:00	65,1	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 14:30:00	59,1	65,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 14:30:00	57,9	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 14:00:00	61,4	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 14:00:00	68,2	89,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 14:00:00	59,7	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 14:00:00	54,1	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 13:30:00	61,4	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 13:30:00	67,8	87,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 13:30:00	59,6	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 13:30:00	54,1	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 13:00:00	60,7	78,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 13:00:00	65,2	85,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 13:00:00	60,9	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 13:00:00	53,4	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 12:30:00	61,1	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 12:30:00	65,7	82,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 12:30:00	59,2	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 12:30:00	53,6	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 12:00:00	61,5	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 12:00:00	64,3	78,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 12:00:00	59,1	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 12:00:00	53,7	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 11:30:00	61,2	77,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 11:30:00	63,6	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 11:30:00	59,7	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 11:30:00	52,8	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 11:00:00	60,9	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 11:00:00	63,6	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 11:00:00	59,2	71,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-15 11:00:00	53,3	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 10:30:00	60,0	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 10:30:00	64,3	84,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 10:30:00	58,6	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 10:30:00	52,4	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 10:00:00	60,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 10:00:00	64,8	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 10:00:00	59,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 10:00:00	52,3	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 09:30:00	60,9	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 09:30:00	66,1	82,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 09:30:00	59,8	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 09:30:00	53,4	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 09:00:00	60,7	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 09:00:00	65,5	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 09:00:00	59,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 09:00:00	53,2	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 08:30:00	60,4	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 08:30:00	65,1	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 08:30:00	59,1	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 08:30:00	53,2	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 08:00:00	61,1	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 08:00:00	66,9	83,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 08:00:00	58,8	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 08:00:00	53,6	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 07:30:00	61,8	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 07:30:00	65,7	86,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 07:30:00	61,1	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 07:30:00	55,7	91,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 07:00:00	61,8	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-15 07:00:00	65,4	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-15 07:00:00	61,0	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-15 07:00:00	53,6	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-15 06:30:00	60,8	76,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 06:30:00	64,5	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 06:30:00	61,3	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 06:30:00	52,4	72,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 06:00:00	60,4	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 06:00:00	63,9	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 06:00:00	61,6	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 06:00:00	52,2	73,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 05:30:00	58,2	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 05:30:00	61,2	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 05:30:00	59,4	69,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-15 05:30:00	52,1	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 05:00:00	54,8	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 05:00:00	58,8	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 05:00:00	57,2	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 05:00:00	46,5	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 04:30:00	53,1	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 04:30:00	57,0	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 04:30:00	55,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 04:30:00	46,2	57,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 04:00:00	51,5	61,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 04:00:00	55,7	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 04:00:00	54,2	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 04:00:00	43,2	50,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 03:30:00	51,3	61,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 03:30:00	55,6	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 03:30:00	54,1	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 03:30:00	43,2	51,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 03:00:00	54,0	76,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 03:00:00	56,3	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 03:00:00	54,6	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 03:00:00	48,9	73,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 02:30:00	51,7	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 02:30:00	55,9	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 02:30:00	54,5	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 02:30:00	44,8	51,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 02:00:00	53,7	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 02:00:00	56,3	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 02:00:00	55,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 02:00:00	46,8	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 01:30:00	52,8	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 01:30:00	56,3	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 01:30:00	55,0	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 01:30:00	46,2	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 01:00:00	53,5	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 01:00:00	56,6	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 01:00:00	55,0	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 01:00:00	45,9	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 00:30:00	55,4	77,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 00:30:00	57,9	84,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 00:30:00	56,2	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-15 00:30:00	46,7	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-15 00:00:00	55,2	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-15 00:00:00	58,3	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-15 00:00:00	56,9	67,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-15 00:00:00	47,8	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 23:30:00	55,5	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 23:30:00	59,4	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 23:30:00	57,8	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 23:30:00	49,1	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 23:00:00	56,7	75,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 23:00:00	60,0	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 23:00:00	58,3	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 23:00:00	49,1	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 22:30:00	56,8	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 22:30:00	61,6	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 22:30:00	59,8	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 22:30:00	48,5	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 22:00:00	58,2	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 22:00:00	62,0	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 22:00:00	60,2	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 22:00:00	49,7	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 21:30:00	58,9	77,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 21:30:00	62,9	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 21:30:00	61,2	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 21:30:00	51,1	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 21:00:00	59,5	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 21:00:00	63,5	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 21:00:00	61,9	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 21:00:00	50,5	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 20:30:00	59,8	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 20:30:00	64,3	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 20:30:00	62,6	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 20:30:00	51,6	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 20:00:00	60,0	78,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 20:00:00	65,2	84,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 20:00:00	62,8	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 20:00:00	51,7	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 19:30:00	61,6	86,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-14 19:30:00	66,5	85,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-14 19:30:00	63,0	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-14 19:30:00	54,2	84,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-14 19:00:00	60,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 19:00:00	67,3	87,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 19:00:00	62,9	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 19:00:00	52,4	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 18:30:00	62,1	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 18:30:00	68,4	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 18:30:00	62,5	68,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-14 18:30:00	53,0	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 18:00:00	60,4	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 18:00:00	68,5	87,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 18:00:00	61,0	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 18:00:00	51,8	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 17:30:00	60,5	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 17:30:00	65,5	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 17:30:00	61,9	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 17:30:00	59,8	94,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 17:00:00	59,6	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 17:00:00	64,5	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 17:00:00	62,1	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 17:00:00	51,0	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 16:30:00	56,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 16:30:00	60,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 16:30:00	58,7	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 16:30:00	50,2	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 16:00:00	56,9	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 16:00:00	60,2	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 16:00:00	59,4	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 16:00:00	49,4	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 15:30:00	57,7	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 15:30:00	63,5	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 15:30:00	58,5	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 15:30:00	50,4	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 15:00:00	60,1	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 15:00:00	62,3	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 15:00:00	59,4	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 15:00:00	51,8	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 14:30:00	59,6	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 14:30:00	68,6	82,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 14:30:00	61,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 14:30:00	52,0	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 14:00:00	59,8	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 14:00:00	65,9	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 14:00:00	61,4	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 14:00:00	52,1	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 13:30:00	61,1	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 13:30:00	65,3	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 13:30:00	62,1	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 13:30:00	51,7	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 13:00:00	60,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 13:00:00	65,3	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 13:00:00	62,0	67,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-14 13:00:00	51,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 12:30:00	61,1	77,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 12:30:00	64,1	83,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 12:30:00	62,1	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 12:30:00	52,0	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 12:00:00	60,8	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 12:00:00	65,9	82,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 12:00:00	61,8	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 12:00:00	51,7	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 11:30:00	60,8	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 11:30:00	63,5	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 11:30:00	61,8	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 11:30:00	51,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 11:00:00	60,7	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 11:00:00	64,4	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 11:00:00	62,9	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 11:00:00	52,4	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 10:30:00	60,9	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 10:30:00	65,9	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 10:30:00	62,3	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 10:30:00	52,1	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 10:00:00	60,3	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 10:00:00	65,2	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 10:00:00	63,4	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 10:00:00	52,0	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 09:30:00	58,8	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 09:30:00	65,2	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 09:30:00	61,2	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 09:30:00	51,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 09:00:00	58,9	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 09:00:00	64,5	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 09:00:00	61,7	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 09:00:00	51,1	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 08:30:00	58,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 08:30:00	66,8	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 08:30:00	60,0	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 08:30:00	51,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 08:00:00	58,5	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 08:00:00	65,3	85,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 08:00:00	60,7	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 08:00:00	49,1	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 07:30:00	60,1	81,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 07:30:00	67,1	85,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 07:30:00	61,0	65,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-14 07:30:00	52,4	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 07:00:00	60,1	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-14 07:00:00	63,7	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-14 07:00:00	61,2	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-14 07:00:00	50,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-14 06:30:00	59,8	76,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 06:30:00	63,8	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 06:30:00	62,9	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 06:30:00	51,2	73,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 06:00:00	59,2	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 06:00:00	63,6	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 06:00:00	63,0	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 06:00:00	50,2	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 05:30:00	57,2	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 05:30:00	59,8	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 05:30:00	59,5	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 05:30:00	48,1	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 05:00:00	53,9	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 05:00:00	57,2	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 05:00:00	56,4	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 05:00:00	46,9	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 04:30:00	52,9	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 04:30:00	56,7	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 04:30:00	55,7	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 04:30:00	43,9	51,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 04:00:00	52,1	62,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 04:00:00	54,5	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 04:00:00	54,0	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 04:00:00	43,1	52,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 03:30:00	52,1	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 03:30:00	54,4	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 03:30:00	53,7	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 03:30:00	43,8	63,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 03:00:00	52,0	62,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 03:00:00	55,6	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 03:00:00	54,9	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 03:00:00	42,3	51,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 02:30:00	52,1	61,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 02:30:00	54,8	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 02:30:00	42,5	49,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 02:30:00	55,8	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 02:00:00	53,4	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 02:00:00	55,2	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 02:00:00	45,9	67,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-14 02:00:00	57,1	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 01:30:00	54,1	73,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 01:30:00	55,5	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 01:30:00	50,1	76,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 01:30:00	56,7	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 01:00:00	53,9	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 01:00:00	55,8	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 01:00:00	46,3	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 01:00:00	56,9	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 00:30:00	54,0	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 00:30:00	55,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 00:30:00	46,1	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 00:30:00	56,1	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-14 00:00:00	54,9	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-14 00:00:00	56,7	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-14 00:00:00	47,1	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-14 00:00:00	58,0	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 23:30:00	55,5	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 23:30:00	57,4	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 23:30:00	47,8	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 23:30:00	59,0	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 23:00:00	57,0	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 23:00:00	59,7	80,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 23:00:00	48,7	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 23:00:00	60,7	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 22:30:00	57,1	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 22:30:00	59,7	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 22:30:00	49,4	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 22:30:00	60,9	67,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 22:00:00	57,9	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 22:00:00	60,0	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 22:00:00	51,0	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 22:00:00	61,1	74,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 21:30:00	59,0	78,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 21:30:00	60,9	75,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 21:30:00	50,2	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 21:30:00	62,4	82,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 21:00:00	59,2	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 21:00:00	62,0	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 21:00:00	50,9	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 21:00:00	62,8	72,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 20:30:00	59,9	78,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 20:30:00	61,8	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 20:30:00	53,7	78,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-13 20:30:00	63,1	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 20:00:00	59,9	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 20:00:00	61,6	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 20:00:00	51,1	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 20:00:00	63,9	78,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 19:30:00	60,4	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-13 19:30:00	62,2	76,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-13 19:30:00	52,8	85,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-13 19:30:00	64,9	77,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-13 19:00:00	60,9	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 19:00:00	62,4	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 19:00:00	53,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 19:00:00	65,1	86,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 18:30:00	60,4	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 18:30:00	62,3	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 18:30:00	51,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 18:30:00	65,2	83,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 18:00:00	60,4	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 18:00:00	62,2	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 18:00:00	52,8	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 18:00:00	65,2	83,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 17:30:00	60,4	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 17:30:00	61,2	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 17:30:00	63,1	96,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 17:30:00	65,5	83,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 17:00:00	59,9	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 17:00:00	60,3	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 17:00:00	51,8	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 17:00:00	66,6	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 16:30:00	59,7	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 16:30:00	60,4	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 16:30:00	51,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 16:30:00	65,9	80,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 16:00:00	59,3	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 16:00:00	60,4	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 16:00:00	50,1	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 16:00:00	64,9	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 15:30:00	59,7	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 15:30:00	61,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 15:30:00	51,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 15:30:00	65,0	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 15:00:00	60,4	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 15:00:00	62,6	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 15:00:00	51,4	69,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-13 15:00:00	67,5	85,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 14:30:00	61,6	84,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 14:30:00	61,3	66,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 14:30:00	51,1	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 14:30:00	64,0	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 14:00:00	60,7	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 14:00:00	61,4	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 14:00:00	51,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 14:00:00	65,7	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 13:30:00	60,3	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 13:30:00	62,3	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 13:30:00	50,2	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 13:30:00	66,6	81,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 13:00:00	61,1	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 13:00:00	62,2	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 13:00:00	51,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 13:00:00	65,5	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 12:30:00	60,7	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 12:30:00	62,4	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 12:30:00	51,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 12:30:00	65,0	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 12:00:00	62,8	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 12:00:00	61,8	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 12:00:00	50,1	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 12:00:00	64,7	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 11:30:00	60,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 11:30:00	61,9	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 11:30:00	50,4	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 11:30:00	63,5	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 11:00:00	59,6	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 11:00:00	62,3	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 11:00:00	50,7	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 11:00:00	67,4	89,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 10:30:00	58,1	65,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 10:30:00	62,5	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 10:30:00	49,4	65,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 10:30:00	64,7	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 10:00:00	59,1	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 10:00:00	61,5	66,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 10:00:00	50,2	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 10:00:00	67,2	85,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 09:30:00	59,0	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 09:30:00	62,0	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 09:30:00	49,6	66,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-13 09:30:00	64,8	87,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 09:00:00	57,4	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 09:00:00	61,1	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 09:00:00	48,3	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 09:00:00	63,0	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 08:30:00	58,0	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 08:30:00	60,2	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 08:30:00	48,4	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 08:30:00	64,6	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 08:00:00	58,3	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 08:00:00	60,6	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 08:00:00	50,7	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 08:00:00	67,8	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 07:30:00	58,2	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 07:30:00	60,5	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 07:30:00	49,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 07:30:00	67,6	90,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 07:00:00	58,8	65,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-13 07:00:00	61,6	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-13 07:00:00	49,4	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-13 07:00:00	64,1	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-13 06:30:00	59,1	74,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 06:30:00	62,2	81,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 06:30:00	50,1	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 06:30:00	64,1	73,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 06:00:00	60,6	76,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 06:00:00	62,7	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 06:00:00	57,8	83,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 06:00:00	63,0	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 05:30:00	57,6	74,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 05:30:00	59,5	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 05:30:00	49,8	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 05:30:00	59,9	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 05:00:00	54,3	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 05:00:00	56,9	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 05:00:00	46,2	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 05:00:00	58,2	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 04:30:00	59,9	81,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 04:30:00	55,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 04:30:00	58,7	82,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 04:30:00	56,4	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 04:00:00	51,6	61,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 04:00:00	53,6	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 04:00:00	42,4	49,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-13 04:00:00	54,4	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 03:30:00	50,9	61,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 03:30:00	52,8	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 03:30:00	42,0	49,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 03:30:00	53,8	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 03:00:00	51,5	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 03:00:00	53,9	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 03:00:00	42,3	49,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 03:00:00	54,1	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 02:30:00	51,3	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 02:30:00	53,8	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 02:30:00	42,5	49,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 02:30:00	55,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 02:00:00	51,4	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 02:00:00	54,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 02:00:00	42,5	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 02:00:00	55,9	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 01:30:00	52,7	74,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 01:30:00	54,4	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 01:30:00	45,6	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 01:30:00	55,7	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 01:00:00	53,1	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 01:00:00	55,5	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 01:00:00	46,2	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 01:00:00	56,6	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 00:30:00	53,1	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 00:30:00	55,4	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 00:30:00	46,0	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 00:30:00	56,8	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-13 00:00:00	54,7	72,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-13 00:00:00	56,5	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-13 00:00:00	47,8	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-13 00:00:00	57,7	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 23:30:00	55,0	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 23:30:00	56,9	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 23:30:00	48,1	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 23:30:00	58,3	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 23:00:00	56,1	76,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 23:00:00	58,8	80,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 23:00:00	48,5	72,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 23:00:00	59,4	75,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 22:30:00	57,4	75,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 22:30:00	60,0	78,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 22:30:00	49,6	72,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-12 22:30:00	60,9	74,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 22:00:00	57,9	74,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 22:00:00	60,4	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 22:00:00	50,0	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 22:00:00	61,5	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 21:30:00	59,5	73,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 21:30:00	60,8	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 21:30:00	51,8	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 21:30:00	62,0	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 21:00:00	59,8	74,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 21:00:00	61,1	78,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 21:00:00	51,6	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 21:00:00	62,5	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 20:30:00	60,1	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 20:30:00	60,5	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 20:30:00	52,2	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 20:30:00	62,6	81,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 20:00:00	60,4	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 20:00:00	60,7	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 20:00:00	52,1	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 20:00:00	62,5	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 19:30:00	60,2	75,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-12 19:30:00	61,1	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-12 19:30:00	51,9	73,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-12 19:30:00	65,4	84,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-12 19:00:00	60,6	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 19:00:00	61,1	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 19:00:00	52,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 19:00:00	65,2	79,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 18:30:00	61,1	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 18:30:00	60,9	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 18:30:00	52,9	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 18:30:00	64,8	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 18:00:00	67,1	88,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 18:00:00	60,7	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 18:00:00	63,4	88,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 18:00:00	66,3	81,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 17:30:00	61,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 17:30:00	61,1	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 17:30:00	53,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 17:30:00	63,8	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 17:00:00	61,0	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 17:00:00	60,8	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 17:00:00	57,5	87,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-12 17:00:00	63,4	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 16:30:00	60,1	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 16:30:00	59,0	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 16:30:00	62,1	90,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 16:30:00	64,1	88,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 16:00:00	58,3	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 16:00:00	57,8	65,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 16:00:00	59,3	90,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 16:00:00	62,3	83,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 15:30:00	57,5	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 15:30:00	57,7	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 15:30:00	51,1	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 15:30:00	62,6	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 15:00:00	59,6	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 15:00:00	59,5	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 15:00:00	51,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 15:00:00	62,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 14:30:00	61,4	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 14:30:00	60,9	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 14:30:00	53,4	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 14:30:00	63,4	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 14:00:00	61,2	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 14:00:00	60,9	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 14:00:00	52,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 14:00:00	66,3	87,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 13:30:00	61,0	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 13:30:00	60,5	66,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 13:30:00	52,6	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 13:30:00	66,3	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 13:00:00	61,5	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 13:00:00	60,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 13:00:00	53,4	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 13:00:00	66,5	82,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 12:30:00	60,9	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 12:30:00	60,8	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 12:30:00	53,0	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 12:30:00	66,8	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 12:00:00	61,0	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 12:00:00	60,8	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 12:00:00	53,5	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 12:00:00	65,9	84,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 11:30:00	60,6	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 11:30:00	60,5	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 11:30:00	52,2	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-12 11:30:00	63,1	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 11:00:00	59,8	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 11:00:00	63,4	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 11:00:00	49,8	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 11:00:00	64,6	81,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 10:30:00	59,8	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 10:30:00	62,2	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 10:30:00	50,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 10:30:00	67,2	88,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 10:00:00	58,2	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 10:00:00	60,5	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 10:00:00	49,4	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 10:00:00	64,6	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 09:30:00	58,3	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 09:30:00	60,6	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 09:30:00	49,3	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 09:30:00	64,4	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 09:00:00	58,8	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 09:00:00	60,6	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 09:00:00	50,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 09:00:00	63,9	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 08:30:00	59,0	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 08:30:00	60,3	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 08:30:00	50,5	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 08:30:00	64,8	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 08:00:00	59,3	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 08:00:00	60,4	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 08:00:00	50,8	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 08:00:00	66,8	85,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 07:30:00	59,6	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 07:30:00	60,4	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 07:30:00	51,9	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 07:30:00	67,6	88,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 07:00:00	59,3	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-12 07:00:00	59,9	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-12 07:00:00	52,1	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-12 07:00:00	62,4	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-12 06:30:00	59,0	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 06:30:00	60,8	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 06:30:00	51,7	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 06:30:00	62,4	78,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 06:00:00	60,3	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 06:00:00	62,2	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 06:00:00	52,1	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-12 06:00:00	62,7	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 05:30:00	58,0	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 05:30:00	60,0	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 05:30:00	49,7	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 05:30:00	60,1	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 05:00:00	54,2	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 05:00:00	55,6	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 05:00:00	45,7	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 05:00:00	56,5	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 04:30:00	52,5	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 04:30:00	54,0	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 04:30:00	44,4	53,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 04:30:00	54,4	64,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 04:00:00	52,5	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 04:00:00	54,3	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 04:00:00	44,5	51,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 04:00:00	54,9	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 03:30:00	51,5	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 03:30:00	53,0	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 03:30:00	43,8	53,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 03:30:00	53,2	63,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 03:00:00	49,7	60,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 03:00:00	50,6	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 03:00:00	42,6	51,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 03:00:00	51,6	63,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 02:30:00	51,0	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 02:30:00	52,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 02:30:00	43,4	54,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 02:30:00	53,4	63,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 02:00:00	50,2	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 02:00:00	52,4	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 02:00:00	42,7	53,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 02:00:00	52,7	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 01:30:00	52,8	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 01:30:00	54,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 01:30:00	44,7	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 01:30:00	54,9	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 01:00:00	54,1	73,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 01:00:00	55,4	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 01:00:00	47,1	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 01:00:00	57,0	79,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 00:30:00	55,4	78,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 00:30:00	55,7	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 00:30:00	47,5	68,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-12 00:30:00	56,7	76,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-12 00:00:00	55,4	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-12 00:00:00	56,7	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-12 00:00:00	46,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-12 00:00:00	57,9	68,0	-6,0	45	