


◆ ST01 ◆ ST04 ◆ ST02 ◆ ST03 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-25 00:00:00	55,9	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-25 00:00:00	58,9	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-25 00:00:00	47,0	65,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-25 00:00:00	60,6	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 23:30:00	55,8	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 23:30:00	58,3	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 23:30:00	46,9	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 23:30:00	60,3	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 23:00:00	56,1	70,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 23:00:00	59,3	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 23:00:00	47,1	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 23:00:00	60,8	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 22:30:00	56,6	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 22:30:00	59,2	66,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 22:30:00	48,6	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 22:30:00	61,0	65,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 22:00:00	56,9	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 22:00:00	59,4	66,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 22:00:00	48,4	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 22:00:00	61,5	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 21:30:00	57,6	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 21:30:00	59,8	70,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 21:30:00	49,4	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 21:30:00	61,7	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 21:00:00	58,3	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 21:00:00	59,8	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 21:00:00	50,8	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 21:00:00	62,0	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 20:30:00	58,9	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 20:30:00	60,6	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 20:30:00	50,8	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 20:30:00	62,7	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 20:00:00	59,4	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 20:00:00	60,2	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 20:00:00	51,3	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 20:00:00	63,1	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 19:30:00	60,8	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-24 19:30:00	60,3	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-24 19:30:00	53,4	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-24 19:30:00	63,6	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-24 19:00:00	60,9	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 19:00:00	61,4	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 19:00:00	53,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 19:00:00	64,3	69,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-24 18:30:00	61,2	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 18:30:00	62,9	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 18:30:00	53,5	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 18:30:00	65,3	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 18:00:00	61,5	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 18:00:00	62,4	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 18:00:00	53,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 18:00:00	64,9	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 17:30:00	61,0	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 17:30:00	62,3	66,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 17:30:00	64,7	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 17:30:00	52,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 17:00:00	61,5	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 17:00:00	61,9	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 17:00:00	64,6	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 17:00:00	53,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 16:30:00	61,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 16:30:00	61,9	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 16:30:00	64,9	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 16:30:00	53,9	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 16:00:00	61,2	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 16:00:00	60,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 16:00:00	64,0	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 16:00:00	53,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 15:30:00	61,6	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 15:30:00	59,7	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 15:30:00	64,0	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 15:30:00	54,3	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 15:00:00	61,8	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 15:00:00	61,4	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 15:00:00	65,1	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 15:00:00	54,7	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 14:30:00	61,3	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 14:30:00	59,9	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 14:30:00	64,1	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 14:30:00	53,8	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 14:00:00	61,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 14:00:00	59,6	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 14:00:00	64,4	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 14:00:00	52,9	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 13:30:00	61,2	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 13:30:00	59,5	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 13:30:00	66,6	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 13:30:00	53,0	70,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-24 13:00:00	61,1	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 13:00:00	59,4	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 13:00:00	64,8	81,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 13:00:00	53,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 12:30:00	60,4	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 12:30:00	60,4	65,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 12:30:00	64,3	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 12:30:00	54,1	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 12:00:00	61,9	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 12:00:00	62,8	86,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 12:00:00	65,8	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 12:00:00	56,3	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 11:30:00	61,4	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 11:30:00	62,0	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 11:30:00	64,3	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 11:30:00	54,6	79,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 11:00:00	61,9	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 11:00:00	61,4	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 11:00:00	64,2	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 11:00:00	54,6	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 10:30:00	60,9	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 10:30:00	61,1	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 10:30:00	64,6	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 10:30:00	52,9	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 10:00:00	57,7	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 10:00:00	59,2	66,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 10:00:00	63,4	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 10:00:00	51,6	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 09:30:00	58,9	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 09:30:00	60,6	66,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 09:30:00	64,6	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 09:30:00	52,4	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 09:00:00	58,8	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 09:00:00	59,9	66,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 09:00:00	64,0	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 09:00:00	50,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 08:30:00	58,1	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 08:30:00	60,6	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 08:30:00	63,0	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 08:30:00	50,3	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 08:00:00	57,5	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 08:00:00	60,1	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 08:00:00	63,1	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 08:00:00	50,6	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-24 07:30:00	56,6	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 07:30:00	59,9	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 07:30:00	63,5	77,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 07:30:00	49,7	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 07:00:00	56,7	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-24 07:00:00	58,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-24 07:00:00	60,6	77,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-24 07:00:00	48,7	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-24 06:30:00	56,6	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 06:30:00	58,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 06:30:00	59,4	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 06:30:00	49,1	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 06:00:00	54,3	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 06:00:00	55,2	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 06:00:00	56,6	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 06:00:00	47,1	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 05:30:00	54,4	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 05:30:00	55,2	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 05:30:00	57,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 05:30:00	46,7	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 05:00:00	52,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 05:00:00	53,6	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 05:00:00	55,0	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 05:00:00	46,7	74,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 04:30:00	53,1	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 04:30:00	54,0	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 04:30:00	55,4	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 04:30:00	45,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 04:00:00	53,0	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 04:00:00	53,3	66,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 04:00:00	55,1	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 04:00:00	46,2	56,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 03:30:00	52,9	61,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 03:30:00	53,4	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 03:30:00	55,2	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 03:30:00	47,1	58,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 03:00:00	52,3	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 03:00:00	53,5	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 03:00:00	55,6	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 03:00:00	47,1	61,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 02:30:00	52,6	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 02:30:00	53,2	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 02:30:00	55,5	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 02:30:00	47,7	57,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-24 02:00:00	53,8	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 02:00:00	56,0	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 02:00:00	48,4	58,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 02:00:00	53,3	61,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 01:30:00	55,1	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 01:30:00	57,3	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 01:30:00	50,4	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 01:30:00	55,5	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 01:00:00	55,5	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 01:00:00	58,1	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 01:00:00	50,0	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 01:00:00	55,2	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 00:30:00	56,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 00:30:00	58,9	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 00:30:00	51,5	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 00:30:00	56,9	78,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-24 00:00:00	57,7	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-24 00:00:00	60,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-24 00:00:00	52,1	80,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-24 00:00:00	56,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 23:30:00	58,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 23:30:00	61,3	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 23:30:00	59,5	84,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 23:30:00	61,6	83,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 23:00:00	59,3	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 23:00:00	60,9	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 23:00:00	52,0	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 23:00:00	58,3	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 22:30:00	59,4	66,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 22:30:00	61,4	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 22:30:00	51,9	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 22:30:00	58,7	76,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 22:00:00	58,8	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 22:00:00	61,4	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 22:00:00	52,3	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 22:00:00	58,6	73,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 21:30:00	59,8	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 21:30:00	62,5	77,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 21:30:00	59,9	90,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 21:30:00	59,1	76,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 21:00:00	60,0	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 21:00:00	62,4	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 21:00:00	53,4	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 21:00:00	59,8	79,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-23 20:30:00	62,5	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 20:30:00	53,0	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 20:30:00	58,8	75,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 20:30:00	60,1	66,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 20:00:00	63,7	69,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 20:00:00	53,9	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 20:00:00	60,8	74,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 20:00:00	60,9	75,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 19:30:00	64,5	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-23 19:30:00	56,2	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-23 19:30:00	63,6	88,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-23 19:30:00	60,7	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-23 19:00:00	64,8	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 19:00:00	57,2	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 19:00:00	63,1	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 19:00:00	61,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 18:30:00	65,0	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 18:30:00	55,2	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 18:30:00	62,8	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 18:30:00	59,9	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 18:15:00	55,4	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 18:00:00	63,1	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 18:00:00	65,4	85,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 18:00:00	59,5	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 17:30:00	63,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 17:30:00	63,5	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 17:30:00	60,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 17:00:00	63,4	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 17:00:00	58,0	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 17:00:00	60,9	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 17:00:00	62,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 16:30:00	63,7	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 16:30:00	54,7	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 16:30:00	59,4	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 16:30:00	63,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 16:00:00	63,9	83,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 16:00:00	52,0	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 16:00:00	57,9	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 16:00:00	62,7	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 15:30:00	62,9	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 15:30:00	52,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 15:30:00	58,4	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 15:30:00	61,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 15:00:00	62,3	72,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-23 15:00:00	52,1	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 15:00:00	58,2	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 15:00:00	60,9	66,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 14:30:00	62,1	80,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 14:30:00	54,5	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 14:30:00	60,2	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 14:30:00	60,6	79,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 14:00:00	61,6	66,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 14:00:00	51,8	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 14:00:00	59,4	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 14:00:00	59,2	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 13:30:00	63,6	80,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 13:30:00	52,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 13:30:00	59,9	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 13:30:00	59,8	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 13:00:00	64,9	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 13:00:00	54,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 13:00:00	61,4	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 13:00:00	60,3	65,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 12:30:00	65,8	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 12:30:00	53,4	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 12:30:00	61,4	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 12:30:00	60,7	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 12:00:00	66,4	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 12:00:00	54,8	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 12:00:00	62,5	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 12:00:00	62,7	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 11:30:00	65,5	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 11:30:00	54,7	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 11:30:00	62,3	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 11:30:00	62,2	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 11:00:00	65,7	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 11:00:00	54,8	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 11:00:00	63,1	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 11:00:00	62,4	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 10:30:00	65,3	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 10:30:00	54,6	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 10:30:00	62,7	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 10:30:00	62,1	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 10:00:00	65,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 10:00:00	55,2	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 10:00:00	63,1	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 10:00:00	62,0	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 09:30:00	65,5	79,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-08-23 09:30:00	55,6	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 09:30:00	62,7	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 09:30:00	62,2	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 09:00:00	64,8	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 09:00:00	54,9	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 09:00:00	63,2	85,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 09:00:00	60,6	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 08:30:00	64,1	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 08:30:00	53,9	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 08:30:00	60,5	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 08:30:00	59,5	65,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 08:00:00	65,6	81,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 08:00:00	55,1	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 08:00:00	61,7	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 08:00:00	62,8	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 07:30:00	65,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 07:30:00	56,0	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 07:30:00	62,6	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 07:30:00	62,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 07:00:00	65,3	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-23 07:00:00	55,2	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-23 07:00:00	62,2	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-23 07:00:00	62,0	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-23 06:30:00	64,9	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 06:30:00	54,9	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 06:30:00	62,1	78,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 06:30:00	62,1	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 06:00:00	64,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 06:00:00	53,5	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 06:00:00	61,0	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 06:00:00	62,1	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 05:30:00	49,8	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 05:30:00	61,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 05:30:00	58,2	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 05:30:00	59,5	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 05:00:00	47,8	65,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 05:00:00	58,5	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 05:00:00	55,7	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 05:00:00	56,3	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 04:30:00	46,7	55,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 04:30:00	57,3	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 04:30:00	54,7	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 04:30:00	55,0	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 04:00:00	45,4	53,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-23 04:00:00	55,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 04:00:00	53,0	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 04:00:00	53,8	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 03:30:00	45,6	57,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 03:30:00	55,4	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 03:30:00	53,0	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 03:30:00	52,8	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 03:00:00	45,5	59,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 03:00:00	53,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 03:00:00	51,7	62,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 03:00:00	51,5	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 02:30:00	46,7	57,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 02:30:00	55,3	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 02:30:00	53,5	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 02:30:00	53,7	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 02:00:00	46,2	59,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 02:00:00	54,8	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 02:00:00	53,0	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 02:00:00	53,0	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 01:30:00	48,2	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 01:30:00	56,3	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 01:30:00	54,3	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 01:30:00	53,8	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 01:00:00	49,2	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 01:00:00	56,6	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 01:00:00	55,1	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 01:00:00	53,6	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 00:30:00	49,8	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 00:30:00	57,6	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 00:30:00	56,4	77,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 00:30:00	54,6	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-23 00:00:00	49,8	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-23 00:00:00	58,0	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-23 00:00:00	55,9	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-23 00:00:00	55,0	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 23:30:00	51,5	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 23:30:00	59,6	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 23:30:00	57,3	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 23:30:00	56,3	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 23:00:00	51,9	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 23:00:00	60,7	67,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 23:00:00	58,6	76,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 23:00:00	56,9	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 22:30:00	52,1	74,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-22 22:30:00	62,3	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 22:30:00	59,6	76,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 22:30:00	58,6	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 22:00:00	52,9	74,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 22:00:00	62,1	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 22:00:00	59,1	75,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 22:00:00	58,6	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 21:30:00	52,5	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 21:30:00	63,3	74,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 21:30:00	59,9	75,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 21:30:00	59,8	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 21:00:00	53,0	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 21:00:00	64,0	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 21:00:00	60,8	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 21:00:00	60,6	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 20:30:00	53,6	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 20:30:00	64,5	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 20:30:00	61,4	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 20:30:00	61,0	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 20:00:00	55,0	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 20:00:00	65,1	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 20:00:00	62,1	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 20:00:00	61,3	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 19:30:00	55,9	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-22 19:30:00	65,9	75,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-22 19:30:00	62,6	75,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-22 19:30:00	61,2	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-22 19:00:00	57,0	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 19:00:00	65,9	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 19:00:00	63,0	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 19:00:00	61,6	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 18:30:00	56,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 18:30:00	66,3	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 18:30:00	63,0	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 18:30:00	61,5	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 18:00:00	56,1	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 18:00:00	65,8	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 18:00:00	62,5	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 18:00:00	60,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 17:30:00	52,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 17:30:00	65,0	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 17:30:00	60,0	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 17:30:00	59,0	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 17:00:00	53,0	73,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-22 17:00:00	62,9	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 17:00:00	59,5	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 17:00:00	58,8	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 16:30:00	53,4	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 16:30:00	60,6	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 16:30:00	58,5	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 16:30:00	58,9	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 16:00:00	52,7	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 16:00:00	57,5	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 16:00:00	57,0	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 16:00:00	55,7	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 15:30:00	51,3	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 15:30:00	60,2	87,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 15:30:00	57,0	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 15:30:00	57,8	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 15:00:00	51,4	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 15:00:00	61,8	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 15:00:00	59,1	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 15:00:00	59,0	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 14:30:00	53,7	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 14:30:00	64,5	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 14:30:00	61,6	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 14:30:00	60,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 14:00:00	54,4	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 14:00:00	65,8	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 14:00:00	62,3	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 14:00:00	60,9	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 13:30:00	54,7	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 13:30:00	66,1	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 13:30:00	62,5	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 13:30:00	60,5	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 13:00:00	53,9	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 13:00:00	66,3	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 13:00:00	62,2	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 13:00:00	61,2	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 12:30:00	54,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 12:30:00	65,8	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 12:30:00	61,7	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 12:30:00	61,0	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 12:00:00	50,9	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 12:00:00	65,4	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 12:00:00	60,4	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 12:00:00	62,7	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 11:30:00	51,1	68,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-22 11:30:00	65,9	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 11:30:00	60,2	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 11:30:00	63,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 11:00:00	51,7	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 11:00:00	65,0	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 11:00:00	60,4	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 11:00:00	62,3	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 10:30:00	52,8	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 10:30:00	65,4	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 10:30:00	60,9	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 10:30:00	61,4	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 10:00:00	52,9	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 10:00:00	66,3	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 10:00:00	61,1	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 10:00:00	61,1	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 09:30:00	52,3	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 09:30:00	65,0	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 09:30:00	60,6	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 09:30:00	61,0	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 09:00:00	50,7	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 09:00:00	64,3	84,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 09:00:00	58,8	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 09:00:00	60,7	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 08:30:00	52,1	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 08:30:00	63,2	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 08:30:00	59,9	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 08:30:00	58,8	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 08:00:00	50,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 08:00:00	63,5	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 08:00:00	60,0	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 08:00:00	59,6	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 07:30:00	51,5	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 07:30:00	64,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 07:30:00	60,0	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 07:30:00	60,4	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 07:00:00	52,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-22 07:00:00	64,6	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-22 07:00:00	60,6	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-22 07:00:00	62,2	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-22 06:30:00	51,7	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 06:30:00	63,3	75,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 06:30:00	60,1	74,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 06:30:00	61,1	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 06:00:00	56,2	77,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-22 06:00:00	62,9	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 06:00:00	61,1	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 06:00:00	62,1	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 05:30:00	49,7	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 05:30:00	60,6	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 05:30:00	57,8	72,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 05:30:00	59,8	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 05:00:00	45,0	51,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 05:00:00	57,1	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 05:00:00	54,3	62,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 05:00:00	56,2	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 04:30:00	45,3	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 04:30:00	55,8	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 04:30:00	53,6	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 04:30:00	54,7	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 04:00:00	43,4	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 04:00:00	55,4	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 04:00:00	52,8	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 04:00:00	54,6	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 03:30:00	42,6	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 03:30:00	54,2	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 03:30:00	51,0	60,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 03:30:00	52,9	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 03:00:00	43,3	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 03:00:00	54,7	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 03:00:00	51,5	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 03:00:00	53,8	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 02:30:00	43,0	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 02:30:00	55,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 02:30:00	51,2	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 02:30:00	53,8	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 02:00:00	42,9	51,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 02:00:00	54,8	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 02:00:00	51,4	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 02:00:00	53,9	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 01:30:00	45,0	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 01:30:00	56,7	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 01:30:00	52,5	73,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 01:30:00	54,9	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 01:00:00	46,1	73,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 01:00:00	57,3	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 01:00:00	53,0	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 01:00:00	55,7	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 00:30:00	46,6	70,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-22 00:30:00	57,8	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 00:30:00	54,1	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 00:30:00	56,2	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-22 00:00:00	46,7	66,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-22 00:00:00	58,3	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-22 00:00:00	54,1	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-22 00:00:00	56,9	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 23:30:00	48,8	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 23:30:00	59,9	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 23:30:00	56,7	79,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 23:30:00	58,2	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 23:00:00	49,8	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 23:00:00	61,0	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 23:00:00	57,0	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 23:00:00	59,6	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 22:30:00	49,2	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 22:30:00	62,0	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 22:30:00	57,5	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 22:30:00	60,5	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 22:00:00	51,2	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 22:00:00	62,5	74,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 22:00:00	58,4	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 22:00:00	61,2	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 21:30:00	51,6	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 21:30:00	63,2	74,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 21:30:00	59,2	75,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 21:30:00	61,6	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 21:00:00	53,2	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 21:00:00	64,1	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 21:00:00	60,1	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 21:00:00	62,5	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 20:30:00	53,4	75,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 20:30:00	64,5	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 20:30:00	60,4	75,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 20:30:00	62,6	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 20:00:00	53,1	72,2	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 20:00:00	64,2	78,0	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 20:00:00	60,6	77,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 20:00:00	61,7	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 19:30:00	51,7	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-21 19:30:00	64,0	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-21 19:30:00	60,5	73,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-21 19:30:00	61,8	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-21 19:00:00	52,3	71,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-21 19:00:00	64,0	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 19:00:00	60,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 19:00:00	61,7	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 18:30:00	54,3	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 18:30:00	64,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 18:30:00	61,6	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 18:30:00	61,7	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 18:00:00	56,0	88,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 18:00:00	64,7	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 18:00:00	62,5	84,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 18:00:00	61,6	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 17:30:00	53,9	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 17:30:00	65,0	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 17:30:00	62,0	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 17:30:00	61,9	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 17:00:00	53,7	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 17:00:00	64,9	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 17:00:00	61,8	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 17:00:00	62,2	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 16:30:00	51,8	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 16:30:00	63,8	87,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 16:30:00	59,7	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 16:30:00	61,1	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 16:00:00	51,4	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 16:00:00	62,3	79,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 16:00:00	59,0	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 16:00:00	60,9	66,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 15:30:00	52,8	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 15:30:00	62,4	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 15:30:00	59,3	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 15:30:00	60,4	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 15:00:00	53,3	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 15:00:00	64,6	89,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 15:00:00	60,5	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 15:00:00	61,4	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 14:30:00	53,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 14:30:00	65,4	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 14:30:00	62,4	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 14:30:00	62,4	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 14:00:00	53,9	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 14:00:00	65,6	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 14:00:00	62,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 14:00:00	62,6	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 13:30:00	53,2	69,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-21 13:30:00	65,5	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 13:30:00	61,5	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 13:30:00	63,4	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 13:00:00	53,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 13:00:00	65,3	81,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 13:00:00	61,7	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 13:00:00	62,7	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 12:30:00	54,1	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 12:30:00	65,5	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 12:30:00	62,1	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 12:30:00	62,6	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 12:00:00	53,8	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 12:00:00	65,6	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 12:00:00	62,2	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 12:00:00	62,6	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 11:30:00	53,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 11:30:00	65,5	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 11:30:00	61,8	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 11:30:00	63,1	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 11:00:00	53,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 11:00:00	65,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 11:00:00	61,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 11:00:00	62,2	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 10:30:00	51,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 10:30:00	64,4	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 10:30:00	61,3	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 10:30:00	60,8	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 10:00:00	52,3	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 10:00:00	65,0	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 10:00:00	61,4	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 10:00:00	61,2	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 09:30:00	51,9	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 09:30:00	64,1	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 09:30:00	60,2	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 09:30:00	60,7	66,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 09:00:00	51,0	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 09:00:00	63,5	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 09:00:00	60,2	78,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 09:00:00	60,5	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 08:30:00	49,8	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 08:30:00	63,9	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 08:30:00	59,1	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 08:30:00	60,7	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 08:00:00	53,1	82,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-21 08:00:00	63,9	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 08:00:00	60,3	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 08:00:00	60,8	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 07:30:00	50,6	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 07:30:00	64,2	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 07:30:00	59,0	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 07:30:00	61,3	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 07:00:00	51,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-21 07:00:00	65,8	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-21 07:00:00	60,1	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-21 07:00:00	63,7	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-21 06:30:00	52,0	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 06:30:00	65,3	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 06:30:00	60,4	77,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 06:30:00	63,4	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 06:00:00	56,6	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 06:00:00	64,1	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 06:00:00	60,9	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 06:00:00	62,6	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 05:30:00	58,3	73,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 05:30:00	62,3	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 05:30:00	61,0	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 05:30:00	60,0	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 05:00:00	50,0	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 05:00:00	58,7	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 05:00:00	55,8	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 05:00:00	57,0	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 04:30:00	45,7	55,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 04:30:00	57,3	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 04:30:00	53,5	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 04:30:00	56,2	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 04:00:00	44,0	54,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 04:00:00	55,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 04:00:00	52,0	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 04:00:00	53,9	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 03:30:00	44,7	53,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 03:30:00	56,1	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 03:30:00	53,0	64,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 03:30:00	54,1	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 03:00:00	44,1	57,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 03:00:00	55,2	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 03:00:00	52,0	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 03:00:00	53,1	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 02:30:00	44,7	54,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-21 02:30:00	55,6	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 02:30:00	52,5	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 02:30:00	54,2	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 02:00:00	42,7	55,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 02:00:00	54,5	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 02:00:00	50,4	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 02:00:00	52,6	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 01:30:00	45,1	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 01:30:00	56,1	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 01:30:00	52,2	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 01:30:00	54,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 01:00:00	46,3	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 01:00:00	56,6	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 01:00:00	53,1	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 01:00:00	54,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 00:30:00	48,2	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 00:30:00	56,4	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 00:30:00	54,4	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 00:30:00	54,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-21 00:00:00	49,5	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-21 00:00:00	57,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-21 00:00:00	55,3	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-21 00:00:00	54,8	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 23:30:00	51,4	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 23:30:00	58,8	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 23:30:00	56,4	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 23:30:00	56,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 23:00:00	51,5	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 23:00:00	60,4	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 23:00:00	57,4	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 23:00:00	57,5	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 22:30:00	49,7	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 22:30:00	61,3	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 22:30:00	57,2	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 22:30:00	58,8	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 22:00:00	52,1	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 22:00:00	62,3	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 22:00:00	58,9	73,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 22:00:00	58,7	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 21:30:00	52,6	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 21:30:00	63,0	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 21:30:00	59,5	76,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 21:30:00	60,0	67,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 21:00:00	52,5	69,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-20 21:00:00	63,7	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 21:00:00	60,3	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 21:00:00	60,5	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 20:30:00	52,6	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 20:30:00	64,0	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 20:30:00	60,6	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 20:30:00	61,5	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 20:00:00	53,6	72,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 20:00:00	64,5	78,0	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 20:00:00	61,1	72,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 20:00:00	61,8	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 19:30:00	53,7	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-20 19:30:00	65,1	79,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-20 19:30:00	61,7	76,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-20 19:30:00	61,4	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-20 19:00:00	55,0	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 19:00:00	65,1	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 19:00:00	62,1	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 19:00:00	61,3	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 18:30:00	54,9	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 18:30:00	65,2	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 18:30:00	62,9	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 18:30:00	61,9	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 18:00:00	63,6	85,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 18:00:00	65,9	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 18:00:00	66,7	86,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 18:00:00	61,6	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 17:30:00	55,1	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 17:30:00	66,3	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 17:30:00	62,5	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 17:30:00	60,3	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 17:00:00	55,1	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 17:00:00	64,8	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 17:00:00	62,6	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 17:00:00	60,5	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 16:30:00	53,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 16:30:00	63,4	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 16:30:00	61,2	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 16:30:00	59,2	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 16:00:00	53,7	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 16:00:00	62,1	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 16:00:00	60,7	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 16:00:00	58,9	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 15:30:00	53,7	72,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-20 15:30:00	63,3	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 15:30:00	61,2	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 15:30:00	59,4	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 15:00:00	55,9	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 15:00:00	66,2	90,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 15:00:00	63,3	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 15:00:00	61,5	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 14:30:00	56,2	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 14:30:00	66,1	81,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 14:30:00	63,3	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 14:30:00	61,6	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 14:00:00	56,1	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 14:00:00	65,4	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 14:00:00	63,6	85,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 14:00:00	61,4	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 13:30:00	55,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 13:30:00	65,3	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 13:30:00	63,5	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 13:30:00	61,7	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 13:00:00	55,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 13:00:00	65,7	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 13:00:00	63,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 13:00:00	61,7	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 12:30:00	55,6	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 12:30:00	65,6	88,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 12:30:00	63,7	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 12:30:00	61,1	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 12:00:00	55,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 12:00:00	65,3	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 12:00:00	63,0	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 12:00:00	61,5	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 11:30:00	55,0	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 11:30:00	64,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 11:30:00	62,6	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 11:30:00	61,6	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 11:00:00	53,8	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 11:00:00	63,9	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 11:00:00	61,3	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 11:00:00	60,1	65,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 10:30:00	53,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 10:30:00	64,4	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 10:30:00	59,5	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 10:30:00	59,3	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 10:00:00	53,1	69,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-20 10:00:00	64,9	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 10:00:00	59,8	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 10:00:00	60,1	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 09:30:00	53,4	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 09:30:00	67,2	81,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 09:30:00	60,0	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 09:30:00	60,0	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 09:00:00	53,7	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 09:00:00	65,4	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 09:00:00	60,3	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 09:00:00	59,9	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 08:30:00	53,9	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 08:30:00	66,1	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 08:30:00	59,9	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 08:30:00	58,6	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 08:00:00	52,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 08:00:00	65,0	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 08:00:00	60,0	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 08:00:00	58,6	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 07:30:00	52,9	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 07:30:00	63,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 07:30:00	60,9	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 07:30:00	60,0	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 07:00:00	52,5	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-20 07:00:00	63,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-20 07:00:00	60,3	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-20 07:00:00	61,3	66,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-20 06:30:00	52,6	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 06:30:00	63,8	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 06:30:00	60,3	76,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 06:30:00	61,1	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 06:00:00	54,9	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 06:00:00	63,4	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 06:00:00	61,6	84,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 06:00:00	62,2	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 05:30:00	50,5	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 05:30:00	60,8	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 05:30:00	58,5	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 05:30:00	59,5	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 05:00:00	47,0	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 05:00:00	57,1	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 05:00:00	55,2	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 05:00:00	55,1	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 04:30:00	46,0	55,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-20 04:30:00	55,6	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 04:30:00	53,8	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 04:30:00	53,6	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 04:00:00	45,6	56,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 04:00:00	53,9	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 04:00:00	52,9	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 04:00:00	52,4	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 03:30:00	44,7	54,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 03:30:00	53,6	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 03:30:00	52,1	62,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 03:30:00	51,8	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 03:00:00	44,4	52,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 03:00:00	53,6	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 03:00:00	52,2	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 03:00:00	52,0	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 02:30:00	45,2	56,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 02:30:00	54,4	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 02:30:00	53,2	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 02:30:00	52,7	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 02:00:00	44,3	53,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 02:00:00	54,1	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 02:00:00	52,1	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 02:00:00	52,3	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 01:30:00	46,3	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 01:30:00	54,2	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 01:30:00	53,3	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 01:30:00	52,1	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 01:00:00	48,3	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 01:00:00	54,5	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 01:00:00	54,2	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 01:00:00	52,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 00:30:00	47,1	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 00:30:00	55,3	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 00:30:00	54,3	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 00:30:00	53,6	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-20 00:00:00	48,8	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-20 00:00:00	56,0	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-20 00:00:00	54,9	75,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-20 00:00:00	53,2	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-19 23:30:00	49,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-19 23:30:00	57,4	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-19 23:30:00	55,9	73,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-19 23:30:00	55,0	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-19 23:00:00	53,4	80,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-19 23:00:00	58,4	65,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 23:00:00	57,5	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 23:00:00	56,0	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 22:30:00	51,6	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 22:30:00	60,8	75,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 22:30:00	58,7	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 22:30:00	58,1	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 22:00:00	52,4	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 22:00:00	61,1	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 22:00:00	59,2	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 22:00:00	58,7	66,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 21:30:00	52,6	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 21:30:00	61,5	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 21:30:00	59,6	77,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 21:30:00	59,5	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 21:00:00	53,5	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 21:00:00	62,5	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 21:00:00	60,3	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 21:00:00	60,6	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 20:30:00	59,3	90,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 20:30:00	62,8	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 20:30:00	60,8	75,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 20:30:00	60,6	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 20:00:00	53,9	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 20:00:00	63,2	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 20:00:00	61,1	75,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 20:00:00	60,9	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 19:30:00	54,4	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-19 19:30:00	65,7	80,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-19 19:30:00	61,7	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-19 19:30:00	61,0	74,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-19 19:00:00	54,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 19:00:00	66,5	83,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 19:00:00	61,6	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 19:00:00	61,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 18:30:00	54,8	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 18:30:00	68,7	84,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 18:30:00	62,0	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 18:30:00	61,2	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 18:00:00	65,9	87,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 18:00:00	68,3	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 18:00:00	67,2	89,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 18:00:00	61,6	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 17:30:00	67,3	84,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-19 17:30:00	66,2	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 17:30:00	62,1	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 17:30:00	61,8	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 17:00:00	60,7	79,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 17:00:00	64,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 17:00:00	62,2	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 17:00:00	61,4	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 16:30:00	53,9	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 16:30:00	63,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 16:30:00	61,6	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 16:30:00	60,9	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 16:00:00	54,8	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 16:00:00	63,2	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 16:00:00	61,7	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 16:00:00	60,5	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 15:30:00	54,4	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 15:30:00	66,7	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 15:30:00	61,7	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 15:30:00	60,6	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 15:00:00	54,6	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 15:00:00	67,3	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 15:00:00	62,2	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 15:00:00	61,6	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 14:30:00	54,8	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 14:30:00	66,7	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 14:30:00	62,0	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 14:30:00	61,4	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 14:00:00	53,8	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 14:00:00	67,4	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 14:00:00	61,6	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 14:00:00	61,0	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 13:30:00	54,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 13:30:00	66,1	81,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 13:30:00	61,7	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 13:30:00	60,8	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 13:00:00	54,0	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 13:00:00	66,5	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 13:00:00	61,4	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 13:00:00	61,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 12:30:00	53,8	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 12:30:00	66,1	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 12:30:00	60,5	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 12:30:00	58,8	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 12:00:00	52,6	74,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-19 12:00:00	65,8	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 12:00:00	60,1	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 12:00:00	59,0	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 11:30:00	61,1	93,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 11:30:00	62,8	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 11:30:00	60,9	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 11:30:00	59,9	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-19 11:15:00	62,8	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-19 11:15:00	59,9	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-19 11:00:00	60,6	92,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 11:00:00	60,9	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-19 10:45:00	62,1	74,1	-6,0	60	