



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-06 00:00:00	47,6	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-06 00:00:00	57,2	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-06 00:00:00	55,9	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-06 00:00:00	58,6	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 23:30:00	48,4	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 23:30:00	57,7	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 23:30:00	57,3	81,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 23:30:00	59,2	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 23:00:00	48,0	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 23:00:00	58,2	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 23:00:00	56,2	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 23:00:00	60,0	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 22:30:00	47,9	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 22:30:00	59,0	67,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 22:30:00	56,4	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 22:30:00	60,5	66,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 22:00:00	48,8	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 22:00:00	59,4	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 22:00:00	57,1	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 22:00:00	60,9	76,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 21:30:00	48,8	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 21:30:00	60,0	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 21:30:00	57,4	75,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 21:30:00	61,6	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 21:00:00	51,2	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 21:00:00	60,3	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 21:00:00	58,2	76,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 21:00:00	61,6	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 20:30:00	49,1	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 20:30:00	60,9	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 20:30:00	57,7	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 20:30:00	62,7	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 20:00:00	49,8	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 20:00:00	61,3	73,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 20:00:00	58,6	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 20:00:00	62,9	77,4	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 19:30:00	49,8	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-05 19:30:00	62,0	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-05 19:30:00	58,6	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-05 19:30:00	63,3	76,0	-6,0	55	
ST02	Kirkeveien 4	2024-10-05 19:00:00	51,5	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 19:00:00	62,3	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 19:00:00	59,3	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 19:00:00	63,4	67,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-05 18:30:00	50,7	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 18:30:00	62,8	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 18:30:00	59,4	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 18:30:00	64,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 18:00:00	51,0	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 18:00:00	62,0	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 18:00:00	59,9	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 18:00:00	64,0	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 17:30:00	51,5	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 17:30:00	62,1	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 17:30:00	60,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 17:30:00	63,6	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 17:00:00	51,7	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 17:00:00	61,8	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 17:00:00	60,5	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 17:00:00	63,8	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 16:30:00	51,3	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 16:30:00	61,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 16:30:00	60,5	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 16:30:00	64,0	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 16:00:00	51,4	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 16:00:00	61,4	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 16:00:00	60,7	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 16:00:00	63,9	79,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 15:30:00	51,6	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 15:30:00	61,2	65,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 15:30:00	60,6	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 15:30:00	63,5	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 15:00:00	51,9	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 15:00:00	61,6	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 15:00:00	60,4	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 15:00:00	64,0	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 14:30:00	51,8	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 14:30:00	61,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 14:30:00	60,5	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 14:30:00	64,2	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 14:00:00	52,0	65,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 14:00:00	61,9	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 14:00:00	60,8	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 14:00:00	64,6	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 13:30:00	51,6	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 13:30:00	61,8	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 13:30:00	60,8	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 13:30:00	64,0	70,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-05 13:00:00	53,4	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 13:00:00	61,6	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 13:00:00	61,1	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 13:00:00	64,3	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 12:30:00	51,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 12:30:00	62,0	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 12:30:00	60,3	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 12:30:00	63,9	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 12:00:00	55,5	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 12:00:00	62,0	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 12:00:00	61,2	80,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 12:00:00	64,4	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 11:30:00	51,1	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 11:30:00	61,7	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 11:30:00	60,3	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 11:30:00	63,7	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 11:00:00	51,7	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 11:00:00	61,2	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 11:00:00	60,1	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 11:00:00	63,1	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 10:30:00	50,5	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 10:30:00	61,4	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 10:30:00	59,6	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 10:30:00	63,6	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 10:00:00	49,3	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 10:00:00	61,4	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 10:00:00	58,8	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 10:00:00	63,1	79,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 09:30:00	51,0	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 09:30:00	61,6	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 09:30:00	58,3	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 09:30:00	63,7	79,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 09:00:00	47,9	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 09:00:00	60,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 09:00:00	57,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 09:00:00	62,0	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 08:30:00	48,5	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 08:30:00	59,3	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 08:30:00	56,6	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 08:30:00	61,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 08:00:00	50,3	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 08:00:00	58,4	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 08:00:00	55,9	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 08:00:00	61,8	77,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-05 07:30:00	48,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 07:30:00	55,4	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 07:30:00	58,0	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 07:30:00	61,0	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 07:00:00	46,6	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-05 07:00:00	54,4	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-05 07:00:00	56,1	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-05 07:00:00	57,7	66,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-05 06:30:00	46,2	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 06:30:00	54,5	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 06:30:00	55,9	66,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 06:30:00	57,3	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 06:00:00	45,3	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 06:00:00	52,4	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 06:00:00	53,5	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 06:00:00	55,3	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 05:30:00	43,4	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 05:30:00	51,9	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 05:30:00	53,5	66,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 05:30:00	55,0	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 05:00:00	43,6	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 05:00:00	51,0	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 05:00:00	52,3	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 05:00:00	53,3	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 04:30:00	43,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 04:30:00	51,3	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 04:30:00	52,9	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 04:30:00	54,6	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 04:00:00	40,8	49,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 04:00:00	50,0	59,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 04:00:00	52,5	65,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 04:00:00	54,2	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 03:30:00	41,1	49,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 03:30:00	50,5	60,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 03:30:00	53,0	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 03:30:00	54,1	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 03:00:00	40,4	48,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 03:00:00	50,0	61,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 03:00:00	52,4	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 03:00:00	53,8	64,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 02:30:00	41,4	48,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 02:30:00	50,5	60,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 02:30:00	52,3	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 02:30:00	53,9	63,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-05 02:00:00	42,4	49,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 02:00:00	51,9	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 02:00:00	54,6	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 02:00:00	55,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 01:30:00	43,8	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 01:30:00	52,1	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 01:30:00	53,7	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 01:30:00	55,3	64,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 01:00:00	45,2	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 01:00:00	52,7	73,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 01:00:00	54,7	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 01:00:00	56,4	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 00:30:00	53,7	82,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 00:30:00	56,2	79,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 00:30:00	55,6	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 00:30:00	57,5	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-05 00:00:00	46,5	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-05 00:00:00	54,1	73,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-05 00:00:00	56,2	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-05 00:00:00	58,0	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 23:30:00	48,0	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 23:30:00	55,1	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 23:30:00	57,0	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 23:30:00	58,9	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 23:00:00	48,6	71,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 23:00:00	56,3	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 23:00:00	58,1	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 23:00:00	59,6	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 22:30:00	51,4	76,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 22:30:00	57,0	77,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 22:30:00	58,2	65,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 22:30:00	59,8	66,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 22:00:00	53,9	81,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 22:00:00	58,2	78,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 22:00:00	59,5	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 22:00:00	61,0	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 21:30:00	49,3	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 21:30:00	57,5	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 21:30:00	59,6	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 21:30:00	61,2	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 21:00:00	51,0	75,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 21:00:00	58,3	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 21:00:00	60,2	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 21:00:00	61,9	68,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-04 20:30:00	50,1	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 20:30:00	58,5	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 20:30:00	61,2	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 20:30:00	62,7	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 20:00:00	53,2	80,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 20:00:00	59,2	77,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 20:00:00	61,4	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 20:00:00	63,1	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 19:30:00	50,9	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-04 19:30:00	59,0	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-04 19:30:00	62,3	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-04 19:30:00	64,0	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-04 19:00:00	52,4	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 19:00:00	60,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 19:00:00	63,3	85,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 19:00:00	64,6	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 18:30:00	56,4	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 18:30:00	61,4	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 18:30:00	62,7	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 18:30:00	64,7	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 18:00:00	56,0	80,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 18:00:00	61,5	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 18:00:00	63,0	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 18:00:00	65,2	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 17:30:00	52,2	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 17:30:00	60,3	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 17:30:00	63,0	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 17:30:00	65,3	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 17:00:00	52,0	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 17:00:00	59,6	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 17:00:00	61,9	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 17:00:00	64,7	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 16:30:00	52,5	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 16:30:00	58,7	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 16:30:00	60,3	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 16:30:00	63,3	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 16:00:00	53,9	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 16:00:00	60,2	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 16:00:00	61,0	75,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 16:00:00	64,5	84,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 15:30:00	53,2	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 15:30:00	60,4	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 15:30:00	61,5	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 15:30:00	65,1	82,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-04 15:00:00	52,3	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 15:00:00	60,8	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 15:00:00	62,3	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 15:00:00	65,0	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 14:30:00	53,2	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 14:30:00	60,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 14:30:00	62,6	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 14:30:00	65,1	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 14:00:00	53,5	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 14:00:00	61,0	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 14:00:00	62,5	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 14:00:00	67,0	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 13:30:00	52,1	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 13:30:00	60,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 13:30:00	62,5	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 13:30:00	65,8	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 13:00:00	52,5	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 13:00:00	61,0	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 13:00:00	62,6	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 13:00:00	65,4	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 12:30:00	55,6	83,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 12:30:00	61,2	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 12:30:00	62,9	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 12:30:00	65,1	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 12:00:00	51,9	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 12:00:00	60,6	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 12:00:00	63,2	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 12:00:00	65,3	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 11:30:00	51,4	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 11:30:00	60,4	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 11:30:00	62,7	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 11:30:00	65,4	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 11:00:00	53,5	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 11:00:00	60,8	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 11:00:00	62,7	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 11:00:00	65,1	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 10:30:00	53,8	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 10:30:00	61,2	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 10:30:00	62,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 10:30:00	65,3	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 10:00:00	52,4	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 10:00:00	60,7	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 10:00:00	63,3	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 10:00:00	65,4	71,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-04 09:30:00	56,0	83,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 09:30:00	61,5	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 09:30:00	64,2	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 09:30:00	65,5	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 09:00:00	53,7	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 09:00:00	61,0	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 09:00:00	64,2	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 09:00:00	65,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 08:30:00	54,9	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 08:30:00	61,7	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 08:30:00	63,9	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 08:30:00	65,4	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 08:00:00	53,3	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 08:00:00	61,5	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 08:00:00	64,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 08:00:00	65,6	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 07:30:00	52,7	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 07:30:00	61,4	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 07:30:00	64,5	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 07:30:00	65,3	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 07:00:00	52,8	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-04 07:00:00	64,9	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-04 07:00:00	61,1	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-04 07:00:00	63,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-04 06:30:00	55,4	81,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 06:30:00	64,5	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 06:30:00	61,5	77,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 06:30:00	63,5	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 06:00:00	52,0	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 06:00:00	62,7	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 06:00:00	59,9	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 06:00:00	62,3	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 05:30:00	50,2	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 05:30:00	60,4	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 05:30:00	57,9	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 05:30:00	59,6	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 05:00:00	47,7	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 05:00:00	57,4	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 05:00:00	55,2	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 05:00:00	57,0	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 04:30:00	45,1	52,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 04:30:00	56,5	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 04:30:00	54,1	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 04:30:00	56,1	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-04 04:00:00	44,8	52,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 04:00:00	56,3	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 04:00:00	53,6	62,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 04:00:00	55,7	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 03:30:00	44,6	51,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 03:30:00	55,9	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 03:30:00	53,2	62,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 03:30:00	55,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 03:00:00	43,4	51,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 03:00:00	54,1	64,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 03:00:00	51,7	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 03:00:00	53,8	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 02:30:00	44,6	54,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 02:30:00	55,7	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 02:30:00	53,1	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 02:30:00	54,8	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 02:00:00	62,0	83,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 02:00:00	57,4	73,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 02:00:00	64,2	85,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 02:00:00	55,8	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 01:30:00	45,3	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 01:30:00	55,1	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 01:30:00	52,4	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 01:30:00	54,0	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 01:00:00	51,8	79,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 01:00:00	56,4	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 01:00:00	54,5	75,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 01:00:00	55,3	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 00:30:00	46,6	65,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 00:30:00	56,8	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 00:30:00	54,3	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 00:30:00	55,9	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-04 00:00:00	47,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-04 00:00:00	56,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-04 00:00:00	54,6	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-04 00:00:00	55,8	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 23:30:00	48,9	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 23:30:00	58,7	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 23:30:00	55,8	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 23:30:00	57,3	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 23:00:00	51,3	78,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 23:00:00	60,2	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 23:00:00	57,5	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 23:00:00	58,6	68,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-03 22:30:00	49,9	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 22:30:00	61,3	79,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 22:30:00	57,8	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 22:30:00	59,6	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 22:00:00	52,8	78,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 22:00:00	61,3	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 22:00:00	58,4	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 22:00:00	59,6	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 21:30:00	49,9	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 21:30:00	61,6	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 21:30:00	57,9	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 21:30:00	60,3	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 21:00:00	51,3	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 21:00:00	62,5	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 21:00:00	59,0	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 21:00:00	61,3	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 20:30:00	52,8	74,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 20:30:00	63,1	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 20:30:00	59,9	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 20:30:00	61,6	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 20:00:00	52,7	79,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 20:00:00	64,1	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 20:00:00	60,2	75,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 20:00:00	62,1	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 19:30:00	52,0	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-03 19:30:00	64,4	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-03 19:30:00	60,3	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-03 19:30:00	62,5	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-03 19:00:00	54,4	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 19:00:00	65,9	81,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 19:00:00	60,6	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 19:00:00	62,9	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 18:30:00	54,4	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 18:30:00	65,1	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 18:30:00	61,5	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 18:30:00	63,6	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 18:00:00	55,1	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 18:00:00	65,2	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 18:00:00	61,1	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 18:00:00	63,0	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 17:30:00	54,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 17:30:00	66,0	81,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 17:30:00	61,2	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 17:30:00	63,6	78,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-03 17:00:00	53,2	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 17:00:00	66,0	84,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 17:00:00	60,8	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 17:00:00	62,7	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 16:30:00	56,5	80,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 16:30:00	65,0	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 16:30:00	61,5	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 16:30:00	61,2	66,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 16:00:00	52,2	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 16:00:00	65,0	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 16:00:00	60,7	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 16:00:00	62,4	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 15:30:00	51,6	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 15:30:00	65,2	80,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 15:30:00	59,9	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 15:30:00	60,8	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 15:00:00	54,6	79,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 15:00:00	65,3	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 15:00:00	61,3	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 15:00:00	62,1	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 14:30:00	54,6	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 14:30:00	65,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 14:30:00	60,9	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 14:30:00	62,1	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 14:00:00	55,1	90,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 14:00:00	65,2	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 14:00:00	61,0	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 14:00:00	62,4	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 13:30:00	52,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 13:30:00	65,2	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 13:30:00	60,4	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 13:30:00	62,4	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 13:00:00	54,4	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 13:00:00	65,3	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 13:00:00	60,8	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 13:00:00	62,3	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 12:30:00	52,2	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 12:30:00	65,5	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 12:30:00	60,7	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 12:30:00	62,2	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 12:00:00	52,3	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 12:00:00	65,4	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 12:00:00	60,8	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 12:00:00	62,6	68,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-03 11:30:00	51,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 11:30:00	65,4	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 11:30:00	60,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 11:30:00	62,6	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 11:00:00	53,2	77,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 11:00:00	65,9	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 11:00:00	61,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 11:00:00	63,1	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 10:30:00	54,4	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 10:30:00	66,7	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 10:30:00	61,4	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 10:30:00	63,4	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 10:00:00	59,6	80,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 10:00:00	65,9	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 10:00:00	62,7	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 10:00:00	63,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 09:30:00	61,2	80,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 09:30:00	66,3	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 09:30:00	63,9	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 09:30:00	64,4	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 09:00:00	55,9	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 09:00:00	65,8	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 09:00:00	61,7	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 09:00:00	65,0	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 08:30:00	64,2	82,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 08:30:00	66,8	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 08:30:00	66,5	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 08:30:00	64,8	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 08:00:00	54,8	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 08:00:00	66,1	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 08:00:00	62,4	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 08:00:00	64,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 07:30:00	54,1	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 07:30:00	66,0	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 07:30:00	62,5	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 07:30:00	64,5	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 07:00:00	65,3	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-03 07:00:00	61,8	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-03 07:00:00	54,4	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-03 07:00:00	63,8	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-03 06:30:00	65,1	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 06:30:00	61,4	74,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 06:30:00	52,8	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 06:30:00	63,7	68,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-03 06:00:00	63,2	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 06:00:00	60,5	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 06:00:00	52,2	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 06:00:00	62,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 05:30:00	60,6	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 05:30:00	57,9	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 05:30:00	49,5	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 05:30:00	59,8	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 05:00:00	58,1	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 05:00:00	55,3	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 05:00:00	46,9	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 05:00:00	57,3	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 04:30:00	56,4	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 04:30:00	54,6	76,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 04:30:00	46,4	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 04:30:00	55,8	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 04:00:00	55,5	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 04:00:00	52,4	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 04:00:00	43,6	51,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 04:00:00	54,1	66,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 03:30:00	55,1	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 03:30:00	52,4	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 03:30:00	44,1	51,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 03:30:00	54,5	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 03:00:00	55,5	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 03:00:00	52,9	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 03:00:00	44,8	53,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 03:00:00	54,9	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 02:30:00	55,2	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 02:30:00	52,7	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 02:30:00	44,8	53,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 02:30:00	54,1	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 02:00:00	55,2	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 02:00:00	52,3	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 02:00:00	44,9	53,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 02:00:00	54,4	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 01:30:00	55,9	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 01:30:00	53,6	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 01:30:00	46,2	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 01:30:00	54,8	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 01:00:00	57,2	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 01:00:00	54,8	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 01:00:00	48,2	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 01:00:00	55,8	67,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-03 00:30:00	57,3	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 00:30:00	55,4	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 00:30:00	48,1	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 00:30:00	56,7	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-03 00:00:00	58,7	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-03 00:00:00	56,4	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-03 00:00:00	48,9	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-03 00:00:00	57,6	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 23:30:00	60,0	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 23:30:00	57,9	74,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 23:30:00	50,7	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 23:30:00	63,5	92,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 23:00:00	59,7	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 23:00:00	57,2	75,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 23:00:00	50,6	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 23:00:00	58,7	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 22:30:00	60,7	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 22:30:00	57,9	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 22:30:00	50,5	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 22:30:00	59,3	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 22:00:00	62,1	75,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 22:00:00	58,9	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 22:00:00	52,0	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 22:00:00	60,7	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 21:30:00	62,7	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 21:30:00	60,6	80,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 21:30:00	54,6	79,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 21:30:00	61,4	75,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 21:00:00	63,1	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 21:00:00	60,3	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 21:00:00	53,2	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 21:00:00	61,8	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 20:30:00	63,0	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 20:30:00	60,2	76,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 20:30:00	54,1	75,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 20:30:00	62,6	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 20:00:00	64,1	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 20:00:00	60,4	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 20:00:00	53,0	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 20:00:00	62,6	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-02 19:30:00	65,0	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-02 19:30:00	60,5	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-02 19:30:00	52,4	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-02 19:30:00	63,3	74,5	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-02 19:00:00	66,5	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 19:00:00	60,9	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 19:00:00	55,2	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 19:00:00	63,3	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 18:30:00	65,0	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 18:30:00	61,6	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 18:30:00	54,7	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 18:30:00	63,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 18:00:00	64,1	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 18:00:00	60,4	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 18:00:00	54,0	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 18:00:00	62,6	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 17:30:00	61,8	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 17:30:00	58,4	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 17:30:00	51,2	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 17:30:00	59,5	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 17:00:00	60,9	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 17:00:00	58,2	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 17:00:00	51,9	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 17:00:00	58,2	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 16:30:00	63,4	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 16:30:00	66,2	82,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 16:30:00	64,1	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 16:30:00	59,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 16:00:00	61,0	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 16:00:00	66,8	88,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 16:00:00	63,6	84,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 16:00:00	57,7	66,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 15:30:00	61,2	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 15:30:00	58,6	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 15:30:00	52,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 15:30:00	59,0	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 15:00:00	62,7	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 15:00:00	59,4	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 15:00:00	53,9	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 15:00:00	59,8	66,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 14:30:00	65,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 14:30:00	60,5	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 14:30:00	52,5	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 14:30:00	62,3	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 14:00:00	65,7	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 14:00:00	63,1	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 14:00:00	56,9	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 14:00:00	62,1	69,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-02 13:30:00	65,8	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 13:30:00	63,5	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 13:30:00	58,4	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 13:30:00	61,9	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 13:00:00	65,7	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 13:00:00	62,6	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 13:00:00	57,1	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 13:00:00	62,1	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 12:30:00	66,7	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 12:30:00	65,3	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 12:30:00	61,5	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 12:30:00	62,3	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 12:00:00	65,6	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 12:00:00	60,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 12:00:00	53,9	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 12:00:00	62,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 11:30:00	65,6	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 11:30:00	60,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 11:30:00	52,1	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 11:30:00	62,6	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 11:00:00	65,2	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 11:00:00	67,4	98,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 11:00:00	52,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 11:00:00	62,5	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 10:30:00	66,3	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 10:30:00	64,6	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 10:30:00	60,1	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 10:30:00	62,9	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 10:00:00	66,1	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 10:00:00	63,6	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 10:00:00	59,0	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 10:00:00	63,6	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 09:30:00	65,8	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 09:30:00	61,5	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 09:30:00	54,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 09:30:00	64,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 09:00:00	66,5	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 09:00:00	63,2	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 09:00:00	60,4	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 09:00:00	64,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 08:30:00	67,5	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 08:30:00	61,1	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 08:30:00	55,6	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 08:30:00	63,4	71,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-02 08:00:00	65,1	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 08:00:00	63,3	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 08:00:00	62,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 08:00:00	62,3	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 07:30:00	65,3	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 07:30:00	61,5	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 07:30:00	54,0	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 07:30:00	63,3	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 07:00:00	64,0	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-02 07:00:00	60,4	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-02 07:00:00	52,8	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-02 07:00:00	62,1	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-02 06:30:00	64,5	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 06:30:00	61,2	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 06:30:00	52,8	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 06:30:00	62,9	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 06:00:00	64,0	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 06:00:00	60,6	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 06:00:00	52,4	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 06:00:00	63,4	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 05:30:00	61,2	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 05:30:00	57,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 05:30:00	50,0	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 05:30:00	60,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 05:00:00	58,3	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 05:00:00	55,7	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 05:00:00	48,0	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 05:00:00	57,4	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 04:30:00	57,6	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 04:30:00	55,1	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 04:30:00	47,3	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 04:30:00	56,5	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 04:00:00	55,4	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 04:00:00	54,7	77,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 04:00:00	49,5	76,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 04:00:00	54,9	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 03:30:00	54,7	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 03:30:00	52,1	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 03:30:00	44,5	52,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 03:30:00	53,8	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 03:00:00	55,0	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 03:00:00	53,0	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 03:00:00	45,1	53,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 03:00:00	54,7	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-02 02:30:00	54,7	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 02:30:00	52,3	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 02:30:00	44,4	52,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 02:30:00	53,9	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 02:00:00	55,5	64,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 02:00:00	52,7	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 02:00:00	45,1	52,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 02:00:00	54,5	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 01:30:00	56,2	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 01:30:00	55,5	77,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 01:30:00	48,8	74,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 01:30:00	55,2	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 01:00:00	56,6	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 01:00:00	56,1	80,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 01:00:00	52,2	81,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 01:00:00	55,8	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 00:30:00	56,4	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 00:30:00	54,4	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 00:30:00	47,2	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 00:30:00	55,2	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-02 00:00:00	57,4	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-02 00:00:00	55,6	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-02 00:00:00	48,7	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-02 00:00:00	56,7	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 23:30:00	58,6	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 23:30:00	56,5	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 23:30:00	49,4	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 23:30:00	57,4	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 23:00:00	59,5	66,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 23:00:00	59,5	80,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 23:00:00	55,2	77,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 23:00:00	58,4	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 22:30:00	61,2	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 22:30:00	59,6	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 22:30:00	53,6	77,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 22:30:00	60,0	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 22:00:00	61,4	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 22:00:00	59,2	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 22:00:00	51,7	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 22:00:00	60,6	74,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 21:30:00	62,2	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 21:30:00	59,3	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 21:30:00	51,8	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 21:30:00	60,7	67,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-01 21:00:00	62,6	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 21:00:00	59,7	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 21:00:00	52,5	66,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 21:00:00	61,4	75,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 20:30:00	63,2	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 20:30:00	60,2	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 20:30:00	52,8	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 20:30:00	61,9	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 20:00:00	63,9	75,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 20:00:00	60,3	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 20:00:00	52,6	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 20:00:00	62,5	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 19:30:00	65,0	81,7	-6,0	55	
ST01	Høvikveien 2C	2024-10-01 19:30:00	60,0	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-01 19:30:00	51,8	67,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-01 19:30:00	62,6	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-01 19:00:00	65,4	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 19:00:00	60,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 19:00:00	52,8	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 19:00:00	63,3	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 18:30:00	65,8	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 18:30:00	61,4	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 18:30:00	53,7	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 18:30:00	63,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 18:00:00	65,6	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 18:00:00	61,3	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 18:00:00	53,5	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 18:00:00	63,4	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 17:30:00	65,9	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 17:30:00	61,0	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 17:30:00	52,5	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 17:30:00	63,8	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 17:00:00	66,1	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 17:00:00	60,7	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 17:00:00	76,8	94,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 17:00:00	63,3	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 16:30:00	65,6	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 16:30:00	61,0	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 16:30:00	74,4	90,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 16:30:00	61,8	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 16:00:00	66,2	84,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 16:00:00	61,3	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 16:00:00	53,9	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 16:00:00	63,3	71,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-01 15:30:00	65,7	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 15:30:00	61,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 15:30:00	53,3	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 15:30:00	63,7	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 15:00:00	65,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 15:00:00	61,4	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 15:00:00	55,2	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 15:00:00	63,7	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 14:30:00	66,0	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 14:30:00	61,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 14:30:00	54,0	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 14:30:00	64,1	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 14:00:00	65,6	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 14:00:00	61,3	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 14:00:00	53,8	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 14:00:00	63,4	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 13:30:00	65,4	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 13:30:00	60,6	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 13:30:00	52,9	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 13:30:00	63,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 13:00:00	65,5	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 13:00:00	60,5	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 13:00:00	52,5	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 13:00:00	63,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 12:30:00	65,6	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 12:30:00	60,7	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 12:30:00	52,7	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 12:30:00	63,2	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 12:00:00	65,9	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 12:00:00	61,0	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 12:00:00	52,4	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 12:00:00	63,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 11:30:00	65,5	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 11:30:00	60,7	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 11:30:00	52,1	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 11:30:00	63,7	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 11:00:00	65,7	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 11:00:00	61,1	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 11:00:00	52,6	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 11:00:00	63,4	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 10:30:00	65,5	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 10:30:00	60,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 10:30:00	52,5	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 10:30:00	63,4	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-01 10:00:00	65,8	82,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 10:00:00	61,2	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 10:00:00	53,1	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 10:00:00	62,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 09:30:00	65,3	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 09:30:00	61,1	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 09:30:00	54,4	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 09:30:00	63,1	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 09:00:00	64,4	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 09:00:00	59,8	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 09:00:00	53,4	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 09:00:00	61,8	66,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 08:30:00	64,4	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 08:30:00	59,9	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 08:30:00	53,3	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 08:30:00	61,9	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 08:00:00	64,3	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 08:00:00	60,7	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 08:00:00	53,2	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 08:00:00	61,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 07:30:00	63,8	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 07:30:00	60,0	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 07:30:00	53,5	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 07:30:00	61,5	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 07:00:00	64,1	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-01 07:00:00	60,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-01 07:00:00	52,3	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-01 07:00:00	61,8	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-01 06:30:00	64,0	72,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 06:30:00	61,1	75,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 06:30:00	53,3	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 06:30:00	62,7	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 06:00:00	63,4	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 06:00:00	60,6	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 06:00:00	53,6	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 06:00:00	63,0	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 05:30:00	60,9	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 05:30:00	58,4	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 05:30:00	50,5	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 05:30:00	60,4	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 05:00:00	57,5	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 05:00:00	55,5	75,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 05:00:00	47,1	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 05:00:00	57,1	68,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-10-01 04:30:00	57,1	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 04:30:00	55,9	78,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 04:30:00	48,1	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 04:30:00	56,9	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 04:00:00	54,9	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 04:00:00	52,2	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 04:00:00	43,3	50,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 04:00:00	54,5	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 03:30:00	54,7	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 03:30:00	52,2	61,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 03:30:00	43,8	51,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 03:30:00	54,1	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 03:00:00	54,7	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 03:00:00	51,9	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 03:00:00	43,7	51,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 03:00:00	54,5	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 02:30:00	54,5	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 02:30:00	51,5	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 02:30:00	43,3	51,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 02:30:00	53,8	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 02:00:00	54,4	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 02:00:00	51,4	74,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 02:00:00	44,8	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 02:00:00	53,4	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 01:30:00	55,1	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 01:30:00	54,7	80,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 01:30:00	47,7	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 01:30:00	53,8	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 01:00:00	56,3	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 01:00:00	58,8	88,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 01:00:00	48,0	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 01:00:00	55,0	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 00:30:00	55,0	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 00:30:00	52,8	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 00:30:00	45,6	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 00:30:00	53,8	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-01 00:00:00	57,0	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-01 00:00:00	54,3	75,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-01 00:00:00	47,5	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-01 00:00:00	56,9	80,3	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 23:30:00	57,6	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 23:30:00	55,1	74,3	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 23:30:00	48,0	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 23:30:00	56,4	67,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-09-30 23:00:00	59,2	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 23:00:00	55,7	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 23:00:00	48,3	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 23:00:00	57,6	74,8	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 22:30:00	60,3	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 22:30:00	57,1	75,2	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 22:30:00	49,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 22:30:00	59,0	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 22:00:00	61,2	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 22:00:00	58,2	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 22:00:00	50,6	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 22:00:00	59,7	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 21:30:00	61,9	73,8	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 21:30:00	58,2	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 21:30:00	50,2	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 21:30:00	60,4	75,2	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 21:00:00	62,9	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 21:00:00	58,8	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 21:00:00	51,1	76,4	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 21:00:00	61,5	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 20:30:00	62,7	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 20:30:00	59,6	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 20:30:00	51,4	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 20:30:00	62,2	75,3	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 20:00:00	64,2	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 20:00:00	60,0	74,2	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 20:00:00	51,7	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 20:00:00	62,4	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 19:30:00	63,9	75,1	-6,0	55	
ST01	Høvikveien 2C	2024-09-30 19:30:00	60,1	74,7	-6,0	55	
ST02	Kirkeveien 4	2024-09-30 19:30:00	52,1	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-09-30 19:30:00	62,4	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-09-30 19:00:00	65,2	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 19:00:00	60,1	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 19:00:00	51,7	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 19:00:00	63,5	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 18:30:00	65,1	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 18:30:00	60,9	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 18:30:00	52,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 18:30:00	63,4	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 18:00:00	66,1	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 18:00:00	61,7	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 18:00:00	54,0	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 18:00:00	63,1	68,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-09-30 17:30:00	66,8	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 17:30:00	61,1	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 17:30:00	53,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 17:30:00	64,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 17:00:00	65,8	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 17:00:00	61,2	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 17:00:00	51,9	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 17:00:00	63,9	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 16:30:00	65,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 16:30:00	62,6	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 16:30:00	57,4	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 16:30:00	63,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 16:00:00	66,1	81,5	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 16:00:00	62,9	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 16:00:00	57,9	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 16:00:00	63,0	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 15:30:00	69,4	84,9	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 15:30:00	61,0	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 15:30:00	52,8	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 15:30:00	64,3	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 15:00:00	66,1	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 15:00:00	62,0	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 15:00:00	54,3	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 15:00:00	63,4	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 14:30:00	67,7	84,8	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 14:30:00	63,9	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 14:30:00	60,9	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 14:30:00	64,6	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 14:00:00	66,2	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 14:00:00	63,1	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 14:00:00	60,0	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 14:00:00	64,1	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 13:30:00	65,9	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 13:30:00	62,2	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 13:30:00	56,9	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 13:30:00	63,6	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 13:00:00	67,7	90,1	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 13:00:00	63,9	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 13:00:00	57,3	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 13:00:00	64,8	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 12:30:00	67,0	87,6	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 12:30:00	62,4	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 12:30:00	59,1	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 12:30:00	63,5	73,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-09-30 12:00:00	66,3	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 12:00:00	62,3	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 12:00:00	56,4	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 12:00:00	63,5	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 11:30:00	66,0	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 11:30:00	60,9	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 11:30:00	51,9	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 11:30:00	63,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 11:00:00	65,2	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 11:00:00	61,3	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 11:00:00	54,3	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 11:00:00	63,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 10:45:00	65,0	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 10:30:00	67,1	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 10:30:00	61,5	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 10:30:00	56,4	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 10:00:00	69,1	89,0	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 10:00:00	63,1	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 10:00:00	58,6	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 09:30:00	65,8	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 09:30:00	61,9	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 09:30:00	54,3	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 09:30:00	63,6	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 09:00:00	66,2	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 09:00:00	60,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 09:00:00	52,7	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 09:00:00	64,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 08:30:00	64,7	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 08:30:00	59,6	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 08:30:00	52,8	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 08:30:00	61,6	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 08:00:00	66,4	80,2	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 08:00:00	59,3	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 08:00:00	51,2	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 08:00:00	61,2	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 07:30:00	66,1	79,5	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 07:30:00	59,2	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 07:30:00	51,3	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 07:30:00	61,4	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 07:00:00	63,7	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-09-30 07:00:00	58,6	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-09-30 07:00:00	51,0	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-09-30 07:00:00	61,6	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-09-30 06:30:00	64,2	68,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-09-30 06:30:00	60,7	81,1	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 06:30:00	51,3	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 06:30:00	63,1	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 06:00:00	63,1	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 06:00:00	59,8	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 06:00:00	51,4	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 06:00:00	62,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 05:30:00	59,9	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 05:30:00	57,4	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 05:30:00	48,8	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 05:30:00	59,2	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 05:00:00	57,2	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 05:00:00	54,6	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 05:00:00	45,8	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 05:00:00	56,7	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 04:30:00	56,1	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 04:30:00	54,2	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 04:30:00	47,7	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 04:30:00	55,4	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 04:00:00	53,7	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 04:00:00	50,5	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 04:00:00	41,6	51,1	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 04:00:00	52,9	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 03:30:00	51,8	62,6	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 03:30:00	48,7	60,6	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 03:30:00	40,6	47,7	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 03:30:00	50,9	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 03:00:00	51,9	64,0	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 03:00:00	48,4	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 03:00:00	41,0	52,1	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 03:00:00	50,7	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 02:30:00	52,4	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 02:30:00	48,9	61,9	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 02:30:00	41,3	49,5	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 02:30:00	51,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 02:00:00	54,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 02:00:00	49,7	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 02:00:00	42,1	50,5	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 02:00:00	52,4	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 01:30:00	54,3	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 01:30:00	51,7	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 01:30:00	45,5	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 01:30:00	53,0	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 01:00:00	55,8	65,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-09-30 01:00:00	51,2	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 01:00:00	44,1	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 01:00:00	54,1	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 00:30:00	55,3	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 00:30:00	52,4	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 00:30:00	46,4	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 00:30:00	53,7	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-09-30 00:00:00	56,0	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-09-30 00:00:00	52,6	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-09-30 00:00:00	45,4	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-09-30 00:00:00	55,4	76,8	-6,0	45	