


◆ ST01 ◆ ST04 ◆ ST03 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-27 00:00:00	55,9	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-27 00:00:00	57,5	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-27 00:00:00	59,2	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-27 00:00:00	48,3	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 23:30:00	56,6	77,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 23:30:00	58,3	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 23:30:00	60,1	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 23:30:00	48,6	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 23:00:00	55,3	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 23:00:00	57,4	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 23:00:00	59,1	65,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 23:00:00	48,6	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 22:30:00	55,9	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 22:30:00	58,0	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 22:30:00	60,3	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 22:30:00	49,8	76,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 22:00:00	56,3	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 22:00:00	57,6	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 22:00:00	60,1	65,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 22:00:00	48,8	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 21:30:00	57,0	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 21:30:00	58,1	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 21:30:00	60,4	79,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 21:30:00	49,7	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 21:00:00	57,5	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 21:00:00	58,2	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 21:00:00	60,6	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 21:00:00	50,3	72,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 20:30:00	57,4	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 20:30:00	59,7	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 20:30:00	61,5	74,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 20:30:00	49,4	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 20:00:00	57,5	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 20:00:00	60,1	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 20:00:00	61,8	66,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 20:00:00	49,9	76,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 19:30:00	58,0	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-26 19:30:00	60,3	67,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-26 19:30:00	62,3	66,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-26 19:30:00	49,1	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-26 19:00:00	58,7	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 19:00:00	61,4	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 19:00:00	63,4	78,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 19:00:00	49,7	72,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-26 18:30:00	59,3	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 18:30:00	61,2	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 18:30:00	63,2	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 18:30:00	50,2	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 18:00:00	59,4	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 18:00:00	62,0	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 18:00:00	63,8	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 18:00:00	50,7	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 17:30:00	59,8	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 17:30:00	61,8	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 17:30:00	63,8	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 17:30:00	50,5	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 17:00:00	59,9	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 17:00:00	50,6	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 17:00:00	61,3	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 17:00:00	63,7	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 16:30:00	59,9	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 16:30:00	51,0	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 16:30:00	61,8	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 16:30:00	64,0	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 16:00:00	60,3	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 16:00:00	51,7	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 16:00:00	61,9	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 16:00:00	64,0	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 15:30:00	60,5	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 15:30:00	51,4	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 15:30:00	61,7	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 15:30:00	64,2	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 15:00:00	60,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 15:00:00	51,8	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 15:00:00	61,7	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 15:00:00	64,2	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 14:30:00	60,6	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 14:30:00	51,8	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 14:30:00	62,0	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 14:30:00	64,2	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 14:00:00	60,4	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 14:00:00	51,6	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 14:00:00	62,0	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 14:00:00	64,2	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 13:30:00	60,4	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 13:30:00	51,6	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 13:30:00	62,0	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 13:30:00	64,4	75,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-26 13:00:00	59,8	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 13:00:00	51,0	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 13:00:00	62,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 13:00:00	64,6	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 12:30:00	60,5	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 12:30:00	51,7	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 12:30:00	62,0	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 12:30:00	64,2	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 12:00:00	60,4	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 12:00:00	51,4	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 12:00:00	62,1	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 12:00:00	64,2	80,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 11:30:00	60,1	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 11:30:00	50,2	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 11:30:00	62,2	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 11:30:00	64,1	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 11:00:00	59,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 11:00:00	49,5	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 11:00:00	63,5	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 11:00:00	64,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 10:30:00	58,9	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 10:30:00	50,6	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 10:30:00	63,4	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 10:30:00	64,5	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 10:00:00	59,2	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 10:00:00	50,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 10:00:00	62,2	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 10:00:00	64,1	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 09:30:00	59,0	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 09:30:00	50,7	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 09:30:00	62,3	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 09:30:00	63,8	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 09:00:00	58,2	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 09:00:00	48,7	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 09:00:00	63,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 09:00:00	64,1	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 08:30:00	57,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 08:30:00	47,8	66,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 08:30:00	61,6	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 08:30:00	62,9	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 08:00:00	56,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 08:00:00	48,9	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 08:00:00	59,3	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 08:00:00	61,3	71,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-26 07:30:00	56,2	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 07:30:00	47,9	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 07:30:00	58,9	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 07:30:00	60,8	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 07:00:00	55,0	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-26 07:00:00	46,5	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-26 07:00:00	56,5	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-26 07:00:00	58,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-26 06:30:00	55,2	75,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 06:30:00	45,6	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 06:30:00	56,7	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 06:30:00	57,8	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 06:00:00	52,3	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 06:00:00	43,5	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 06:00:00	53,7	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 06:00:00	55,0	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 05:30:00	51,4	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 05:30:00	40,6	54,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 05:30:00	53,0	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 05:30:00	54,4	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 05:00:00	50,7	60,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 05:00:00	41,3	47,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 05:00:00	52,1	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 05:00:00	52,8	62,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 04:30:00	50,6	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 04:30:00	41,1	48,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 04:30:00	52,0	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 04:30:00	52,8	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 04:00:00	50,2	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 04:00:00	40,9	50,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 04:00:00	51,3	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 04:00:00	52,4	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 03:30:00	50,6	61,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 03:30:00	41,2	48,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 03:30:00	51,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 03:30:00	53,3	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 03:00:00	51,2	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 03:00:00	41,7	50,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 03:00:00	52,9	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 03:00:00	53,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 02:30:00	56,4	82,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 02:30:00	50,4	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 02:30:00	53,1	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 02:30:00	53,8	64,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-26 02:00:00	51,9	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 02:00:00	42,9	49,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 02:00:00	52,7	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 02:00:00	54,7	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 01:30:00	53,1	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 01:30:00	45,2	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 01:30:00	53,6	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 01:30:00	55,3	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 01:00:00	54,0	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 01:00:00	46,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 01:00:00	54,9	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 01:00:00	56,6	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 00:30:00	62,9	88,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 00:30:00	52,3	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 00:30:00	55,4	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 00:30:00	57,2	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-26 00:00:00	55,7	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-26 00:00:00	48,8	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-26 00:00:00	56,7	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-26 00:00:00	58,4	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 23:30:00	56,0	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 23:30:00	49,4	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 23:30:00	57,5	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 23:30:00	59,3	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 23:00:00	56,8	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 23:00:00	50,4	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 23:00:00	58,2	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 23:00:00	59,7	66,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 22:30:00	58,1	76,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 22:30:00	50,4	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 22:30:00	58,6	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 22:30:00	60,4	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 22:00:00	57,3	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 22:00:00	49,1	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 22:00:00	59,1	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 22:00:00	61,2	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 21:30:00	57,5	62,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 21:30:00	48,2	57,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 21:30:00	59,8	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 21:30:00	61,9	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 21:00:00	57,4	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 21:00:00	48,5	53,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 21:00:00	59,8	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 21:00:00	61,8	73,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-25 20:30:00	58,7	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 20:30:00	51,4	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 20:30:00	60,2	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 20:30:00	62,1	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 20:00:00	58,8	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 20:00:00	50,8	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 20:00:00	60,7	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 20:00:00	62,5	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 19:30:00	59,5	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-10-25 19:30:00	52,4	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-25 19:30:00	61,7	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-25 19:30:00	63,8	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-25 19:00:00	58,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 19:00:00	50,6	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 19:00:00	61,7	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 19:00:00	64,3	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 18:30:00	59,5	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 18:30:00	51,2	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 18:30:00	62,0	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 18:30:00	64,3	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 18:00:00	60,4	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 18:00:00	53,5	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 18:00:00	61,8	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 18:00:00	64,3	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 17:30:00	60,8	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 17:30:00	53,7	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 17:30:00	62,1	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 17:30:00	66,3	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 17:00:00	60,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 17:00:00	53,3	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 17:00:00	62,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 17:00:00	66,3	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 16:30:00	61,0	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 16:30:00	53,5	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 16:30:00	61,6	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 16:30:00	65,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 16:00:00	60,0	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 16:00:00	53,2	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 16:00:00	59,6	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 16:00:00	64,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 15:30:00	58,5	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 15:30:00	51,4	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 15:30:00	58,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 15:30:00	63,1	74,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-25 15:00:00	59,9	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 15:00:00	54,3	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 15:00:00	59,4	81,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 15:00:00	61,3	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 14:30:00	58,7	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 14:30:00	50,9	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 14:30:00	58,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 14:30:00	63,2	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 14:00:00	59,8	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 14:00:00	51,9	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 14:00:00	59,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 14:00:00	63,1	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 13:30:00	58,7	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 13:30:00	51,1	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 13:30:00	60,7	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 13:30:00	63,4	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 13:00:00	60,4	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 13:00:00	51,6	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 13:00:00	63,2	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 13:00:00	64,8	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 12:30:00	60,7	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 12:30:00	51,7	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 12:30:00	63,2	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 12:30:00	65,3	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 12:00:00	60,8	82,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 12:00:00	51,3	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 12:00:00	64,5	88,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 12:00:00	65,5	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 11:45:00	63,6	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 11:30:00	60,6	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 11:30:00	52,6	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 11:30:00	65,4	78,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 11:00:00	60,9	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 11:00:00	52,4	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 11:00:00	64,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 10:30:00	60,7	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 10:30:00	54,1	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 10:30:00	63,2	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 10:30:00	65,9	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 10:00:00	61,7	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 10:00:00	54,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 10:00:00	63,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 10:00:00	65,6	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 09:30:00	61,5	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-25 09:30:00	54,5	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 09:30:00	63,7	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 09:30:00	66,0	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 09:00:00	60,3	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 09:00:00	53,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 09:00:00	62,1	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 09:00:00	64,8	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 08:30:00	60,3	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 08:30:00	53,9	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 08:30:00	61,9	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 08:30:00	63,7	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 08:00:00	60,2	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 08:00:00	53,6	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 08:00:00	62,3	80,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 08:00:00	63,8	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 07:30:00	61,2	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 07:30:00	54,4	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 07:30:00	64,0	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 07:30:00	65,1	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 07:00:00	61,9	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-25 07:00:00	55,0	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-25 07:00:00	63,5	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-25 07:00:00	65,1	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-25 06:30:00	61,4	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 06:30:00	55,0	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 06:30:00	63,2	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 06:30:00	64,5	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 06:00:00	60,5	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 06:00:00	54,9	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 06:00:00	62,4	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 06:00:00	62,9	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 05:30:00	58,3	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 05:30:00	52,2	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 05:30:00	59,9	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 05:30:00	60,6	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 05:00:00	56,3	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 05:00:00	50,2	73,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 05:00:00	57,3	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 05:00:00	58,2	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 04:30:00	55,4	64,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 04:30:00	49,4	59,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 04:30:00	56,8	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 04:30:00	57,1	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 04:00:00	54,7	65,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-25 04:00:00	50,6	59,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 04:00:00	56,0	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 04:00:00	57,0	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 03:30:00	67,8	89,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 03:30:00	65,5	85,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 03:30:00	55,4	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 03:30:00	57,5	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 03:00:00	53,8	64,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 03:00:00	49,5	59,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 03:00:00	55,4	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 03:00:00	56,1	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 02:30:00	55,9	77,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 02:30:00	50,8	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 02:30:00	55,8	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 02:30:00	56,9	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 02:00:00	53,3	64,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 02:00:00	48,8	58,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 02:00:00	54,5	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 02:00:00	56,1	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 01:30:00	54,0	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 01:30:00	48,4	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 01:30:00	54,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 01:30:00	55,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 01:00:00	55,2	74,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 01:00:00	48,4	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 01:00:00	55,4	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 01:00:00	56,6	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 00:30:00	55,7	74,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 00:30:00	49,9	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 00:30:00	55,5	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 00:30:00	57,1	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-25 00:00:00	56,9	73,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-25 00:00:00	51,3	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-25 00:00:00	56,4	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-25 00:00:00	58,1	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 23:30:00	56,5	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 23:30:00	51,5	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 23:30:00	56,0	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 23:30:00	59,4	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 23:00:00	57,4	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 23:00:00	52,6	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 23:00:00	56,5	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 23:00:00	59,8	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 22:30:00	58,8	72,9	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-24 22:30:00	53,6	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 22:30:00	58,2	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 22:30:00	61,6	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 22:00:00	59,2	75,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 22:00:00	54,3	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 22:00:00	58,3	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 22:00:00	61,6	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 21:30:00	59,1	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 21:30:00	54,6	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 21:30:00	59,0	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 21:30:00	61,9	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 21:00:00	60,2	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 21:00:00	55,6	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 21:00:00	59,7	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 21:00:00	62,4	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 20:30:00	60,8	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 20:30:00	55,6	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 20:30:00	60,6	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 20:30:00	63,4	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 20:00:00	60,8	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 20:00:00	55,9	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 20:00:00	60,8	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 20:00:00	63,9	78,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 19:30:00	61,0	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-24 19:30:00	56,2	75,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-24 19:30:00	61,1	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-24 19:30:00	64,0	77,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-24 19:00:00	60,9	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 19:00:00	55,5	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 19:00:00	61,7	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 19:00:00	64,5	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 18:30:00	61,3	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 18:30:00	54,8	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 18:30:00	61,8	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 18:30:00	64,7	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 18:00:00	61,5	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 18:00:00	56,6	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 18:00:00	61,9	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 18:00:00	64,7	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 17:30:00	61,8	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 17:30:00	56,7	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 17:30:00	61,8	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 17:30:00	64,7	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 17:00:00	60,4	79,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-24 17:00:00	55,2	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 17:00:00	59,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 17:00:00	62,0	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 16:30:00	59,8	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 16:30:00	54,3	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 16:30:00	58,5	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 16:30:00	61,3	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 16:00:00	58,2	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 16:00:00	52,4	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 16:00:00	57,8	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 16:00:00	60,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 15:30:00	59,0	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 15:30:00	53,5	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 15:30:00	58,1	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 15:30:00	60,6	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 15:00:00	60,2	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 15:00:00	53,3	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 15:00:00	59,6	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 15:00:00	62,8	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 14:30:00	61,5	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 14:30:00	54,8	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 14:30:00	60,8	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 14:30:00	64,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 14:00:00	61,9	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 14:00:00	55,3	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 14:00:00	61,8	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 14:00:00	64,9	82,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 13:30:00	62,0	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 13:30:00	55,8	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 13:30:00	61,6	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 13:30:00	65,0	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 13:00:00	62,1	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 13:00:00	56,5	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 13:00:00	61,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 13:00:00	64,8	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 12:30:00	62,2	79,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 12:30:00	56,2	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 12:30:00	61,4	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 12:30:00	64,8	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 12:00:00	61,9	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 12:00:00	54,4	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 12:00:00	61,4	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 12:00:00	64,8	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 11:30:00	61,5	77,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-24 11:30:00	53,9	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 11:30:00	61,7	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 11:30:00	64,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 11:00:00	60,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 11:00:00	53,1	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 11:00:00	62,5	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 11:00:00	65,0	78,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 10:30:00	59,5	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 10:30:00	52,2	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 10:30:00	61,5	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 10:30:00	64,2	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 10:00:00	61,2	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 10:00:00	54,5	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 10:00:00	62,3	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 10:00:00	64,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 09:30:00	60,4	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 09:30:00	53,5	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 09:30:00	61,5	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 09:30:00	64,4	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 09:00:00	58,8	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 09:00:00	52,5	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 09:00:00	61,2	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 09:00:00	63,7	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 08:30:00	58,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 08:30:00	51,2	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 08:30:00	60,1	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 08:30:00	63,1	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 08:00:00	58,5	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 08:00:00	51,8	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 08:00:00	60,3	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 08:00:00	63,3	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 07:30:00	58,9	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 07:30:00	51,4	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 07:30:00	62,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 07:30:00	64,2	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 07:00:00	59,5	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-24 07:00:00	52,8	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-24 07:00:00	62,7	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-24 07:00:00	64,7	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-24 06:30:00	59,6	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 06:30:00	52,7	71,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 06:30:00	63,6	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 06:30:00	64,9	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 06:00:00	60,2	72,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-24 06:00:00	53,1	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 06:00:00	64,1	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 06:00:00	64,6	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 05:30:00	57,6	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 05:30:00	50,3	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 05:30:00	60,6	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 05:30:00	61,5	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 05:00:00	56,5	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 05:00:00	52,6	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 05:00:00	58,3	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 05:00:00	59,6	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 04:30:00	54,7	63,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 04:30:00	48,3	58,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 04:30:00	55,4	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 04:30:00	56,9	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 04:00:00	53,9	63,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 04:00:00	47,1	58,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 04:00:00	55,1	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 04:00:00	55,9	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 03:30:00	52,5	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 03:30:00	44,2	53,9	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 03:30:00	53,6	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 03:30:00	54,6	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 03:00:00	52,7	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 03:00:00	44,4	53,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 03:00:00	53,6	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 03:00:00	54,6	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 02:30:00	53,2	62,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 02:30:00	45,0	52,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 02:30:00	54,4	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 02:30:00	55,6	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 02:00:00	52,7	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 02:00:00	43,7	50,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 02:00:00	54,2	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 02:00:00	55,2	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 01:30:00	52,9	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 01:30:00	46,9	73,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 01:30:00	53,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 01:30:00	55,4	64,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 01:00:00	54,6	75,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 01:00:00	52,5	79,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 01:00:00	54,6	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 01:00:00	56,1	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 00:30:00	53,9	72,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-24 00:30:00	48,1	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 00:30:00	54,9	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 00:30:00	56,5	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-24 00:00:00	56,2	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-24 00:00:00	51,2	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-24 00:00:00	57,0	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-24 00:00:00	58,1	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 23:30:00	56,9	72,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 23:30:00	52,9	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 23:30:00	57,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 23:30:00	59,1	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 23:00:00	58,2	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 23:00:00	52,2	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 23:00:00	58,9	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 23:00:00	60,4	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 22:30:00	58,6	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 22:30:00	54,2	77,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 22:30:00	59,3	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 22:30:00	60,9	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 22:00:00	58,1	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 22:00:00	50,8	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 22:00:00	59,8	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 22:00:00	61,8	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 21:30:00	59,0	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 21:30:00	52,5	75,0	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 21:30:00	60,8	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 21:30:00	62,5	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 21:00:00	59,2	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 21:00:00	52,0	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 21:00:00	61,9	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 21:00:00	63,5	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 20:30:00	60,0	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 20:30:00	53,6	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 20:30:00	60,8	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 20:30:00	63,4	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 20:00:00	60,2	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 20:00:00	54,7	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 20:00:00	61,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 20:00:00	63,4	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 19:30:00	60,5	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-23 19:30:00	56,3	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-23 19:30:00	60,7	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-10-23 19:30:00	63,6	76,0	-6,0	55	
ST01	Høvikveien 2C	2024-10-23 19:00:00	60,8	75,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-23 19:00:00	54,7	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 19:00:00	61,5	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 19:00:00	64,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 18:30:00	61,0	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 18:30:00	55,7	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 18:30:00	61,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 18:30:00	64,1	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 18:00:00	61,1	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 18:00:00	55,5	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 18:00:00	61,5	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 18:00:00	64,4	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 17:30:00	61,7	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 17:30:00	54,9	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 17:30:00	62,5	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 17:30:00	64,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 17:00:00	61,4	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 17:00:00	55,2	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 17:00:00	61,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 17:00:00	64,6	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 16:30:00	61,6	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 16:30:00	54,1	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 16:30:00	60,5	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 16:30:00	64,5	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 16:00:00	61,7	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 16:00:00	55,1	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 16:00:00	60,6	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 16:00:00	64,7	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 15:30:00	61,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 15:30:00	54,8	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 15:30:00	61,4	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 15:30:00	64,6	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 15:00:00	62,8	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 15:00:00	57,8	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 15:00:00	61,6	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 15:00:00	64,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 14:30:00	62,9	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 14:30:00	57,9	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 14:30:00	62,2	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 14:30:00	65,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 14:00:00	62,7	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 14:00:00	57,4	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 14:00:00	62,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 14:00:00	65,0	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 13:30:00	62,7	74,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-23 13:30:00	58,2	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 13:30:00	61,8	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 13:30:00	64,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 13:00:00	62,0	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 13:00:00	58,1	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 13:00:00	61,8	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 13:00:00	64,6	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 12:30:00	61,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 12:30:00	57,3	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 12:30:00	61,7	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 12:30:00	64,7	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 12:00:00	61,6	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 12:00:00	57,4	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 12:00:00	61,8	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 12:00:00	64,5	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 11:30:00	61,7	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 11:30:00	56,5	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 11:30:00	61,6	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 11:30:00	64,4	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 11:00:00	60,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 11:00:00	54,0	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 11:00:00	61,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 11:00:00	64,5	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 10:30:00	59,6	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 10:30:00	53,8	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 10:30:00	60,1	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 10:30:00	63,4	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 10:00:00	61,1	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 10:00:00	56,3	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 10:00:00	61,7	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 10:00:00	64,6	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 09:30:00	60,8	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 09:30:00	54,7	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 09:30:00	61,8	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 09:30:00	64,0	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 09:00:00	60,9	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 09:00:00	54,6	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 09:00:00	62,0	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 09:00:00	64,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 08:30:00	59,8	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 08:30:00	53,7	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 08:30:00	60,6	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 08:30:00	63,4	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 08:00:00	60,4	71,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-10-23 08:00:00	54,4	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 08:00:00	60,8	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 08:00:00	63,7	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 07:30:00	55,2	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 07:30:00	61,0	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 07:30:00	61,7	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 07:30:00	64,8	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 07:00:00	55,2	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-23 07:00:00	61,4	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-23 07:00:00	61,8	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-23 07:00:00	64,7	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-23 06:30:00	55,5	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 06:30:00	61,5	80,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 06:30:00	60,7	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 06:30:00	63,6	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 06:00:00	56,3	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 06:00:00	61,0	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 06:00:00	63,2	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 06:00:00	64,0	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 05:30:00	53,3	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 05:30:00	58,9	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 05:30:00	60,8	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 05:30:00	61,4	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 05:00:00	49,9	58,7	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 05:00:00	55,4	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 05:00:00	57,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 05:00:00	58,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 04:30:00	48,7	59,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 04:30:00	54,7	62,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 04:30:00	56,6	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 04:30:00	58,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 04:00:00	49,4	76,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 04:00:00	53,0	74,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 04:00:00	53,4	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 04:00:00	54,8	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 03:30:00	45,5	57,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 03:30:00	52,2	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 03:30:00	53,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 03:30:00	54,9	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 03:00:00	46,0	57,1	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 03:00:00	51,6	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 03:00:00	51,8	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 03:00:00	54,0	64,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 02:30:00	48,1	61,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-23 02:30:00	52,5	64,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 02:30:00	52,8	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 02:30:00	55,0	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 02:00:00	45,8	58,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 02:00:00	51,7	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 02:00:00	51,6	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 02:00:00	54,0	64,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 01:30:00	47,9	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 01:30:00	53,1	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 01:30:00	53,5	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 01:30:00	55,8	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 01:00:00	48,4	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 01:00:00	53,7	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 01:00:00	53,6	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 01:00:00	56,1	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 00:30:00	50,9	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 00:30:00	54,9	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 00:30:00	54,9	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 00:30:00	56,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-23 00:00:00	51,9	74,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-23 00:00:00	55,8	78,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-23 00:00:00	55,9	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-23 00:00:00	58,1	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 23:30:00	50,9	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 23:30:00	55,8	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 23:30:00	55,6	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 23:30:00	58,6	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 23:00:00	52,2	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 23:00:00	57,0	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 23:00:00	56,6	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 23:00:00	59,2	66,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 22:30:00	53,6	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 22:30:00	58,4	75,4	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 22:30:00	58,2	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 22:30:00	61,0	67,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 22:00:00	53,3	72,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 22:00:00	58,7	73,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 22:00:00	59,1	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 22:00:00	61,8	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 21:30:00	54,4	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 21:30:00	59,2	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 21:30:00	59,2	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 21:30:00	62,1	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 21:00:00	56,1	86,9	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-22 21:00:00	59,8	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 21:00:00	59,6	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 21:00:00	62,4	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 20:30:00	54,7	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 20:30:00	60,1	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 20:30:00	60,2	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 20:30:00	63,0	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 20:00:00	55,3	77,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 20:00:00	60,9	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 20:00:00	60,6	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 20:00:00	63,8	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 19:30:00	54,3	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-22 19:30:00	60,5	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-22 19:30:00	62,3	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-10-22 19:30:00	65,0	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-10-22 19:00:00	54,4	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 19:00:00	60,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 19:00:00	61,9	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 19:00:00	64,9	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 18:30:00	55,5	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 18:30:00	61,4	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 18:30:00	61,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 18:30:00	64,5	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 18:00:00	56,7	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 18:00:00	61,9	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 18:00:00	61,4	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 18:00:00	64,4	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 17:30:00	56,1	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 17:30:00	61,5	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 17:30:00	60,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 17:30:00	64,3	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 17:00:00	55,9	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 17:00:00	61,5	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 17:00:00	59,7	64,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 17:00:00	64,1	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 16:30:00	53,1	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 16:30:00	59,7	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 16:30:00	58,2	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 16:30:00	60,8	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 16:00:00	54,9	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 16:00:00	60,1	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 16:00:00	58,6	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 16:00:00	60,8	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 15:30:00	55,0	71,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-22 15:30:00	60,6	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 15:30:00	59,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 15:30:00	62,3	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 15:00:00	56,4	75,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 15:00:00	62,7	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 15:00:00	62,0	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 15:00:00	65,0	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 14:30:00	56,8	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 14:30:00	63,1	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 14:30:00	62,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 14:30:00	64,8	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 14:00:00	53,8	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 14:00:00	62,2	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 14:00:00	62,5	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 14:00:00	64,9	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 13:30:00	53,2	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 13:30:00	61,5	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 13:30:00	63,1	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 13:30:00	65,4	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 13:00:00	53,0	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 13:00:00	61,1	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 13:00:00	63,1	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 13:00:00	65,3	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 12:30:00	53,8	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 12:30:00	61,7	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 12:30:00	62,9	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 12:30:00	65,0	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 12:00:00	53,3	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 12:00:00	61,1	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 12:00:00	62,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 12:00:00	65,0	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 11:30:00	52,8	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 11:30:00	61,0	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 11:30:00	63,5	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 11:30:00	65,1	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 11:00:00	52,8	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 11:00:00	59,7	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 11:00:00	62,3	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 11:00:00	64,3	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 10:30:00	51,3	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 10:30:00	58,7	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 10:30:00	60,8	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 10:30:00	63,3	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 10:00:00	53,5	73,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-22 10:00:00	60,1	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 10:00:00	61,7	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 10:00:00	65,2	80,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 09:30:00	53,4	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 09:30:00	59,3	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 09:30:00	61,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 09:30:00	64,2	89,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 09:00:00	52,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 09:00:00	59,0	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 09:00:00	62,0	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 09:00:00	64,1	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 08:30:00	52,8	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 08:30:00	58,7	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 08:30:00	60,2	65,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 08:30:00	63,4	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 08:00:00	52,6	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 08:00:00	59,1	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 08:00:00	60,3	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 08:00:00	63,7	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 07:30:00	52,6	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 07:30:00	59,8	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 07:30:00	62,1	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 07:30:00	64,9	83,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 07:00:00	53,8	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-10-22 07:00:00	60,7	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-22 07:00:00	62,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-22 07:00:00	64,7	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-22 06:30:00	53,1	72,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 06:30:00	60,2	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 06:30:00	62,3	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 06:30:00	64,2	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 06:00:00	53,7	73,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 06:00:00	60,3	75,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 06:00:00	62,8	71,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 06:00:00	63,9	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 05:30:00	51,4	75,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 05:30:00	57,8	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 05:30:00	59,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 05:30:00	60,2	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 05:00:00	48,6	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 05:00:00	55,2	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 05:00:00	57,1	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 05:00:00	58,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 04:30:00	45,9	53,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-22 04:30:00	54,0	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 04:30:00	56,0	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 04:30:00	57,6	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 04:00:00	66,2	85,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 04:00:00	67,0	91,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 04:00:00	56,6	75,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 04:00:00	58,5	77,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 03:30:00	61,3	82,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 03:30:00	61,6	84,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 03:30:00	54,2	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 03:30:00	55,2	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 03:00:00	60,7	83,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 03:00:00	59,8	81,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 03:00:00	53,7	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 03:00:00	55,6	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 02:30:00	49,1	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 02:30:00	53,1	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 02:30:00	54,3	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 02:30:00	55,4	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 02:00:00	48,4	63,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 02:00:00	52,6	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 02:00:00	53,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 02:00:00	55,1	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 01:30:00	47,9	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 01:30:00	53,9	74,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 01:30:00	54,2	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 01:30:00	55,7	66,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 01:00:00	48,8	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 01:00:00	54,3	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 01:00:00	55,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 01:00:00	56,5	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 00:30:00	50,2	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 00:30:00	54,1	75,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 00:30:00	54,1	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 00:30:00	55,7	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-22 00:00:00	50,0	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-22 00:00:00	54,3	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-22 00:00:00	53,9	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-22 00:00:00	56,8	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 23:30:00	51,7	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 23:30:00	55,9	75,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 23:30:00	56,0	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 23:30:00	58,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 23:00:00	51,3	71,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-21 23:00:00	56,1	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 23:00:00	56,6	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 23:00:00	58,7	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 22:30:00	54,4	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 22:30:00	58,2	73,6	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 22:30:00	57,5	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 22:30:00	60,2	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 22:00:00	54,5	74,4	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 22:00:00	58,8	76,1	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 22:00:00	58,2	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 22:00:00	61,4	79,8	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 21:30:00	53,9	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 21:30:00	58,8	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 21:30:00	59,1	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 21:30:00	62,1	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 21:00:00	55,0	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 21:00:00	59,1	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 21:00:00	59,3	66,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 21:00:00	61,7	67,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 20:30:00	55,9	73,6	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 20:30:00	60,7	77,3	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 20:30:00	60,4	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 20:30:00	63,3	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 20:00:00	56,7	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 20:00:00	60,7	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 20:00:00	59,9	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 20:00:00	62,9	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 19:30:00	57,7	75,5	-6,0	55	
ST01	Høvikveien 2C	2024-10-21 19:30:00	61,4	76,2	-6,0	55	
ST04	Sandviksveien 70	2024-10-21 19:30:00	60,9	75,3	-6,0	55	
ST03	Sandviksveien 52	2024-10-21 19:30:00	63,6	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-10-21 19:00:00	55,0	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 19:00:00	60,5	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 19:00:00	60,9	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 19:00:00	63,6	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 18:30:00	58,2	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 18:30:00	61,8	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 18:30:00	61,3	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 18:30:00	63,9	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 18:00:00	58,3	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 18:00:00	62,1	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 18:00:00	61,3	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 18:00:00	63,8	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 17:30:00	58,4	74,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-21 17:30:00	62,1	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 17:30:00	61,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 17:30:00	64,2	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 17:00:00	57,3	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 17:00:00	62,0	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 17:00:00	61,4	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 17:00:00	64,0	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 16:30:00	57,4	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 16:30:00	61,9	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 16:30:00	60,4	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 16:30:00	63,9	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 16:00:00	56,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 16:00:00	61,5	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 16:00:00	59,1	64,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 16:00:00	63,1	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 15:30:00	52,8	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 15:30:00	60,6	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 15:30:00	59,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 15:30:00	62,9	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 15:00:00	55,3	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 15:00:00	62,4	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 15:00:00	61,1	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 15:00:00	64,9	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 14:30:00	56,1	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 14:30:00	63,5	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 14:30:00	61,3	66,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 14:30:00	65,2	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 14:00:00	56,8	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 14:00:00	62,8	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 14:00:00	61,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 14:00:00	65,3	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 13:30:00	56,1	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 13:30:00	71,7	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 13:30:00	61,8	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 13:30:00	65,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 13:00:00	57,3	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 13:00:00	63,1	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 13:00:00	61,6	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 13:00:00	65,0	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 12:30:00	57,3	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 12:30:00	63,2	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 12:30:00	62,1	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 12:30:00	65,2	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 12:00:00	57,7	72,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-21 12:00:00	64,9	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 12:00:00	61,9	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 12:00:00	65,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 11:30:00	57,8	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 11:30:00	63,5	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 11:30:00	62,0	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 11:30:00	65,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 11:00:00	58,1	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 11:00:00	63,7	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 11:00:00	62,0	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 11:00:00	65,6	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 10:45:00	58,7	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 10:30:00	63,1	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 10:30:00	60,8	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 10:30:00	65,0	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 10:00:00	56,6	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 10:00:00	63,1	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 10:00:00	61,1	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 10:00:00	65,1	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 09:30:00	56,6	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 09:30:00	63,0	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 09:30:00	60,8	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 09:30:00	65,2	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 09:00:00	56,1	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 09:00:00	62,0	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 09:00:00	59,2	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 09:00:00	64,1	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 08:30:00	55,3	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 08:30:00	61,1	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 08:30:00	58,1	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 08:30:00	63,2	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 08:00:00	55,2	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 08:00:00	62,6	85,4	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 08:00:00	58,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 08:00:00	63,4	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 07:30:00	55,5	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 07:30:00	61,7	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 07:30:00	59,0	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 07:30:00	64,0	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 07:00:00	55,7	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-10-21 07:00:00	61,7	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-10-21 07:00:00	59,7	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-10-21 07:00:00	64,7	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-10-21 06:30:00	55,2	74,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-10-21 06:30:00	61,4	77,6	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 06:30:00	60,0	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 06:30:00	64,3	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 06:00:00	55,2	73,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 06:00:00	61,6	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 06:00:00	61,3	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 06:00:00	64,2	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 05:30:00	53,8	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 05:30:00	60,1	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 05:30:00	58,6	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 05:30:00	61,4	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 05:00:00	50,4	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 05:00:00	56,5	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 05:00:00	54,5	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 05:00:00	57,7	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 04:30:00	50,4	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 04:30:00	56,5	77,1	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 04:30:00	53,7	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 04:30:00	56,7	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 04:00:00	47,1	61,2	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 04:00:00	53,3	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 04:00:00	50,6	65,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 04:00:00	53,9	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 03:30:00	47,0	58,8	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 03:30:00	53,7	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 03:30:00	51,0	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 03:30:00	53,5	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 03:00:00	45,8	58,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 03:00:00	52,0	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 03:00:00	49,4	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 03:00:00	52,5	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 02:30:00	48,0	60,0	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 02:30:00	53,5	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 02:30:00	50,7	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 02:30:00	54,2	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 02:00:00	48,3	61,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 02:00:00	55,1	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 02:00:00	51,2	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 02:00:00	53,9	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 01:30:00	55,2	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 01:30:00	50,9	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 01:30:00	54,4	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 01:15:00	47,5	63,4	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 01:00:00	54,9	69,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-10-21 01:00:00	51,3	65,8	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 01:00:00	55,2	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 00:30:00	51,1	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 00:30:00	57,3	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 00:30:00	53,6	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 00:30:00	56,7	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-10-21 00:00:00	50,2	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-10-21 00:00:00	55,9	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-10-21 00:00:00	54,0	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-10-21 00:00:00	57,3	67,3	-6,0	45	