


◆ ST04 ◆ ST03 ◆ ST01 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-11-10 00:00:00	58,6	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-10 00:00:00	59,9	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-10 00:00:00	54,0	61,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-10 00:00:00	43,5	49,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 23:30:00	58,9	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 23:30:00	60,5	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 23:30:00	55,2	60,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 23:30:00	44,7	49,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 23:00:00	58,4	64,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 23:00:00	60,0	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 23:00:00	54,9	60,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 23:00:00	44,5	51,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 22:30:00	58,8	66,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 22:30:00	60,3	66,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 22:30:00	55,2	61,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 22:30:00	44,7	51,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 22:00:00	58,9	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 22:00:00	60,5	66,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 22:00:00	55,1	60,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 22:00:00	44,7	48,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 21:30:00	58,4	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 21:30:00	60,1	65,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 21:30:00	55,2	62,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 21:30:00	44,9	57,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 21:00:00	59,0	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 21:00:00	60,4	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 21:00:00	55,6	62,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 21:00:00	44,8	48,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 20:30:00	59,6	66,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 20:30:00	61,0	66,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 20:30:00	57,0	76,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 20:30:00	48,6	75,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 20:00:00	59,6	66,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 20:00:00	61,0	66,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 20:00:00	56,9	77,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 20:00:00	47,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 19:30:00	60,0	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-09 19:30:00	61,7	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-09 19:30:00	57,6	78,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-09 19:30:00	47,9	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-09 19:00:00	61,4	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 19:00:00	62,8	67,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 19:00:00	57,8	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 19:00:00	48,4	69,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-11-09 18:30:00	61,0	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 18:30:00	63,0	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 18:30:00	58,2	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 18:30:00	49,1	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 18:15:00	49,6	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 18:00:00	61,4	66,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 18:00:00	63,0	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 18:00:00	58,8	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 17:30:00	61,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 17:30:00	63,2	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 17:30:00	58,9	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 17:30:00	49,9	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 17:00:00	62,3	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 17:00:00	63,4	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 17:00:00	59,0	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 17:00:00	49,4	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 16:30:00	62,4	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 16:30:00	63,5	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 16:30:00	59,5	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 16:30:00	49,9	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 16:00:00	62,1	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 16:00:00	64,8	81,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 16:00:00	59,8	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 16:00:00	50,0	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 15:30:00	63,0	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 15:30:00	63,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 15:30:00	59,7	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 15:30:00	50,1	66,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 15:00:00	62,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 15:00:00	69,4	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 15:00:00	59,7	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 15:00:00	50,8	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 14:30:00	62,2	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 14:30:00	64,5	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 14:30:00	60,5	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 14:30:00	50,6	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 14:00:00	61,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 14:00:00	64,2	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 14:00:00	60,2	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 14:00:00	51,4	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 13:30:00	62,2	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 13:30:00	66,6	86,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 13:30:00	60,0	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 13:30:00	51,2	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-11-09 13:00:00	62,0	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 13:00:00	64,2	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 13:00:00	59,9	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 13:00:00	50,3	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 12:30:00	61,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 12:30:00	63,8	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 12:30:00	59,6	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 12:30:00	50,3	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 12:00:00	61,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 12:00:00	63,3	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 12:00:00	60,1	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 12:00:00	50,9	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 11:30:00	61,2	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 11:30:00	63,2	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 11:30:00	59,8	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 11:30:00	50,5	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 11:00:00	61,7	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 11:00:00	63,2	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 11:00:00	59,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 11:00:00	49,8	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 10:30:00	61,2	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 10:30:00	63,6	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 10:30:00	59,0	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 10:30:00	50,1	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 10:00:00	61,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 10:00:00	63,8	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 10:00:00	58,5	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 10:00:00	49,7	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 09:30:00	60,5	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 09:30:00	62,7	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 09:30:00	58,4	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 09:30:00	49,4	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 09:00:00	60,3	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 09:00:00	62,0	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 09:00:00	57,6	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 09:00:00	48,6	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 08:30:00	60,0	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 08:30:00	61,9	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 08:30:00	57,3	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 08:30:00	48,1	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 08:00:00	58,8	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 08:00:00	60,3	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 08:00:00	56,4	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 08:00:00	47,5	67,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-11-09 07:30:00	58,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 07:30:00	64,6	80,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 07:30:00	56,1	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 07:30:00	47,8	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 07:00:00	57,9	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-09 07:00:00	56,6	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-09 07:00:00	54,9	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-09 07:00:00	47,1	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-09 06:30:00	56,8	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 06:30:00	56,1	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 06:30:00	54,0	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 06:30:00	45,5	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 06:00:00	55,0	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 06:00:00	53,8	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 06:00:00	52,0	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 06:00:00	43,7	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 05:30:00	53,8	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 05:30:00	52,3	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 05:30:00	50,2	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 05:30:00	39,9	47,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 05:00:00	53,1	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 05:00:00	52,1	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 05:00:00	50,3	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 05:00:00	40,1	49,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 04:30:00	52,0	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 04:30:00	51,3	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 04:30:00	49,3	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 04:30:00	39,9	48,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 04:00:00	52,5	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 04:00:00	51,0	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 04:00:00	49,6	59,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 04:00:00	41,4	49,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 03:30:00	53,3	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 03:30:00	51,9	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 03:30:00	50,3	60,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 03:30:00	41,8	49,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 03:00:00	53,3	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 03:00:00	52,8	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 03:00:00	50,7	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 03:00:00	41,7	51,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 02:30:00	53,3	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 02:30:00	51,9	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 02:30:00	51,6	77,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 02:30:00	44,3	69,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-09 02:00:00	54,4	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 02:00:00	53,0	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 02:00:00	51,3	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 02:00:00	42,7	49,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 01:30:00	54,6	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 01:30:00	54,1	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 01:30:00	52,1	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 01:30:00	45,1	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 01:00:00	55,6	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 01:00:00	53,6	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 01:00:00	52,9	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 01:00:00	45,9	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 00:30:00	57,0	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 00:30:00	55,0	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 00:30:00	54,2	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 00:30:00	47,0	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-09 00:00:00	58,8	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-09 00:00:00	56,7	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-09 00:00:00	55,7	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-09 00:00:00	48,0	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 23:30:00	59,1	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 23:30:00	56,4	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 23:30:00	55,9	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 23:30:00	49,1	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 23:00:00	59,3	65,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 23:00:00	57,4	65,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 23:00:00	56,6	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 23:00:00	49,6	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 22:30:00	59,2	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 22:30:00	57,3	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 22:30:00	56,6	77,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 22:30:00	48,6	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 22:00:00	59,3	65,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 22:00:00	57,4	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 22:00:00	56,6	74,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 22:00:00	49,2	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 21:30:00	60,0	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 21:30:00	57,9	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 21:30:00	57,1	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 21:30:00	50,1	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 21:00:00	60,6	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 21:00:00	59,2	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 21:00:00	57,4	75,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 21:00:00	49,8	69,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-08 20:30:00	61,1	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 20:30:00	59,6	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 20:30:00	57,7	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 20:30:00	50,7	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 20:00:00	61,6	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 20:00:00	60,0	73,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 20:00:00	58,6	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 20:00:00	51,6	74,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 19:30:00	62,3	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-08 19:30:00	60,6	72,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-08 19:30:00	59,1	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-08 19:30:00	50,4	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-08 19:00:00	63,4	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 19:00:00	61,8	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 19:00:00	59,6	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 19:00:00	52,1	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 18:30:00	63,9	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 18:30:00	60,9	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 18:30:00	59,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 18:30:00	51,8	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 18:00:00	64,6	78,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 18:00:00	60,7	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 18:00:00	59,5	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 18:00:00	52,6	75,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 17:30:00	65,3	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 17:30:00	60,3	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 17:30:00	58,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 17:30:00	51,4	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 17:00:00	63,9	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 17:00:00	60,5	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 17:00:00	59,3	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 17:00:00	52,0	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 16:30:00	63,3	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 16:30:00	60,7	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 16:30:00	59,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 16:30:00	51,7	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 16:00:00	64,5	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 16:00:00	61,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 16:00:00	59,6	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 16:00:00	51,0	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 15:30:00	59,7	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 15:30:00	64,6	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 15:30:00	61,7	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 15:30:00	51,0	70,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-08 15:00:00	59,3	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 15:00:00	65,7	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 15:00:00	62,2	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 15:00:00	51,2	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 14:30:00	60,7	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 14:30:00	65,5	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 14:30:00	62,2	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 14:30:00	51,6	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 14:00:00	60,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 14:00:00	64,2	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 14:00:00	62,4	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 14:00:00	52,8	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 13:30:00	60,7	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 13:30:00	64,9	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 13:30:00	62,6	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 13:30:00	52,5	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 13:00:00	60,8	78,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 13:00:00	65,1	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 13:00:00	62,8	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 13:00:00	52,0	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 12:30:00	60,5	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 12:30:00	64,5	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 12:30:00	63,1	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 12:30:00	51,1	65,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 12:00:00	60,1	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 12:00:00	66,9	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 12:00:00	63,5	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 12:00:00	51,1	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 11:30:00	60,1	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 11:30:00	64,8	82,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 11:30:00	63,2	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 11:30:00	50,9	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 11:00:00	60,2	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 11:00:00	65,1	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 11:00:00	63,0	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 11:00:00	50,9	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 10:30:00	59,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 10:30:00	65,3	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 10:30:00	63,8	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 10:30:00	50,6	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 10:00:00	60,0	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 10:00:00	66,6	85,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 10:00:00	64,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 10:00:00	50,9	68,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-08 09:30:00	59,9	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 09:30:00	67,5	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 09:30:00	63,0	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 09:30:00	51,1	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 09:00:00	58,6	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 09:00:00	66,2	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 09:00:00	61,8	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 09:00:00	50,5	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 08:30:00	58,7	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 08:30:00	63,9	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 08:30:00	61,1	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 08:30:00	50,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 08:00:00	59,6	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 08:00:00	64,6	86,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 08:00:00	60,9	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 08:00:00	51,7	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 07:30:00	59,5	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 07:30:00	65,4	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 07:30:00	62,1	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 07:30:00	51,2	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 07:00:00	59,3	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-08 07:00:00	65,4	86,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-08 07:00:00	60,9	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-08 07:00:00	50,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-08 06:30:00	59,4	74,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 06:30:00	62,7	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 06:30:00	61,3	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 06:30:00	50,1	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 06:00:00	58,7	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 06:00:00	61,7	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 06:00:00	61,2	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 06:00:00	49,3	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 05:30:00	57,4	77,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 05:30:00	59,8	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 05:30:00	59,0	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 05:30:00	47,7	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 05:00:00	54,2	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 05:00:00	57,4	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 05:00:00	56,2	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 05:00:00	44,6	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 04:30:00	52,7	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 04:30:00	56,4	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 04:30:00	55,3	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 04:30:00	42,2	49,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-08 04:00:00	66,6	89,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 04:00:00	57,4	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 04:00:00	55,2	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 04:00:00	62,2	83,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 03:30:00	50,8	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 03:30:00	54,1	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 03:30:00	53,5	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 03:30:00	40,1	48,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 03:00:00	51,6	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 03:00:00	54,9	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 03:00:00	54,1	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 03:00:00	41,3	49,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 02:30:00	49,9	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 02:30:00	52,9	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 02:30:00	52,0	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 02:30:00	40,4	50,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 02:00:00	54,5	77,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 02:00:00	53,4	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 02:00:00	52,1	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 02:00:00	50,4	76,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 01:30:00	52,8	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 01:30:00	54,0	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 01:30:00	52,9	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 01:30:00	47,9	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 01:00:00	54,0	74,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 01:00:00	55,9	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 01:00:00	55,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 01:00:00	45,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 00:30:00	53,4	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 00:30:00	55,9	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 00:30:00	54,2	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 00:30:00	47,6	74,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-08 00:00:00	54,2	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-08 00:00:00	56,6	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-08 00:00:00	55,1	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-08 00:00:00	47,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 23:30:00	55,1	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 23:30:00	57,3	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 23:30:00	56,0	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 23:30:00	48,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 23:00:00	56,9	73,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 23:00:00	59,1	65,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 23:00:00	57,7	67,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 23:00:00	49,7	69,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-07 22:30:00	57,9	74,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 22:30:00	60,6	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 22:30:00	59,1	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 22:30:00	50,1	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 22:00:00	58,6	74,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 22:00:00	61,2	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 22:00:00	59,8	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 22:00:00	51,4	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 21:30:00	58,9	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 21:30:00	61,5	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 21:30:00	60,4	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 21:30:00	51,3	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 21:00:00	59,3	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 21:00:00	61,9	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 21:00:00	60,8	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 21:00:00	51,6	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 20:30:00	59,4	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 20:30:00	62,8	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 20:30:00	61,6	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 20:30:00	51,9	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 20:00:00	59,8	76,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 20:00:00	62,8	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 20:00:00	61,5	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 20:00:00	52,4	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 19:30:00	59,9	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-07 19:30:00	63,9	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-07 19:30:00	61,6	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-07 19:30:00	52,4	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-07 19:00:00	60,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 19:00:00	65,6	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 19:00:00	62,1	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 19:00:00	53,5	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 18:30:00	60,5	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 18:30:00	67,6	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 18:30:00	63,3	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 18:30:00	53,4	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 18:00:00	60,7	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 18:00:00	67,1	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 18:00:00	63,2	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 18:00:00	54,0	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 17:30:00	59,9	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 17:30:00	64,3	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 17:30:00	62,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 17:30:00	53,2	71,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-07 17:00:00	58,8	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 17:00:00	62,5	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 17:00:00	60,9	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 17:00:00	52,9	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 16:30:00	57,8	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 16:30:00	59,7	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 16:30:00	60,4	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 16:30:00	51,6	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 16:00:00	58,0	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 16:00:00	61,0	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 16:00:00	60,8	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 16:00:00	51,4	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 15:30:00	58,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 15:30:00	62,3	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 15:30:00	59,3	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 15:30:00	52,2	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 15:00:00	59,2	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 15:00:00	63,6	82,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 15:00:00	61,5	83,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 15:00:00	51,9	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 14:30:00	60,9	78,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 14:30:00	65,3	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 14:30:00	62,4	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 14:30:00	53,1	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 14:00:00	60,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 14:00:00	65,3	84,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 14:00:00	62,8	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 14:00:00	52,7	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 13:30:00	60,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 13:30:00	66,0	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 13:30:00	62,7	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 13:30:00	52,7	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 13:00:00	60,7	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 13:00:00	64,9	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 13:00:00	62,6	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 13:00:00	52,5	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 12:30:00	61,0	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 12:30:00	64,9	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 12:30:00	62,4	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 12:30:00	52,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 12:00:00	60,3	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 12:00:00	64,6	84,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 12:00:00	61,0	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 12:00:00	52,1	68,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-07 11:30:00	59,6	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 11:30:00	63,7	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 11:30:00	59,6	64,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 11:30:00	50,7	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 11:00:00	60,9	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 11:00:00	64,7	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 11:00:00	62,2	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 11:00:00	52,1	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 10:30:00	60,6	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 10:30:00	65,4	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 10:30:00	63,1	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 10:30:00	52,4	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 10:00:00	60,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 10:00:00	65,2	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 10:00:00	63,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 10:00:00	52,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 09:30:00	59,6	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 09:30:00	64,7	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 09:30:00	62,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 09:30:00	52,5	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 09:00:00	59,2	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 09:00:00	63,9	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 09:00:00	61,8	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 09:00:00	52,7	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 08:30:00	59,6	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 08:30:00	63,6	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 08:30:00	61,0	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 08:30:00	53,3	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 08:00:00	59,4	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 08:00:00	63,2	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 08:00:00	60,4	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 08:00:00	51,7	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 07:30:00	60,5	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 07:30:00	64,0	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 07:30:00	61,7	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 07:30:00	52,6	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 07:00:00	60,1	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-07 07:00:00	63,7	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-07 07:00:00	61,5	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-07 07:00:00	52,0	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-07 06:30:00	60,3	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 06:30:00	63,5	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 06:30:00	62,1	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 06:30:00	52,8	73,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-07 06:00:00	60,4	73,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 06:00:00	62,8	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 06:00:00	62,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 06:00:00	53,0	73,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 05:30:00	58,2	73,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 05:30:00	60,0	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 05:30:00	59,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 05:30:00	50,7	75,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 05:00:00	55,2	71,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 05:00:00	57,6	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 05:00:00	56,1	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 05:00:00	46,9	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 04:30:00	53,3	63,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 04:30:00	56,2	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 04:30:00	55,2	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 04:30:00	44,3	51,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 04:00:00	63,6	85,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 04:00:00	57,3	72,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 04:00:00	54,9	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 04:00:00	62,2	83,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 03:30:00	50,9	61,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 03:30:00	53,7	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 03:30:00	52,7	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 03:30:00	41,8	51,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 03:00:00	51,4	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 03:00:00	54,3	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 03:00:00	53,6	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 03:00:00	42,2	49,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 02:30:00	52,0	64,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 02:30:00	54,0	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 02:30:00	53,6	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 02:30:00	43,1	51,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 02:00:00	53,0	77,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 02:00:00	52,7	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 02:00:00	51,9	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 02:00:00	50,2	78,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 01:30:00	53,9	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 01:30:00	54,8	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 01:30:00	54,3	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 01:30:00	48,1	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 01:00:00	53,7	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 01:00:00	55,3	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 01:00:00	54,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 01:00:00	47,3	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-07 00:30:00	54,0	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 00:30:00	55,9	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 00:30:00	54,7	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 00:30:00	46,9	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-07 00:00:00	54,9	75,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-07 00:00:00	56,4	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-07 00:00:00	55,4	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-07 00:00:00	47,5	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 23:30:00	55,5	74,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 23:30:00	57,6	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 23:30:00	55,5	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 23:30:00	48,7	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 23:00:00	55,5	77,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 23:00:00	58,7	65,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 23:00:00	56,8	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 23:00:00	48,7	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 22:30:00	56,4	77,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 22:30:00	59,7	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 22:30:00	58,2	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 22:30:00	48,0	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 22:00:00	59,7	86,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 22:00:00	60,4	67,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 22:00:00	58,7	66,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 22:00:00	48,6	76,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 21:30:00	56,9	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 21:30:00	60,9	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 21:30:00	59,4	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 21:30:00	48,6	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 21:00:00	59,6	80,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 21:00:00	62,5	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 21:00:00	61,1	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 21:00:00	50,5	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 20:30:00	57,9	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 20:30:00	63,5	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 20:30:00	61,1	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 20:30:00	49,1	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 20:00:00	58,7	74,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 20:00:00	63,6	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 20:00:00	60,8	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 20:00:00	50,9	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-06 19:30:00	58,7	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-06 19:30:00	63,0	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-06 19:30:00	61,3	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-06 19:30:00	50,2	69,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-06 19:00:00	59,0	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 19:00:00	65,9	85,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 19:00:00	61,9	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 19:00:00	51,6	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 18:30:00	59,4	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 18:30:00	64,4	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 18:30:00	62,0	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 18:30:00	50,9	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 18:00:00	60,0	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 18:00:00	64,5	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 18:00:00	62,7	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 18:00:00	53,9	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 17:30:00	59,6	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 17:30:00	65,4	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 17:30:00	63,3	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 17:30:00	52,0	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 17:00:00	59,5	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 17:00:00	64,7	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 17:00:00	63,3	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 17:00:00	51,1	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 16:30:00	60,0	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 16:30:00	64,4	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 16:30:00	62,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 16:30:00	51,6	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 16:00:00	59,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 16:00:00	66,2	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 16:00:00	65,7	81,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 16:00:00	51,5	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 15:30:00	59,4	77,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 15:30:00	64,0	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 15:30:00	61,6	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 15:30:00	50,5	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 15:00:00	60,8	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 15:00:00	65,1	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 15:00:00	63,4	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 15:00:00	51,4	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 14:30:00	60,6	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 14:30:00	65,1	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 14:30:00	63,7	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 14:30:00	50,8	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 14:00:00	62,2	81,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 14:00:00	66,9	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 14:00:00	63,9	84,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 14:00:00	51,1	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-06 13:30:00	71,2	87,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 13:30:00	65,3	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 13:30:00	63,6	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 13:30:00	51,3	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 13:00:00	72,8	89,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 13:00:00	64,7	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 13:00:00	63,2	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 13:00:00	52,6	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 12:30:00	60,4	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 12:30:00	64,7	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 12:30:00	63,2	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 12:30:00	51,1	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 12:00:00	60,2	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 12:00:00	64,8	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 12:00:00	63,0	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 12:00:00	51,5	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 11:30:00	60,3	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 11:30:00	64,7	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 11:30:00	63,4	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 11:30:00	51,6	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 11:00:00	60,1	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 11:00:00	64,7	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 11:00:00	63,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 11:00:00	50,5	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 10:30:00	59,5	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 10:30:00	65,7	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 10:30:00	62,3	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 10:30:00	50,5	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 10:00:00	59,8	79,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 10:00:00	68,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 10:00:00	61,8	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 10:00:00	50,6	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 09:30:00	59,9	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 09:30:00	69,3	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 09:30:00	61,9	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 09:30:00	51,4	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 09:00:00	59,1	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 09:00:00	74,2	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 09:00:00	61,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 09:00:00	50,5	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 08:30:00	57,7	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 08:30:00	78,2	87,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 08:30:00	59,5	66,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 08:30:00	50,2	69,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-06 08:00:00	57,7	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 08:00:00	63,5	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 08:00:00	60,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 08:00:00	49,5	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 07:30:00	58,7	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 07:30:00	63,7	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 07:30:00	61,3	66,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 07:30:00	50,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 07:00:00	58,3	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-06 07:00:00	63,3	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-06 07:00:00	61,4	66,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-06 07:00:00	49,7	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-06 06:30:00	58,4	72,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 06:30:00	63,1	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 06:30:00	61,6	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 06:30:00	49,4	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 06:00:00	58,9	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 06:00:00	63,1	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 06:00:00	62,4	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 06:00:00	49,8	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 05:30:00	56,6	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 05:30:00	60,3	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 05:30:00	60,1	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 05:30:00	46,8	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 05:00:00	53,9	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 05:00:00	57,9	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 05:00:00	57,3	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 05:00:00	43,6	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 04:30:00	51,4	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 04:30:00	56,1	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 04:30:00	54,9	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 04:30:00	40,9	48,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 04:00:00	50,5	63,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 04:00:00	54,6	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 04:00:00	53,9	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 04:00:00	40,8	49,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 03:30:00	49,6	61,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 03:30:00	54,1	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 03:30:00	53,6	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 03:30:00	40,4	48,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 03:00:00	50,3	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 03:00:00	54,1	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 03:00:00	54,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 03:00:00	40,3	48,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-06 02:30:00	50,6	61,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 02:30:00	54,8	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 02:30:00	54,2	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 02:30:00	40,8	49,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 02:00:00	51,4	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 02:00:00	53,4	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 02:00:00	52,8	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 02:00:00	44,8	71,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 01:30:00	54,3	82,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 01:30:00	54,5	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 01:30:00	54,0	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 01:30:00	44,3	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 01:00:00	51,6	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 01:00:00	53,9	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 01:00:00	52,7	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 01:00:00	44,4	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 00:30:00	52,7	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 00:30:00	56,3	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 00:30:00	55,5	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 00:30:00	44,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-06 00:00:00	53,8	74,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-06 00:00:00	56,2	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-06 00:00:00	55,4	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-06 00:00:00	47,0	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 23:30:00	54,4	72,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 23:30:00	56,8	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 23:30:00	47,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 23:30:00	58,0	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 23:00:00	56,0	76,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 23:00:00	57,4	67,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 23:00:00	48,3	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 23:00:00	58,9	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 22:30:00	56,4	76,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 22:30:00	58,5	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 22:30:00	48,2	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 22:30:00	60,0	66,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 22:00:00	56,3	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 22:00:00	58,7	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 22:00:00	48,2	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 22:00:00	60,4	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 21:30:00	57,3	77,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 21:30:00	59,7	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 21:30:00	50,0	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 21:30:00	60,7	68,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-05 21:00:00	57,7	76,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 21:00:00	60,6	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 21:00:00	48,6	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 21:00:00	61,8	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 20:30:00	57,8	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 20:30:00	61,7	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 20:30:00	48,9	77,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 20:30:00	62,6	78,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 20:00:00	57,3	70,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 20:00:00	62,1	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 20:00:00	49,1	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 20:00:00	62,9	75,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 19:30:00	58,4	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-05 19:30:00	63,1	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-05 19:30:00	50,8	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-05 19:30:00	63,7	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-05 19:00:00	59,1	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 19:00:00	62,9	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 19:00:00	51,0	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 19:00:00	63,8	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 18:30:00	59,5	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 18:30:00	62,8	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 18:30:00	50,1	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 18:30:00	64,1	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 18:00:00	59,4	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 18:00:00	62,8	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 18:00:00	50,5	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 18:00:00	66,8	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 17:30:00	59,5	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 17:30:00	63,4	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 17:30:00	51,0	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 17:30:00	67,5	89,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 17:00:00	59,6	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 17:00:00	62,6	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 17:00:00	52,0	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 17:00:00	68,7	85,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 16:30:00	59,2	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 16:30:00	62,0	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 16:30:00	50,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 16:30:00	64,3	83,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 16:00:00	59,2	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 16:00:00	61,8	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 16:00:00	50,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 16:00:00	64,8	75,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-05 15:30:00	59,8	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 15:30:00	62,4	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 15:30:00	52,0	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 15:30:00	67,4	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 15:00:00	60,5	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 15:00:00	62,4	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 15:00:00	52,8	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 15:00:00	67,1	80,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 14:30:00	60,8	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 14:30:00	62,3	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 14:30:00	52,2	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 14:30:00	65,2	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 14:00:00	60,7	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 14:00:00	62,7	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 14:00:00	52,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 14:00:00	78,8	88,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 13:30:00	61,1	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 13:30:00	62,4	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 13:30:00	52,8	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 13:30:00	80,2	88,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 13:00:00	60,2	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 13:00:00	62,7	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 13:00:00	51,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 13:00:00	73,9	85,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 12:30:00	60,2	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 12:30:00	62,9	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 12:30:00	52,0	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 12:30:00	71,5	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 12:00:00	60,6	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 12:00:00	62,8	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 12:00:00	51,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 12:00:00	65,4	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 11:30:00	61,0	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 11:30:00	61,9	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 11:30:00	52,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 11:30:00	63,7	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 11:00:00	59,7	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 11:00:00	63,1	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 11:00:00	51,6	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 11:00:00	64,9	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 10:30:00	58,6	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 10:30:00	62,0	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 10:30:00	50,7	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 10:30:00	65,1	77,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-05 10:00:00	59,1	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 10:00:00	61,9	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 10:00:00	51,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 10:00:00	64,5	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 09:30:00	62,4	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 09:30:00	62,6	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 09:30:00	60,1	79,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 09:30:00	65,5	81,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 09:00:00	59,5	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 09:00:00	61,2	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 09:00:00	51,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 09:00:00	65,2	83,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 08:30:00	58,1	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 08:30:00	60,0	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 08:30:00	51,1	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 08:30:00	66,6	85,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 08:00:00	57,7	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 08:00:00	60,5	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 08:00:00	49,3	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 08:00:00	68,2	85,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 07:30:00	58,4	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 07:30:00	60,5	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 07:30:00	51,3	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 07:30:00	65,8	83,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 07:00:00	58,8	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-05 07:00:00	60,2	66,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-05 07:00:00	50,8	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-05 07:00:00	62,4	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-05 06:30:00	58,4	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 06:30:00	59,6	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 06:30:00	50,6	71,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 06:30:00	61,7	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 06:00:00	58,3	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 06:00:00	60,6	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 06:00:00	48,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 06:00:00	61,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 05:30:00	56,8	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 05:30:00	58,9	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 05:30:00	49,6	79,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 05:30:00	59,1	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 05:00:00	53,6	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 05:00:00	55,2	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 05:00:00	45,1	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 05:00:00	56,2	66,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-05 04:30:00	52,7	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 04:30:00	53,8	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 04:30:00	46,2	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 04:30:00	54,7	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 04:00:00	67,0	89,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 04:00:00	55,1	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 04:00:00	62,8	81,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 04:00:00	57,4	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 03:30:00	50,5	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 03:30:00	52,5	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 03:30:00	41,1	49,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 03:30:00	52,9	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 03:00:00	49,9	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 03:00:00	52,0	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 03:00:00	41,0	49,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 03:00:00	52,3	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 02:30:00	50,9	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 02:30:00	52,9	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 02:30:00	41,7	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 02:30:00	53,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 02:00:00	48,5	61,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 02:00:00	50,2	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 02:00:00	40,8	49,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 02:00:00	51,9	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 01:30:00	51,6	73,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 01:30:00	52,1	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 01:30:00	44,9	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 01:30:00	52,9	63,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 01:00:00	53,7	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 01:00:00	53,5	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 01:00:00	47,8	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 01:00:00	54,4	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 00:30:00	51,8	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 00:30:00	52,5	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 00:30:00	45,4	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 00:30:00	53,7	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-05 00:00:00	53,8	75,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-05 00:00:00	53,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-05 00:00:00	46,6	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-05 00:00:00	54,7	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 23:30:00	54,6	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 23:30:00	53,9	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 23:30:00	49,4	75,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 23:30:00	55,3	65,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-04 23:00:00	55,5	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 23:00:00	55,7	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 23:00:00	49,9	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 23:00:00	57,3	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 22:30:00	55,4	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 22:30:00	56,7	67,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 22:30:00	48,4	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 22:30:00	58,6	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 22:00:00	56,8	75,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 22:00:00	57,7	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 22:00:00	49,4	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 22:00:00	59,6	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 21:30:00	57,2	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 21:30:00	58,6	66,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 21:30:00	49,7	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 21:30:00	60,1	66,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 21:00:00	57,6	75,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 21:00:00	59,6	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 21:00:00	49,9	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 21:00:00	60,6	66,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 20:30:00	58,0	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 20:30:00	60,0	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 20:30:00	50,2	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 20:30:00	61,6	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 20:00:00	58,1	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 20:00:00	60,5	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 20:00:00	50,9	79,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 20:00:00	62,0	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 19:30:00	58,6	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-04 19:30:00	61,4	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-04 19:30:00	51,3	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-04 19:30:00	62,8	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-04 19:00:00	59,6	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 19:00:00	62,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 19:00:00	52,5	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 19:00:00	63,6	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 18:30:00	60,2	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 18:30:00	62,5	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 18:30:00	52,5	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 18:30:00	64,4	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 18:00:00	60,6	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 18:00:00	62,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 18:00:00	53,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 18:00:00	66,3	83,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-04 17:30:00	60,5	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 17:30:00	63,2	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 17:30:00	53,8	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 17:30:00	66,3	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 17:00:00	60,8	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 17:00:00	63,4	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 17:00:00	53,9	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 17:00:00	65,9	86,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 16:30:00	60,0	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 16:30:00	61,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 16:30:00	52,9	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 16:30:00	63,4	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 16:00:00	58,6	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 16:00:00	61,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 16:00:00	62,7	82,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 16:00:00	61,2	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 15:30:00	58,9	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 15:30:00	61,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 15:30:00	53,4	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 15:30:00	62,4	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 15:00:00	60,5	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 15:00:00	61,9	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 15:00:00	53,1	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 15:00:00	66,4	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 14:30:00	60,2	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 14:30:00	62,6	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 14:30:00	51,7	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 14:30:00	66,6	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 14:00:00	60,2	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 14:00:00	62,4	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 14:00:00	51,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 14:00:00	66,2	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 13:30:00	60,3	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 13:30:00	62,0	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 13:30:00	52,9	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 13:30:00	66,4	83,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 13:00:00	59,7	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 13:00:00	62,1	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 13:00:00	51,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 13:00:00	65,3	88,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 12:30:00	60,0	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 12:30:00	62,0	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 12:30:00	52,6	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 12:30:00	64,9	84,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-04 12:00:00	60,0	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 12:00:00	62,6	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 12:00:00	52,6	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 12:00:00	65,3	85,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 11:30:00	59,6	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 11:30:00	62,6	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 11:30:00	51,3	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 11:30:00	64,9	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 11:00:00	60,2	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 11:00:00	63,0	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 11:00:00	52,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 11:00:00	65,3	81,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 10:30:00	59,8	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 10:30:00	63,2	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 10:30:00	51,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 10:30:00	66,9	84,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 10:00:00	59,9	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 10:00:00	63,0	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 10:00:00	52,0	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 10:00:00	67,2	85,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 09:30:00	60,0	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 09:30:00	62,3	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 09:30:00	52,9	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 09:30:00	68,0	87,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 09:00:00	58,5	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 09:00:00	60,6	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 09:00:00	51,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 09:00:00	67,9	87,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 08:30:00	59,1	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 08:30:00	60,2	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 08:30:00	52,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 08:30:00	66,3	85,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 08:00:00	59,7	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 08:00:00	60,5	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 08:00:00	53,4	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 08:00:00	64,3	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 07:30:00	60,1	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 07:30:00	61,3	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 07:30:00	53,4	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 07:30:00	63,9	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-04 07:00:00	59,8	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-04 07:00:00	61,2	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-04 07:00:00	52,4	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-04 07:00:00	63,5	70,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-04 06:30:00	60,3	76,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 06:30:00	61,3	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 06:30:00	53,0	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 06:30:00	63,3	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 06:00:00	59,9	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 06:00:00	61,6	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 06:00:00	52,2	71,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 06:00:00	62,4	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 05:30:00	57,6	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 05:30:00	59,3	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 05:30:00	50,6	73,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 05:30:00	59,8	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 05:00:00	55,9	76,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 05:00:00	56,7	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 05:00:00	49,1	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 05:00:00	57,3	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 04:30:00	61,1	86,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 04:30:00	54,6	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 04:30:00	59,1	84,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 04:30:00	56,1	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 04:00:00	49,8	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 04:00:00	52,0	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 04:00:00	42,0	50,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 04:00:00	53,3	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 03:30:00	69,8	94,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 03:30:00	55,8	76,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 03:30:00	64,0	85,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 03:30:00	56,6	73,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 03:00:00	47,6	59,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 03:00:00	50,0	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 03:00:00	40,4	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 03:00:00	51,0	64,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 02:30:00	51,8	74,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 02:30:00	50,3	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 02:30:00	48,5	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 02:30:00	51,9	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 02:00:00	50,9	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 02:00:00	52,1	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 02:00:00	46,4	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 02:00:00	53,3	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 01:30:00	52,3	73,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 01:30:00	52,0	77,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 01:30:00	47,4	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 01:30:00	53,8	81,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-04 01:00:00	54,7	77,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 01:00:00	54,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 01:00:00	50,4	76,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 01:00:00	54,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 00:30:00	52,8	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 00:30:00	53,7	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 00:30:00	46,7	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 00:30:00	55,1	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-04 00:00:00	53,4	76,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-04 00:00:00	54,3	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-04 00:00:00	46,1	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-04 00:00:00	55,6	65,4	-6,0	45	