


◆ ST02 ◆ ST04 ◆ ST03 ◆ ST01 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-17 00:00:00	50,7	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-17 00:00:00	56,5	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-17 00:00:00	58,5	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-17 00:00:00	55,6	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 23:30:00	49,9	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 23:30:00	55,9	65,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 23:30:00	58,1	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 23:30:00	55,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 23:00:00	50,8	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 23:00:00	56,2	67,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 23:00:00	58,1	64,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 23:00:00	55,4	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 22:30:00	52,6	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 22:30:00	56,9	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 22:30:00	58,8	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 22:30:00	55,9	70,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 22:00:00	51,7	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 22:00:00	57,6	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 22:00:00	59,3	66,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 22:00:00	56,2	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 21:30:00	52,5	70,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 21:30:00	59,2	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 21:30:00	60,5	65,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 21:30:00	57,7	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 21:00:00	52,0	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 21:00:00	59,7	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 21:00:00	60,6	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 21:00:00	57,6	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 20:30:00	54,3	77,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 20:30:00	59,7	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 20:30:00	61,1	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 20:30:00	58,3	74,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 20:00:00	51,7	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 20:00:00	59,6	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 20:00:00	61,3	74,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 20:00:00	57,9	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 19:30:00	52,3	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-16 19:30:00	58,3	66,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-16 19:30:00	61,1	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-16 19:30:00	58,3	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-16 19:00:00	54,0	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 19:00:00	58,8	64,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 19:00:00	61,5	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 19:00:00	59,2	72,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-16 18:30:00	54,4	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 18:30:00	59,3	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 18:30:00	61,8	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 18:30:00	59,7	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 18:00:00	54,2	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 18:00:00	59,3	66,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 18:00:00	62,0	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 18:00:00	59,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 17:30:00	55,3	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 17:30:00	59,5	64,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 17:30:00	62,1	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 17:30:00	60,1	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 17:00:00	55,6	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 17:00:00	59,4	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 17:00:00	62,2	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 17:00:00	60,2	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 16:30:00	55,5	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 16:30:00	60,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 16:30:00	62,1	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 16:30:00	60,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 16:00:00	55,6	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 16:00:00	60,1	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 16:00:00	62,4	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 16:00:00	60,2	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 15:30:00	56,6	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 15:30:00	60,2	66,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 15:30:00	63,1	82,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 15:30:00	61,1	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 15:00:00	56,3	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 15:00:00	59,8	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 15:00:00	62,4	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 15:00:00	60,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 14:30:00	56,0	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 14:30:00	60,2	76,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 14:30:00	62,7	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 14:30:00	60,3	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 14:00:00	55,7	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 14:00:00	60,0	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 14:00:00	63,2	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 14:00:00	60,2	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 13:30:00	55,8	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 13:30:00	60,1	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 13:30:00	64,1	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 13:30:00	60,0	70,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-16 13:00:00	55,7	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 13:00:00	60,2	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 13:00:00	64,4	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 13:00:00	59,8	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 12:30:00	56,6	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 12:30:00	60,4	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 12:30:00	64,2	80,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 12:30:00	60,5	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 12:00:00	56,4	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 12:00:00	60,4	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 12:00:00	63,2	88,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 12:00:00	60,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 11:30:00	55,5	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 11:30:00	60,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 11:30:00	62,6	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 11:30:00	60,1	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 11:00:00	56,6	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 11:00:00	60,3	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 11:00:00	62,5	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 11:00:00	60,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 10:30:00	56,0	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 10:30:00	60,0	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 10:30:00	64,9	82,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 10:30:00	60,3	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 10:00:00	54,5	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 10:00:00	59,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 10:00:00	67,8	84,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 10:00:00	59,3	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 09:30:00	53,8	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 09:30:00	60,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 09:30:00	66,3	86,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 09:30:00	58,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 09:00:00	54,6	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 09:00:00	59,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 09:00:00	64,6	85,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 09:00:00	58,0	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 08:30:00	53,6	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 08:30:00	58,6	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 08:30:00	64,2	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 08:30:00	58,2	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 08:00:00	53,1	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 08:00:00	64,6	84,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 08:00:00	57,6	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 08:00:00	57,2	73,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-16 07:30:00	53,7	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 07:30:00	64,7	88,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 07:30:00	56,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 07:30:00	57,3	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 07:00:00	52,4	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-16 07:00:00	58,0	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-16 07:00:00	55,4	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-16 07:00:00	55,4	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-16 06:30:00	52,0	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 06:30:00	56,9	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 06:30:00	54,9	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 06:30:00	55,6	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 06:00:00	51,0	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 06:00:00	54,8	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 06:00:00	53,0	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 06:00:00	54,1	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 05:30:00	49,2	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 05:30:00	52,9	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 05:30:00	51,3	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 05:30:00	52,0	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 05:15:00	48,7	60,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 05:15:00	53,2	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 05:00:00	51,3	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 05:00:00	56,2	79,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 04:30:00	47,1	62,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 04:30:00	52,9	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 04:30:00	51,7	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 04:30:00	52,0	62,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 04:00:00	44,3	54,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 04:00:00	52,3	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 04:00:00	50,8	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 04:00:00	50,5	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 03:30:00	45,3	56,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 03:30:00	53,4	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 03:30:00	51,8	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 03:30:00	52,4	63,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 03:00:00	46,8	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 03:00:00	53,3	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 03:00:00	51,5	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 03:00:00	54,4	80,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 02:30:00	45,8	55,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 02:30:00	53,9	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 02:30:00	51,6	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 02:30:00	52,3	61,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-16 02:00:00	46,5	55,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 02:00:00	55,5	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 02:00:00	53,7	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 02:00:00	53,5	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 01:30:00	47,7	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 01:30:00	55,5	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 01:30:00	54,0	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 01:30:00	53,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 01:00:00	48,4	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 01:00:00	56,7	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 01:00:00	53,4	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 01:00:00	54,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 00:30:00	49,9	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 00:30:00	57,2	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 00:30:00	54,3	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 00:30:00	55,9	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-16 00:00:00	50,8	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-16 00:00:00	58,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-16 00:00:00	55,6	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-16 00:00:00	56,5	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 23:30:00	51,7	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 23:30:00	58,3	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 23:30:00	54,7	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 23:30:00	56,8	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 23:00:00	52,3	73,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 23:00:00	58,6	66,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 23:00:00	55,5	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 23:00:00	57,0	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 22:30:00	52,7	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 22:30:00	59,5	67,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 22:30:00	56,4	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 22:30:00	57,8	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 22:00:00	52,3	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 22:00:00	59,9	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 22:00:00	57,0	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 22:00:00	57,5	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 21:30:00	52,0	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 21:30:00	60,9	76,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 21:30:00	57,7	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 21:30:00	57,6	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 21:00:00	53,3	74,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 21:00:00	61,4	67,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 21:00:00	59,8	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 21:00:00	58,4	71,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-15 20:30:00	54,5	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 20:30:00	61,8	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 20:30:00	60,8	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 20:30:00	59,5	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 20:00:00	56,4	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 20:00:00	63,1	74,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 20:00:00	61,0	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 20:00:00	60,2	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 19:30:00	53,6	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-15 19:30:00	66,2	85,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-15 19:30:00	60,6	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-15 19:30:00	59,8	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-15 19:00:00	52,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 19:00:00	68,4	95,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 19:00:00	61,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 19:00:00	59,6	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 18:30:00	54,1	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 18:30:00	67,5	88,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 18:30:00	62,0	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 18:30:00	60,0	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 18:00:00	53,6	77,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 18:00:00	67,0	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 18:00:00	62,1	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 18:00:00	60,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 17:30:00	53,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 17:30:00	65,7	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 17:30:00	62,3	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 17:30:00	60,2	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 17:00:00	53,2	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 17:00:00	66,3	86,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 17:00:00	61,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 17:00:00	59,9	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 16:30:00	52,3	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 16:30:00	63,2	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 16:30:00	61,3	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 16:30:00	59,5	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 16:00:00	52,9	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 16:00:00	61,8	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 16:00:00	60,5	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 16:00:00	58,5	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 15:30:00	51,1	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 15:30:00	58,0	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 15:30:00	65,1	86,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 15:30:00	59,4	68,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-15 15:00:00	53,4	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 15:00:00	59,8	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 15:00:00	64,4	85,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 15:00:00	61,2	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 14:30:00	52,7	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 14:30:00	60,3	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 14:30:00	63,8	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 14:30:00	61,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 14:00:00	53,0	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 14:00:00	60,4	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 14:00:00	64,6	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 14:00:00	62,2	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 13:30:00	52,8	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 13:30:00	60,4	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 13:30:00	65,2	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 13:30:00	63,1	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 13:00:00	52,5	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 13:00:00	60,1	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 13:00:00	65,5	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 13:00:00	62,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 12:30:00	52,5	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 12:30:00	59,9	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 12:30:00	65,1	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 12:30:00	62,8	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 12:00:00	52,0	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 12:00:00	60,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 12:00:00	65,0	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 12:00:00	62,6	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 11:30:00	51,6	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 11:30:00	59,9	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 11:30:00	64,6	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 11:30:00	62,9	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 11:00:00	53,4	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 11:00:00	60,1	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 11:00:00	64,3	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 11:00:00	62,9	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 10:30:00	54,0	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 10:30:00	60,5	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 10:30:00	64,6	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 10:30:00	62,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 10:00:00	53,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 10:00:00	60,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 10:00:00	64,7	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 10:00:00	63,0	82,4	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-15 09:30:00	53,5	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 09:30:00	59,6	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 09:30:00	64,3	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 09:30:00	62,5	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 09:00:00	53,1	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 09:00:00	60,0	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 09:00:00	64,1	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 09:00:00	61,7	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 08:45:00	52,0	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 08:30:00	58,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 08:30:00	62,7	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 08:30:00	60,0	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 08:00:00	52,9	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 08:00:00	59,4	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 08:00:00	61,1	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 08:00:00	63,3	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 07:30:00	53,2	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 07:30:00	60,3	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 07:30:00	63,0	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 07:30:00	64,6	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 07:00:00	52,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-15 07:00:00	59,5	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-15 07:00:00	62,5	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-15 07:00:00	63,5	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-15 06:30:00	51,1	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 06:30:00	58,6	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 06:30:00	63,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 06:30:00	63,3	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 06:00:00	51,2	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 06:00:00	58,9	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 06:00:00	62,4	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 06:00:00	62,5	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 05:30:00	47,9	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 05:30:00	56,4	77,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 05:30:00	59,6	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 05:30:00	59,5	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 05:00:00	46,9	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 05:00:00	54,6	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 05:00:00	55,9	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 05:00:00	57,1	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 04:30:00	44,6	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 04:30:00	51,9	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 04:30:00	54,3	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 04:30:00	55,1	68,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-15 04:00:00	57,5	80,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 04:00:00	59,8	84,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 04:00:00	53,2	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 04:00:00	54,8	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 03:30:00	41,3	49,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 03:30:00	50,9	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 03:30:00	52,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 03:30:00	53,4	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 03:00:00	42,4	51,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 03:00:00	51,8	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 03:00:00	53,7	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 03:00:00	53,8	64,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 02:30:00	41,1	49,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 02:30:00	50,3	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 02:30:00	52,8	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 02:30:00	53,3	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 02:00:00	42,3	55,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 02:00:00	51,3	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 02:00:00	52,8	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 02:00:00	53,7	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 01:30:00	50,8	74,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 01:30:00	53,8	73,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 01:30:00	53,5	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 01:30:00	54,6	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 01:00:00	45,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 01:00:00	51,6	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 01:00:00	53,0	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 01:00:00	54,3	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 00:30:00	45,6	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 00:30:00	52,8	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 00:30:00	54,2	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 00:30:00	55,2	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-15 00:00:00	48,1	74,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-15 00:00:00	53,7	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-15 00:00:00	54,8	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-15 00:00:00	56,3	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 23:30:00	47,1	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 23:30:00	53,5	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 23:30:00	55,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 23:30:00	57,1	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 23:00:00	48,8	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 23:00:00	55,4	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 23:00:00	57,9	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 23:00:00	59,1	66,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-14 22:30:00	47,4	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 22:30:00	55,8	73,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 22:30:00	58,8	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 22:30:00	60,1	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 22:00:00	49,2	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 22:00:00	56,3	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 22:00:00	58,9	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 22:00:00	60,4	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 21:30:00	49,3	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 21:30:00	57,1	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 21:30:00	59,4	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 21:30:00	60,7	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 21:00:00	49,1	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 21:00:00	57,5	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 21:00:00	60,5	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 21:00:00	61,4	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 20:30:00	50,2	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 20:30:00	59,0	83,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 20:30:00	60,5	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 20:30:00	61,9	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 20:00:00	50,8	74,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 20:00:00	57,9	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 20:00:00	60,4	66,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 20:00:00	61,8	66,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 19:30:00	50,6	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-14 19:30:00	58,3	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-14 19:30:00	61,7	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-14 19:30:00	64,0	83,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-14 19:00:00	50,0	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 19:00:00	58,0	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 19:00:00	61,7	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 19:00:00	63,6	83,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 18:30:00	49,5	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 18:30:00	56,8	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 18:30:00	60,5	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 18:30:00	61,6	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 18:00:00	50,4	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 18:00:00	55,5	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 18:00:00	57,6	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 18:00:00	61,7	83,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 17:30:00	48,5	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 17:30:00	53,4	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 17:30:00	57,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 17:30:00	58,5	77,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-14 17:00:00	48,8	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 17:00:00	52,8	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 17:00:00	53,8	66,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 17:00:00	55,0	65,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 16:30:00	48,9	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 16:30:00	53,6	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 16:30:00	54,0	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 16:30:00	55,4	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 16:00:00	49,5	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 16:00:00	53,9	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 16:00:00	56,4	79,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 16:00:00	57,0	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 15:30:00	50,4	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 15:30:00	57,2	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 15:30:00	58,1	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 15:30:00	61,9	80,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 15:00:00	51,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 15:00:00	59,7	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 15:00:00	60,4	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 15:00:00	65,1	84,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 14:30:00	52,2	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 14:30:00	60,0	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 14:30:00	63,0	77,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 14:30:00	65,2	77,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 14:00:00	51,5	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 14:00:00	59,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 14:00:00	63,5	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 14:00:00	65,5	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 13:30:00	52,1	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 13:30:00	60,4	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 13:30:00	62,2	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 13:30:00	65,3	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 13:00:00	52,5	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 13:00:00	60,1	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 13:00:00	63,1	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 13:00:00	66,0	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 12:30:00	50,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 12:30:00	59,5	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 12:30:00	61,1	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 12:30:00	64,2	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 12:00:00	50,6	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 12:00:00	59,7	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 12:00:00	58,3	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 12:00:00	64,3	85,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-14 11:30:00	51,0	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 11:30:00	59,7	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 11:30:00	58,8	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 11:30:00	66,5	88,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 11:00:00	50,9	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 11:00:00	59,2	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 11:00:00	59,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 11:00:00	63,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 10:30:00	50,4	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 10:30:00	58,5	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 10:30:00	59,2	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 10:30:00	64,2	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 10:00:00	52,3	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 10:00:00	59,5	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 10:00:00	61,4	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 10:00:00	64,5	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 09:30:00	54,0	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 09:30:00	60,1	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 09:30:00	61,3	79,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 09:30:00	63,5	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 09:00:00	51,2	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 09:00:00	57,9	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 09:00:00	59,5	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 09:00:00	61,6	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 08:30:00	52,1	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 08:30:00	59,7	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 08:30:00	59,8	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 08:30:00	61,7	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 08:00:00	51,6	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 08:00:00	58,6	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 08:00:00	59,6	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 08:00:00	62,9	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 07:30:00	51,4	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 07:30:00	58,1	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 07:30:00	59,7	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 07:30:00	62,2	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 07:00:00	52,1	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-14 07:00:00	59,3	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-14 07:00:00	61,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-14 07:00:00	62,7	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-14 06:30:00	52,3	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 06:30:00	59,4	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 06:30:00	61,8	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 06:30:00	63,1	68,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-14 06:00:00	52,5	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 06:00:00	60,0	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 06:00:00	61,6	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 06:00:00	62,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 05:30:00	50,2	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 05:30:00	58,0	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 05:30:00	59,3	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 05:30:00	59,6	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 05:00:00	45,5	53,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 05:00:00	54,6	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 05:00:00	56,7	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 05:00:00	57,5	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 04:30:00	48,5	77,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 04:30:00	54,3	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 04:30:00	55,4	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 04:30:00	56,1	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 04:00:00	43,6	53,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 04:00:00	51,9	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 04:00:00	53,2	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 04:00:00	54,0	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 03:30:00	42,9	51,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 03:30:00	51,9	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 03:30:00	53,5	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 03:30:00	54,0	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 03:00:00	42,4	50,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 03:00:00	51,4	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 03:00:00	53,6	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 03:00:00	53,7	64,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 02:30:00	41,1	50,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 02:30:00	49,5	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 02:30:00	52,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 02:30:00	52,8	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 02:00:00	71,8	90,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 02:00:00	50,9	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 02:00:00	53,9	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 02:00:00	58,4	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 01:30:00	44,8	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 01:30:00	66,8	87,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 01:30:00	53,8	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 01:30:00	55,2	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 01:00:00	45,1	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 01:00:00	52,7	75,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 01:00:00	54,1	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 01:00:00	54,8	64,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-14 00:30:00	45,5	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 00:30:00	52,9	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 00:30:00	54,8	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 00:30:00	55,5	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-14 00:00:00	46,6	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-14 00:00:00	53,4	72,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-14 00:00:00	55,4	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-14 00:00:00	54,3	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 23:30:00	46,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 23:30:00	52,8	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 23:30:00	56,4	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 23:30:00	55,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 23:00:00	48,6	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 23:00:00	55,9	75,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 23:00:00	58,5	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 23:00:00	57,2	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 22:30:00	49,1	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 22:30:00	56,1	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 22:30:00	59,3	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 22:30:00	58,0	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 22:00:00	48,9	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 22:00:00	56,6	71,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 22:00:00	59,9	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 22:00:00	58,5	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 21:30:00	49,4	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 21:30:00	57,1	73,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 21:30:00	60,9	68,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 21:30:00	59,4	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 21:00:00	51,0	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 21:00:00	57,5	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 21:00:00	60,9	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 21:00:00	59,5	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 20:30:00	50,0	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 20:30:00	58,2	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 20:30:00	62,2	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 20:30:00	61,3	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 20:00:00	57,8	81,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 20:00:00	60,3	81,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 20:00:00	62,2	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 20:00:00	61,0	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-13 19:30:00	49,8	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-13 19:30:00	58,4	74,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-13 19:30:00	63,0	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-13 19:30:00	61,6	70,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-13 19:00:00	49,7	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 19:00:00	58,6	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 19:00:00	63,4	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 19:00:00	62,1	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 18:30:00	50,2	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 18:30:00	59,5	82,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 18:30:00	63,9	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 18:30:00	62,4	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 18:00:00	50,5	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 18:00:00	58,7	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 18:00:00	63,0	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 18:00:00	61,3	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 17:30:00	50,0	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 17:30:00	57,5	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 17:30:00	62,0	67,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 17:30:00	59,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 17:00:00	58,6	90,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 17:00:00	57,2	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 17:00:00	63,3	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 17:00:00	59,6	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 16:30:00	49,5	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 16:30:00	56,5	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 16:30:00	60,7	85,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 16:30:00	57,7	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 16:00:00	48,0	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 16:00:00	53,6	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 16:00:00	58,4	86,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 16:00:00	55,9	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 15:30:00	48,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 15:30:00	56,3	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 15:30:00	60,8	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 15:30:00	58,9	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 15:00:00	51,2	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 15:00:00	59,0	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 15:00:00	63,9	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 15:00:00	62,3	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 14:30:00	51,0	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 14:30:00	59,9	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 14:30:00	64,8	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 14:30:00	62,6	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 14:00:00	52,0	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 14:00:00	59,9	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 14:00:00	64,2	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 14:00:00	62,8	68,1	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-13 13:30:00	51,3	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 13:30:00	60,1	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 13:30:00	64,4	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 13:30:00	63,1	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 13:00:00	51,3	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 13:00:00	60,0	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 13:00:00	66,8	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 13:00:00	63,1	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 12:30:00	52,2	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 12:30:00	61,2	81,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 12:30:00	68,1	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 12:30:00	62,9	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 12:00:00	52,6	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 12:00:00	60,7	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 12:00:00	66,6	89,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 12:00:00	61,7	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 11:30:00	51,0	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 11:30:00	59,7	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 11:30:00	63,7	83,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 11:30:00	61,1	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 11:00:00	48,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 11:00:00	58,6	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 11:00:00	64,6	84,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 11:00:00	61,3	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 10:30:00	50,8	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 10:30:00	59,6	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 10:30:00	69,3	96,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 10:30:00	61,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 10:00:00	50,9	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 10:00:00	59,9	84,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 10:00:00	65,6	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 10:00:00	61,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 09:30:00	51,1	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 09:30:00	58,8	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 09:30:00	67,8	85,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 09:30:00	61,4	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 09:00:00	50,9	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 09:00:00	57,7	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 09:00:00	68,1	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 09:00:00	60,3	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 08:30:00	50,2	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 08:30:00	58,3	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 08:30:00	66,7	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 08:30:00	58,6	69,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-13 08:00:00	50,3	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 08:00:00	58,4	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 08:00:00	66,4	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 08:00:00	59,4	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 07:30:00	49,9	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 07:30:00	57,8	77,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 07:30:00	62,6	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 07:30:00	59,8	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 07:00:00	49,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-13 07:00:00	57,4	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-13 07:00:00	62,0	67,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-13 07:00:00	59,8	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-13 06:30:00	48,7	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 06:30:00	55,8	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 06:30:00	59,7	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 06:30:00	56,6	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 06:00:00	50,4	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 06:00:00	58,6	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 06:00:00	62,0	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 06:00:00	62,1	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 05:30:00	47,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 05:30:00	57,1	72,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 05:30:00	60,2	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 05:30:00	60,7	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 05:00:00	46,3	73,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 05:00:00	54,3	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 05:00:00	57,1	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 05:00:00	56,3	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 04:30:00	41,3	48,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 04:30:00	51,8	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 04:30:00	54,8	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 04:30:00	54,2	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 04:00:00	42,3	57,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 04:00:00	51,4	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 04:00:00	54,8	74,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 04:00:00	53,3	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 03:30:00	40,7	49,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 03:30:00	49,9	61,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 03:30:00	52,9	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 03:30:00	52,7	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 03:00:00	40,8	48,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 03:00:00	50,6	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 03:00:00	53,9	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 03:00:00	53,8	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-11-13 02:30:00	40,4	49,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 02:30:00	49,4	61,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 02:30:00	52,8	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 02:30:00	52,5	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 02:00:00	42,5	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 02:00:00	50,2	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 02:00:00	52,9	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 02:00:00	52,4	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 01:30:00	47,5	74,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 01:30:00	51,6	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 01:30:00	53,5	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 01:30:00	52,3	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 01:00:00	46,2	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 01:00:00	52,7	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 01:00:00	55,1	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 01:00:00	54,2	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 00:30:00	45,7	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 00:30:00	52,7	73,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 00:30:00	54,8	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 00:30:00	53,8	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-13 00:00:00	55,5	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-13 00:00:00	46,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-13 00:00:00	53,6	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-13 00:00:00	54,3	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 23:30:00	56,2	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 23:30:00	47,6	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 23:30:00	53,8	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 23:30:00	54,9	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 23:00:00	58,6	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 23:00:00	47,8	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 23:00:00	54,8	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 23:00:00	57,1	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 22:30:00	59,5	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 22:30:00	50,5	77,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 22:30:00	55,8	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 22:30:00	57,4	66,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 22:00:00	60,5	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 22:00:00	49,4	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 22:00:00	56,4	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 22:00:00	59,1	77,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 21:30:00	60,9	66,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 21:30:00	49,8	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 21:30:00	57,1	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 21:30:00	59,8	68,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-12 21:00:00	61,9	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 21:00:00	57,7	77,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 21:00:00	63,0	82,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 21:00:00	60,8	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 20:30:00	61,7	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 20:30:00	49,6	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 20:30:00	58,3	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 20:30:00	60,2	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 20:00:00	66,0	81,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 20:00:00	56,6	87,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 20:00:00	58,7	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 20:00:00	60,5	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 19:30:00	65,6	78,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-12 19:30:00	51,1	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-12 19:30:00	59,1	74,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-12 19:30:00	61,2	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-12 19:00:00	65,8	82,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 19:00:00	51,1	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 19:00:00	59,0	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 19:00:00	61,6	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 18:30:00	65,3	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 18:30:00	51,3	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 18:30:00	59,4	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 18:30:00	62,7	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 18:00:00	65,1	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 18:00:00	50,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 18:00:00	59,6	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 18:00:00	62,6	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 17:30:00	67,5	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 17:30:00	51,9	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 17:30:00	59,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 17:30:00	62,0	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 17:00:00	64,2	79,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 17:00:00	51,7	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 17:00:00	59,6	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 17:00:00	60,9	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 16:30:00	62,7	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 16:30:00	52,6	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 16:30:00	60,0	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 16:30:00	59,8	64,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 16:00:00	61,6	83,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 16:00:00	53,4	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 16:00:00	58,4	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 16:00:00	58,6	65,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-12 15:30:00	66,9	83,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 15:30:00	49,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 15:30:00	57,8	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 15:30:00	58,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 15:00:00	67,6	88,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 15:00:00	52,4	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 15:00:00	59,7	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 15:00:00	61,4	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 14:30:00	68,6	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 14:30:00	52,8	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 14:30:00	61,4	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 14:30:00	62,1	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 14:00:00	67,3	81,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 14:00:00	52,9	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 14:00:00	61,3	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 14:00:00	62,4	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 13:30:00	67,2	84,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 13:30:00	52,7	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 13:30:00	60,7	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 13:30:00	62,5	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 13:00:00	68,4	85,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 13:00:00	50,9	64,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 13:00:00	60,2	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 13:00:00	62,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 12:30:00	67,9	84,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 12:30:00	51,6	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 12:30:00	60,5	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 12:30:00	62,8	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 12:00:00	68,3	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 12:00:00	51,1	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 12:00:00	60,3	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 12:00:00	63,7	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 11:30:00	64,9	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 11:30:00	50,5	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 11:30:00	60,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 11:30:00	63,5	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 11:00:00	64,6	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 11:00:00	50,7	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 11:00:00	60,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 11:00:00	63,1	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 10:30:00	68,4	88,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 10:30:00	50,4	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 10:30:00	58,9	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 10:30:00	62,0	70,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-12 10:00:00	67,9	87,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 10:00:00	49,9	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 10:00:00	58,7	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 10:00:00	61,5	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 09:30:00	66,8	80,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 09:30:00	50,3	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 09:30:00	58,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 09:30:00	62,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 09:00:00	65,0	82,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 09:00:00	50,9	83,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 09:00:00	58,4	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 09:00:00	61,4	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 08:30:00	62,8	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 08:30:00	48,4	65,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 08:30:00	57,3	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 08:30:00	59,3	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 08:00:00	65,9	80,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 08:00:00	48,8	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 08:00:00	57,5	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 08:00:00	59,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 07:30:00	66,2	79,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 07:30:00	49,2	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 07:30:00	57,2	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 07:30:00	60,1	65,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 07:00:00	63,5	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-12 07:00:00	49,1	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-12 07:00:00	58,0	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-12 07:00:00	61,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-12 06:30:00	63,1	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 06:30:00	49,2	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 06:30:00	58,3	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 06:30:00	61,5	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 06:00:00	62,7	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 06:00:00	52,1	76,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 06:00:00	58,7	76,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 06:00:00	62,4	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 05:30:00	60,0	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 05:30:00	48,8	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 05:30:00	57,4	74,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 05:30:00	59,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 05:00:00	57,0	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 05:00:00	43,6	51,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 05:00:00	53,5	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 05:00:00	55,9	67,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-12 04:30:00	55,7	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 04:30:00	44,7	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 04:30:00	52,7	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 04:30:00	54,2	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 04:00:00	54,5	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 04:00:00	44,5	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 04:00:00	52,1	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 04:00:00	53,7	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 03:30:00	56,0	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 03:30:00	63,1	86,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 03:30:00	65,6	86,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 03:30:00	54,0	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 03:00:00	53,1	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 03:00:00	41,4	49,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 03:00:00	50,7	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 03:00:00	53,0	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 02:30:00	52,1	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 02:30:00	46,8	73,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 02:30:00	52,3	76,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 02:30:00	51,5	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 02:00:00	52,6	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 02:00:00	49,2	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 02:00:00	53,0	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 02:00:00	52,5	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 01:30:00	53,3	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 01:30:00	43,9	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 01:30:00	50,8	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 01:30:00	52,8	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 01:00:00	54,1	64,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 01:00:00	46,0	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 01:00:00	52,5	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 01:00:00	53,5	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 00:30:00	55,3	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 00:30:00	48,0	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 00:30:00	54,4	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 00:30:00	54,5	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-12 00:00:00	55,6	64,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-12 00:00:00	48,2	74,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-12 00:00:00	53,8	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-12 00:00:00	54,6	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 23:30:00	56,9	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 23:30:00	47,8	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 23:30:00	54,9	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 23:30:00	56,0	70,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-11 23:00:00	58,6	65,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 23:00:00	55,6	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 23:00:00	47,2	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 23:00:00	57,2	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 22:30:00	59,7	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 22:30:00	56,9	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 22:30:00	49,4	74,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 22:30:00	58,3	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 22:00:00	60,1	66,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 22:00:00	57,0	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 22:00:00	48,6	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 22:00:00	58,8	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 21:30:00	61,2	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 21:30:00	57,9	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 21:30:00	50,5	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 21:30:00	60,1	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 21:00:00	61,8	67,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 21:00:00	58,8	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 21:00:00	50,9	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 21:00:00	60,4	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 20:30:00	62,7	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 20:30:00	58,5	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 20:30:00	49,9	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 20:30:00	61,4	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 20:00:00	64,4	78,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 20:00:00	59,1	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 20:00:00	51,2	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 20:00:00	61,7	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 19:30:00	63,9	75,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-11 19:30:00	59,6	74,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-11 19:30:00	51,8	74,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-11 19:30:00	61,6	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-11 19:00:00	65,0	81,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 19:00:00	59,8	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 19:00:00	59,6	92,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 19:00:00	61,8	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 18:30:00	66,8	83,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 18:30:00	60,2	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 18:30:00	52,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 18:30:00	62,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 18:00:00	69,0	90,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 18:00:00	59,6	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 18:00:00	50,4	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 18:00:00	63,0	72,6	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-11 17:30:00	66,1	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 17:30:00	59,7	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 17:30:00	52,4	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 17:30:00	62,1	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 17:00:00	66,3	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 17:00:00	60,5	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 17:00:00	51,5	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 17:00:00	62,3	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 16:30:00	62,9	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 16:30:00	59,4	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 16:30:00	50,6	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 16:30:00	60,3	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 16:00:00	61,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 16:00:00	58,7	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 16:00:00	60,1	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 16:00:00	49,5	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 15:30:00	60,1	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 15:30:00	56,9	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 15:30:00	58,8	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 15:30:00	48,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 15:00:00	63,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 15:00:00	60,1	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 15:00:00	62,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 15:00:00	51,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 14:30:00	64,3	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 14:30:00	60,7	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 14:30:00	63,0	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 14:30:00	51,8	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 14:00:00	64,5	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 14:00:00	60,6	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 14:00:00	63,0	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 14:00:00	51,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 13:30:00	65,3	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 13:30:00	60,7	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 13:30:00	62,9	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 13:30:00	51,4	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 13:00:00	67,9	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 13:00:00	59,8	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 13:00:00	63,0	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 13:00:00	51,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 12:30:00	68,5	84,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 12:30:00	59,9	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 12:30:00	63,6	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 12:30:00	50,1	69,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-11 12:00:00	66,8	86,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 12:00:00	60,2	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 12:00:00	63,4	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 12:00:00	50,6	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 11:30:00	65,3	88,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 11:30:00	60,5	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 11:30:00	62,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 11:30:00	51,5	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 11:00:00	65,5	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 11:00:00	59,9	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 11:00:00	62,6	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 11:00:00	50,3	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 10:30:00	67,5	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 10:30:00	59,4	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 10:30:00	62,5	66,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 10:30:00	49,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 10:00:00	66,2	85,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 10:00:00	59,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 10:00:00	62,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 10:00:00	49,9	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 09:30:00	66,3	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 09:30:00	59,8	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 09:30:00	61,5	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 09:30:00	51,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 09:00:00	67,5	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 09:00:00	58,6	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 09:00:00	60,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 09:00:00	50,6	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 08:30:00	63,7	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 08:30:00	57,6	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 08:30:00	58,6	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 08:30:00	49,7	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 08:00:00	65,6	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 08:00:00	57,7	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 08:00:00	59,0	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 08:00:00	49,7	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 07:30:00	64,0	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 07:30:00	58,8	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 07:30:00	60,6	65,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 07:30:00	50,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-11 07:00:00	64,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-11 07:00:00	59,2	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-11 07:00:00	61,4	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-11 07:00:00	50,3	70,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-11 06:30:00	63,5	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 06:30:00	58,4	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 06:30:00	61,8	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 06:30:00	48,5	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 06:00:00	62,8	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 06:00:00	58,3	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 06:00:00	62,5	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 06:00:00	48,4	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 05:30:00	61,5	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 05:30:00	57,8	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 05:30:00	61,2	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 05:30:00	48,3	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 05:00:00	57,9	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 05:00:00	54,3	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 05:00:00	56,9	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 05:00:00	45,9	72,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 04:30:00	56,7	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 04:30:00	53,1	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 04:30:00	55,3	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 04:30:00	44,7	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 04:00:00	54,6	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 04:00:00	50,6	61,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 04:00:00	52,9	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 04:00:00	41,8	49,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 03:30:00	51,5	64,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 03:30:00	49,0	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 03:30:00	50,3	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 03:30:00	40,3	48,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 03:00:00	50,9	64,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 03:00:00	47,3	60,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 03:00:00	49,4	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 03:00:00	39,5	47,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 02:30:00	52,4	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 02:30:00	48,6	60,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 02:30:00	50,7	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 02:30:00	40,3	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 02:00:00	50,9	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 02:00:00	47,3	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 02:00:00	48,7	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 02:00:00	40,0	48,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 01:30:00	53,5	64,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 01:30:00	49,9	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 01:30:00	52,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 01:30:00	45,0	71,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-11-11 01:00:00	54,2	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 01:00:00	50,8	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 01:00:00	52,0	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 01:00:00	45,0	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 00:30:00	54,6	63,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 00:30:00	51,7	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 00:30:00	52,9	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 00:30:00	44,7	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-11 00:00:00	56,7	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-11 00:00:00	53,3	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-11 00:00:00	55,3	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-11 00:00:00	45,8	68,4	-6,0	45	