


◆ ST01 ◆ ST04 ◆ ST03 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-12-01 00:00:00	56,9	73,1	-6,0	45	
ST04	Sandviksveien 70	2024-12-01 00:00:00	58,1	77,5	-6,0	45	
ST03	Sandviksveien 52	2024-12-01 00:00:00	59,6	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-12-01 00:00:00	51,2	74,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 23:30:00	56,4	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 23:30:00	57,2	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 23:30:00	59,4	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 23:30:00	49,5	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 23:00:00	56,8	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 23:00:00	57,9	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 23:00:00	60,1	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 23:00:00	49,7	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 22:30:00	56,7	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 22:30:00	57,7	67,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 22:30:00	60,5	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 22:30:00	49,9	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 22:00:00	57,4	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 22:00:00	56,8	67,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 22:00:00	60,1	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 22:00:00	51,4	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 21:30:00	57,4	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 21:30:00	57,8	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 21:30:00	59,9	65,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 21:30:00	51,5	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 21:00:00	57,5	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 21:00:00	59,1	67,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 21:00:00	61,0	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 21:00:00	50,5	74,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 20:30:00	58,5	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 20:30:00	59,5	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 20:30:00	61,3	66,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 20:30:00	50,4	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 20:00:00	58,6	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 20:00:00	61,1	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 20:00:00	62,2	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 20:00:00	51,4	74,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 19:30:00	58,5	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-30 19:30:00	61,1	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-30 19:30:00	62,8	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-30 19:30:00	50,5	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-30 19:00:00	59,7	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 19:00:00	61,0	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 19:00:00	63,5	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 19:00:00	51,8	70,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-30 18:30:00	60,1	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 18:30:00	60,6	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 18:30:00	63,4	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 18:30:00	53,0	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 18:00:00	60,4	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 18:00:00	61,5	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 18:00:00	63,9	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 18:00:00	53,1	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 17:30:00	61,2	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 17:30:00	61,7	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 17:30:00	64,5	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 17:30:00	53,4	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 17:00:00	61,1	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 17:00:00	61,2	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 17:00:00	64,3	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 17:00:00	52,9	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 16:30:00	61,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 16:30:00	61,0	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 16:30:00	64,5	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 16:30:00	53,8	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 16:00:00	60,6	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 16:00:00	61,4	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 16:00:00	63,7	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 16:00:00	53,6	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 15:30:00	61,3	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 15:30:00	60,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 15:30:00	63,8	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 15:30:00	54,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 15:00:00	61,7	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 15:00:00	61,0	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 15:00:00	64,2	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 15:00:00	55,3	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 14:30:00	61,4	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 14:30:00	61,6	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 14:30:00	64,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 14:30:00	54,1	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 14:00:00	61,3	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 14:00:00	61,4	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 14:00:00	64,1	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 14:00:00	54,0	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 13:30:00	61,7	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 13:30:00	61,3	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 13:30:00	64,5	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 13:30:00	55,3	69,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-30 13:00:00	61,4	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 13:00:00	61,2	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 13:00:00	64,5	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 13:00:00	55,1	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 12:30:00	61,6	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 12:30:00	61,3	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 12:30:00	64,1	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 12:30:00	55,5	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 12:00:00	61,8	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 12:00:00	61,4	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 12:00:00	64,2	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 12:00:00	56,1	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 11:30:00	61,6	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 11:30:00	61,3	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 11:30:00	64,1	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 11:30:00	58,7	88,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 11:00:00	61,0	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 11:00:00	61,3	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 11:00:00	64,3	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 11:00:00	54,9	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 10:30:00	60,7	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 10:30:00	60,8	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 10:30:00	63,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 10:30:00	53,7	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 10:00:00	60,2	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 10:00:00	60,6	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 10:00:00	63,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 10:00:00	54,2	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 09:30:00	60,0	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 09:30:00	59,3	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 09:30:00	62,1	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 09:30:00	54,5	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 09:00:00	59,8	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 09:00:00	59,2	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 09:00:00	61,8	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 09:00:00	54,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 08:30:00	59,1	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 08:30:00	58,2	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 08:30:00	61,2	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 08:30:00	53,6	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 08:00:00	57,9	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 08:00:00	57,8	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 08:00:00	61,0	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 08:00:00	53,2	67,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-30 07:30:00	58,6	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 07:30:00	59,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 07:30:00	60,8	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 07:30:00	53,6	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 07:00:00	55,9	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-30 07:00:00	56,6	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-30 07:00:00	59,3	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-30 07:00:00	50,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-30 06:30:00	55,6	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 06:30:00	56,7	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 06:30:00	58,7	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 06:30:00	50,3	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 06:00:00	55,5	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 06:00:00	56,9	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 06:00:00	57,7	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 06:00:00	50,6	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 05:30:00	53,8	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 05:30:00	55,4	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 05:30:00	56,1	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 05:30:00	46,7	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 05:00:00	52,5	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 05:00:00	53,5	64,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 05:00:00	54,5	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 05:00:00	45,4	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 04:30:00	53,5	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 04:30:00	54,5	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 04:30:00	56,0	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 04:30:00	46,0	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 04:00:00	64,2	85,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 04:00:00	54,6	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 04:00:00	57,6	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 04:00:00	62,1	81,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 03:30:00	51,5	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 03:30:00	53,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 03:30:00	55,0	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 03:30:00	43,0	50,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 03:00:00	52,4	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 03:00:00	54,2	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 03:00:00	55,8	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 03:00:00	47,2	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 02:30:00	52,5	61,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 02:30:00	54,4	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 02:30:00	56,2	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 02:30:00	44,5	50,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-30 02:00:00	52,4	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 02:00:00	54,7	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 02:00:00	56,6	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 02:00:00	44,0	50,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 01:30:00	54,3	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 01:30:00	55,7	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 01:30:00	57,2	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 01:30:00	46,9	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 01:00:00	54,1	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 01:00:00	55,1	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 01:00:00	57,2	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 01:00:00	47,5	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 00:30:00	55,9	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 00:30:00	55,8	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 00:30:00	58,2	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 00:30:00	49,8	72,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-30 00:00:00	55,1	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-30 00:00:00	57,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-30 00:00:00	58,7	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-30 00:00:00	48,1	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 23:30:00	56,4	79,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 23:30:00	57,4	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 23:30:00	59,5	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 23:30:00	49,7	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 23:00:00	56,4	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 23:00:00	57,6	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 23:00:00	59,7	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 23:00:00	50,3	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 22:30:00	56,7	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 22:30:00	57,6	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 22:30:00	60,2	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 22:30:00	49,9	79,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 22:00:00	57,9	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 22:00:00	59,0	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 22:00:00	61,3	75,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 22:00:00	53,3	76,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 21:30:00	57,2	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 21:30:00	58,8	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 21:30:00	60,9	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 21:30:00	49,4	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 21:00:00	57,7	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 21:00:00	58,6	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 21:00:00	60,9	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 21:00:00	49,8	68,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-29 20:30:00	57,9	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 20:30:00	59,4	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 20:30:00	61,5	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 20:30:00	50,1	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 20:00:00	57,8	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 20:00:00	59,3	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 20:00:00	61,4	66,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 20:00:00	50,0	73,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 19:30:00	58,1	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-29 19:30:00	59,7	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-29 19:30:00	61,9	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-29 19:30:00	50,5	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-29 19:00:00	58,5	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 19:00:00	60,1	66,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 19:00:00	62,4	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 19:00:00	50,3	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 18:30:00	58,6	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 18:30:00	59,8	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 18:30:00	62,5	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 18:30:00	50,6	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 18:00:00	58,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 18:00:00	60,3	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 18:00:00	62,9	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 18:00:00	52,5	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 17:30:00	58,7	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 17:30:00	60,5	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 17:30:00	62,9	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 17:30:00	50,8	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 17:00:00	58,7	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 17:00:00	60,9	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 17:00:00	63,2	81,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 17:00:00	50,6	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 16:30:00	58,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 16:30:00	61,0	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 16:30:00	63,2	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 16:30:00	51,4	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 16:00:00	58,5	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 16:00:00	60,6	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 16:00:00	63,1	81,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 16:00:00	51,7	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 15:30:00	57,4	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 15:30:00	60,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 15:30:00	62,4	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 15:30:00	51,0	71,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-29 15:00:00	59,2	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 15:00:00	59,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 15:00:00	65,6	88,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 15:00:00	50,8	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 14:30:00	59,3	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 14:30:00	60,7	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 14:30:00	63,4	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 14:30:00	50,6	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 14:00:00	59,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 14:00:00	61,7	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 14:00:00	63,8	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 14:00:00	51,8	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 13:30:00	59,6	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 13:30:00	63,3	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 13:30:00	64,9	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 13:30:00	50,6	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 13:00:00	59,8	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 13:00:00	63,5	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 13:00:00	65,0	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 13:00:00	52,9	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 12:30:00	59,9	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 12:30:00	63,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 12:30:00	65,0	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 12:30:00	51,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 12:00:00	60,5	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 12:00:00	62,9	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 12:00:00	64,5	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 12:00:00	50,5	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 11:30:00	60,3	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 11:30:00	62,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 11:30:00	64,1	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 11:30:00	51,5	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 11:00:00	60,2	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 11:00:00	62,7	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 11:00:00	64,1	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 11:00:00	51,2	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 10:30:00	60,8	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 10:30:00	62,5	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 10:30:00	63,9	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 10:30:00	52,4	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 10:00:00	60,2	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 10:00:00	62,9	79,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 10:00:00	64,1	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 10:00:00	55,5	93,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-29 09:30:00	59,6	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 09:30:00	61,7	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 09:30:00	64,9	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 09:30:00	52,7	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 09:00:00	57,7	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 09:00:00	61,6	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 09:00:00	64,8	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 09:00:00	49,8	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 08:30:00	58,3	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 08:30:00	60,8	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 08:30:00	62,8	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 08:30:00	53,1	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 08:00:00	58,8	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 08:00:00	62,2	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 08:00:00	63,4	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 08:00:00	50,8	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 07:30:00	59,2	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 07:30:00	63,5	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 07:30:00	64,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 07:30:00	51,0	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 07:00:00	58,7	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-29 07:00:00	63,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-29 07:00:00	63,9	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-29 07:00:00	50,3	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-29 06:30:00	58,4	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 06:30:00	61,8	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 06:30:00	63,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 06:30:00	50,2	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 06:00:00	57,7	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 06:00:00	61,9	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 06:00:00	62,1	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 06:00:00	49,5	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 05:30:00	55,5	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 05:30:00	59,5	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 05:30:00	59,9	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 05:30:00	45,5	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 05:00:00	54,0	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 05:00:00	57,6	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 05:00:00	58,3	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 05:00:00	44,6	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 04:30:00	52,4	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 04:30:00	55,3	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 04:30:00	56,5	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 04:30:00	42,1	50,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-29 04:00:00	50,3	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 04:00:00	53,1	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 04:00:00	54,4	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 04:00:00	40,8	49,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 03:30:00	51,2	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 03:30:00	53,8	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 03:30:00	54,2	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 03:30:00	41,2	51,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 03:00:00	50,4	61,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 03:00:00	52,9	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 03:00:00	53,5	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 03:00:00	41,1	49,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 02:30:00	50,8	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 02:30:00	53,5	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 02:30:00	53,9	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 02:30:00	41,7	49,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 02:00:00	50,3	61,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 02:00:00	52,4	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 02:00:00	53,9	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 02:00:00	41,6	51,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 01:30:00	52,7	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 01:30:00	54,0	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 01:30:00	55,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 01:30:00	44,5	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 01:00:00	53,3	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 01:00:00	54,6	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 01:00:00	55,5	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 01:00:00	45,2	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 00:30:00	53,5	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 00:30:00	54,8	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 00:30:00	55,8	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 00:30:00	45,6	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-29 00:00:00	55,0	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-29 00:00:00	56,3	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-29 00:00:00	57,6	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-29 00:00:00	47,5	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 23:30:00	56,0	73,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 23:30:00	57,0	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 23:30:00	58,4	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 23:30:00	49,8	72,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 23:00:00	56,5	76,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 23:00:00	58,2	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 23:00:00	60,0	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 23:00:00	49,3	67,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-28 22:30:00	57,3	74,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 22:30:00	58,7	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 22:30:00	60,4	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 22:30:00	49,6	74,3	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 22:00:00	57,5	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 22:00:00	59,2	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 22:00:00	60,5	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 22:00:00	50,0	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 21:30:00	58,1	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 21:30:00	60,4	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 21:30:00	61,4	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 21:30:00	50,0	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 21:00:00	58,4	75,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 21:00:00	60,5	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 21:00:00	61,8	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 21:00:00	55,9	91,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 20:30:00	59,0	77,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 20:30:00	61,3	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 20:30:00	62,5	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 20:30:00	51,1	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 20:00:00	59,1	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 20:00:00	61,5	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 20:00:00	63,1	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 20:00:00	51,2	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 19:30:00	59,4	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-28 19:30:00	61,7	75,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-28 19:30:00	63,2	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-28 19:30:00	51,5	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-28 19:00:00	60,1	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 19:00:00	62,1	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 19:00:00	63,6	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 19:00:00	60,1	90,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 18:30:00	59,9	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 18:30:00	62,3	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 18:30:00	64,1	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 18:30:00	52,7	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 18:00:00	60,8	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 18:00:00	63,0	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 18:00:00	64,5	81,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 18:00:00	54,2	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 17:30:00	60,5	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 17:30:00	62,7	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 17:30:00	64,4	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 17:30:00	52,7	68,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-28 17:00:00	59,3	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 17:00:00	62,0	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 17:00:00	63,6	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 17:00:00	52,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 16:30:00	57,1	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 16:30:00	58,8	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 16:30:00	61,3	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 16:30:00	50,1	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 16:00:00	55,2	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 16:00:00	58,4	66,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 16:00:00	59,3	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 16:00:00	48,0	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 15:30:00	56,1	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 15:30:00	57,9	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 15:30:00	58,7	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 15:30:00	50,7	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 15:00:00	57,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 15:00:00	60,4	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 15:00:00	60,9	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 15:00:00	48,4	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 14:30:00	59,2	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 14:30:00	60,9	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 14:30:00	62,6	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 14:30:00	51,2	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 14:00:00	60,5	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 14:00:00	61,7	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 14:00:00	64,4	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 14:00:00	52,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 13:30:00	60,6	85,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 13:30:00	61,9	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 13:30:00	64,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 13:30:00	51,6	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 13:00:00	59,9	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 13:00:00	62,1	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 13:00:00	64,3	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 13:00:00	51,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 12:30:00	59,5	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 12:30:00	62,8	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 12:30:00	64,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 12:30:00	50,9	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 12:00:00	59,1	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 12:00:00	62,9	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 12:00:00	64,5	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 12:00:00	50,6	69,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-28 11:30:00	59,0	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 11:30:00	63,1	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 11:30:00	64,7	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 11:30:00	50,2	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 11:00:00	58,5	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 11:00:00	63,5	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 11:00:00	64,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 11:00:00	49,8	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 10:30:00	57,6	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 10:30:00	61,9	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 10:30:00	63,8	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 10:30:00	49,8	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 10:00:00	57,8	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 10:00:00	62,0	77,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 10:00:00	63,6	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 10:00:00	50,5	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 09:30:00	57,9	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 09:30:00	61,7	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 09:30:00	63,7	82,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 09:30:00	50,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 09:00:00	59,1	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 09:00:00	61,4	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 09:00:00	64,2	87,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 09:00:00	51,6	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 08:30:00	58,1	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 08:30:00	59,7	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 08:30:00	62,7	86,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 08:30:00	49,4	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 08:00:00	58,2	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 08:00:00	59,8	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 08:00:00	62,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 08:00:00	50,0	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 07:30:00	58,3	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 07:30:00	50,1	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 07:30:00	61,0	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 07:30:00	63,0	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 07:00:00	59,2	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-28 07:00:00	49,9	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-28 07:00:00	62,1	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-28 07:00:00	63,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-28 06:30:00	58,8	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 06:30:00	50,3	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 06:30:00	62,3	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 06:30:00	63,1	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-28 06:00:00	59,2	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 06:00:00	51,0	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 06:00:00	64,0	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 06:00:00	63,0	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 05:30:00	57,5	74,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 05:30:00	50,0	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 05:30:00	60,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 05:30:00	59,9	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 05:00:00	55,2	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 05:00:00	46,7	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 05:00:00	58,2	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 05:00:00	58,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 04:30:00	52,6	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 04:30:00	42,2	50,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 04:30:00	55,6	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 04:30:00	55,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 04:00:00	51,0	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 04:00:00	40,6	50,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 04:00:00	54,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 04:00:00	55,4	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 03:30:00	51,5	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 03:30:00	40,8	48,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 03:30:00	54,7	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 03:30:00	54,8	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 03:00:00	50,8	63,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 03:00:00	40,7	50,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 03:00:00	53,6	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 03:00:00	53,5	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 02:30:00	50,9	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 02:30:00	40,6	49,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 02:30:00	54,0	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 02:30:00	54,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 02:00:00	50,0	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 02:00:00	39,9	50,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 02:00:00	52,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 02:00:00	54,0	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 01:30:00	52,1	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 01:30:00	44,8	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 01:30:00	54,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 01:30:00	54,9	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 01:00:00	52,7	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 01:00:00	44,8	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 01:00:00	54,7	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 01:00:00	55,4	66,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-28 00:30:00	53,0	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 00:30:00	46,1	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 00:30:00	55,3	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 00:30:00	56,1	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-28 00:00:00	53,3	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-28 00:00:00	46,5	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-28 00:00:00	55,1	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-28 00:00:00	56,4	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 23:30:00	55,6	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 23:30:00	48,1	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 23:30:00	57,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 23:30:00	58,1	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 23:00:00	55,8	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 23:00:00	47,4	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 23:00:00	57,3	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 23:00:00	59,3	83,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 22:30:00	57,1	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 22:30:00	49,7	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 22:30:00	58,6	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 22:30:00	60,4	81,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 22:00:00	57,6	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 22:00:00	50,2	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 22:00:00	59,8	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 22:00:00	61,1	79,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 21:30:00	57,4	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 21:30:00	47,9	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 21:30:00	60,4	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 21:30:00	61,5	74,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 21:00:00	58,5	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 21:00:00	50,4	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 21:00:00	61,9	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 21:00:00	62,5	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 20:30:00	58,0	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 20:30:00	49,1	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 20:30:00	61,8	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 20:30:00	62,6	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 20:00:00	59,1	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 20:00:00	51,9	74,6	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 20:00:00	61,3	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 20:00:00	62,3	67,7	-6,0	55	
ST01	Høvikveien 2C	2024-11-27 19:30:00	59,4	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-27 19:30:00	57,7	93,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-27 19:30:00	61,1	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-27 19:30:00	62,5	69,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-27 19:00:00	59,9	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 19:00:00	53,1	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 19:00:00	61,7	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 19:00:00	63,1	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 18:30:00	60,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 18:30:00	52,6	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 18:30:00	61,9	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 18:30:00	63,2	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 18:00:00	61,0	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 18:00:00	54,8	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 18:00:00	62,2	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 18:00:00	63,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 17:30:00	60,6	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 17:30:00	54,5	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 17:30:00	62,4	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 17:30:00	63,9	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 17:00:00	63,9	86,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 17:00:00	65,8	88,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 17:00:00	61,9	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 17:00:00	64,0	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 16:30:00	59,8	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 16:30:00	52,7	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 16:30:00	61,7	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 16:30:00	63,7	83,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 16:00:00	59,9	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 16:00:00	52,7	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 16:00:00	61,6	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 16:00:00	63,6	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 15:30:00	59,1	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 15:30:00	52,4	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 15:30:00	60,5	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 15:30:00	61,8	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 15:00:00	60,0	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 15:00:00	51,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 15:00:00	63,8	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 15:00:00	64,9	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 14:30:00	59,9	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 14:30:00	52,1	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 14:30:00	63,7	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 14:30:00	65,1	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 14:00:00	59,3	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 14:00:00	50,5	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 14:00:00	64,5	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 14:00:00	65,4	75,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-27 13:30:00	59,1	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 13:30:00	49,7	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 13:30:00	64,2	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 13:30:00	65,2	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 13:00:00	59,5	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 13:00:00	50,1	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 13:00:00	64,1	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 13:00:00	64,9	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 12:30:00	59,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 12:30:00	50,5	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 12:30:00	64,1	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 12:30:00	64,7	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 12:00:00	59,5	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 12:00:00	50,7	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 12:00:00	63,7	80,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 12:00:00	64,6	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 11:30:00	59,7	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 11:30:00	51,7	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 11:30:00	63,4	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 11:30:00	64,6	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 11:00:00	59,5	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 11:00:00	50,8	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 11:00:00	63,1	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 11:00:00	64,2	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 10:30:00	60,7	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 10:30:00	51,7	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 10:30:00	61,8	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 10:30:00	63,6	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 10:00:00	59,7	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 10:00:00	51,0	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 10:00:00	62,1	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 10:00:00	64,2	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 09:30:00	59,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 09:30:00	50,6	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 09:30:00	62,7	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 09:30:00	64,5	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 09:00:00	57,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 09:00:00	50,3	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 09:00:00	62,0	82,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 09:00:00	63,4	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 08:30:00	57,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 08:30:00	49,3	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 08:30:00	60,7	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 08:30:00	63,1	74,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-27 08:00:00	57,6	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 08:00:00	50,1	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 08:00:00	60,6	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 08:00:00	63,0	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 07:30:00	57,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 07:30:00	50,5	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 07:30:00	62,0	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 07:30:00	64,0	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 07:00:00	58,7	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-27 07:00:00	50,1	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-27 07:00:00	63,0	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-27 07:00:00	64,5	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-27 06:30:00	59,4	81,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 06:30:00	50,4	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 06:30:00	62,4	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 06:30:00	63,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 06:00:00	59,3	77,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 06:00:00	50,4	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 06:00:00	63,6	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 06:00:00	63,0	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 05:30:00	57,2	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 05:30:00	47,7	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 05:30:00	61,3	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 05:30:00	60,8	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 05:00:00	54,7	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 05:00:00	44,7	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 05:00:00	57,9	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 05:00:00	58,1	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 04:30:00	53,3	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 04:30:00	42,0	49,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 04:30:00	56,8	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 04:30:00	57,2	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 04:00:00	51,9	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 04:00:00	41,7	50,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 04:00:00	55,0	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 04:00:00	55,2	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 03:30:00	64,4	88,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 03:30:00	62,0	81,5	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 03:30:00	55,5	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 03:30:00	57,2	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 03:00:00	50,1	61,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 03:00:00	41,1	49,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 03:00:00	53,9	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 03:00:00	53,8	65,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-27 02:30:00	51,4	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 02:30:00	44,1	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 02:30:00	52,7	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 02:30:00	53,0	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 02:00:00	51,7	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 02:00:00	44,0	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 02:00:00	53,9	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 02:00:00	54,6	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 01:30:00	55,8	82,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 01:30:00	48,7	77,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 01:30:00	52,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 01:30:00	53,7	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 01:00:00	53,4	75,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 01:00:00	45,3	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 01:00:00	54,3	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 01:00:00	54,8	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 00:30:00	53,4	75,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 00:30:00	45,6	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 00:30:00	54,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 00:30:00	55,8	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-27 00:00:00	56,0	79,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-27 00:00:00	47,6	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-27 00:00:00	54,9	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-27 00:00:00	56,5	80,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 23:30:00	55,7	76,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 23:30:00	48,8	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 23:30:00	56,5	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 23:30:00	57,9	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 23:00:00	56,4	75,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 23:00:00	49,8	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 23:00:00	57,5	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 23:00:00	59,2	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 22:30:00	59,1	80,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 22:30:00	54,7	77,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 22:30:00	58,8	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 22:30:00	60,1	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 22:00:00	57,6	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 22:00:00	50,0	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 22:00:00	59,8	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 22:00:00	60,9	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 21:30:00	58,3	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 21:30:00	50,0	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 21:30:00	60,7	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 21:30:00	61,9	68,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-26 21:00:00	59,1	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 21:00:00	51,4	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 21:00:00	62,2	75,4	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 21:00:00	62,4	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 20:30:00	59,4	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 20:30:00	57,4	87,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 20:30:00	62,3	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 20:30:00	62,8	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 20:00:00	59,4	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 20:00:00	52,6	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 20:00:00	62,4	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 20:00:00	63,1	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 19:30:00	60,1	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-26 19:30:00	52,9	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-11-26 19:30:00	62,1	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-26 19:30:00	63,5	75,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-26 19:00:00	60,3	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 19:00:00	53,1	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 19:00:00	62,6	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 19:00:00	63,8	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 18:30:00	60,3	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 18:30:00	53,5	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 18:30:00	62,9	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 18:30:00	64,3	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 18:00:00	61,4	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 18:00:00	54,9	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 18:00:00	63,0	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 18:00:00	64,7	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 17:30:00	60,5	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 17:30:00	53,6	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 17:30:00	62,2	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 17:30:00	64,4	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 17:00:00	60,6	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 17:00:00	53,5	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 17:00:00	61,7	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 17:00:00	64,0	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 16:30:00	58,2	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 16:30:00	51,2	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 16:30:00	59,9	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 16:30:00	61,1	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 16:00:00	58,8	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 16:00:00	52,5	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 16:00:00	59,3	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 16:00:00	60,6	79,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-26 15:30:00	58,4	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 15:30:00	53,2	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 15:30:00	59,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 15:30:00	60,9	85,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 15:00:00	61,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 15:00:00	56,1	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 15:00:00	63,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 15:00:00	64,9	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 14:30:00	61,3	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 14:30:00	55,2	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 14:30:00	63,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 14:30:00	66,2	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 14:00:00	60,9	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 14:00:00	53,6	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 14:00:00	63,3	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 14:00:00	65,4	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 13:30:00	60,7	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 13:30:00	52,8	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 13:30:00	62,6	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 13:30:00	65,1	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 13:00:00	61,3	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 13:00:00	55,5	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 13:00:00	61,3	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 13:00:00	64,2	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 12:30:00	61,6	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 12:30:00	55,1	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 12:30:00	61,9	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 12:30:00	64,6	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 12:00:00	61,5	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 12:00:00	54,6	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 12:00:00	62,3	82,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 12:00:00	66,4	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 11:30:00	61,5	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 11:30:00	54,1	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 11:30:00	62,3	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 11:30:00	65,3	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 11:00:00	61,0	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 11:00:00	54,0	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 11:00:00	61,4	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 11:00:00	64,6	81,0	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 10:30:00	60,8	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 10:30:00	53,7	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 10:30:00	60,6	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 10:30:00	64,2	76,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-26 10:00:00	60,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 10:00:00	52,9	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 10:00:00	61,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 10:00:00	64,2	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 09:30:00	59,8	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 09:30:00	54,4	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 09:30:00	60,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 09:30:00	63,2	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 09:00:00	59,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 09:00:00	54,4	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 09:00:00	58,4	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 09:00:00	62,1	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 08:30:00	59,5	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 08:30:00	54,6	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 08:30:00	58,3	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 08:30:00	62,1	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 08:00:00	59,5	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 08:00:00	54,3	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 08:00:00	57,9	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 08:00:00	62,2	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 07:30:00	61,1	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 07:30:00	55,5	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 07:30:00	59,5	65,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 07:30:00	64,1	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 07:00:00	61,7	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-26 07:00:00	55,6	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-26 07:00:00	59,5	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-26 07:00:00	63,7	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-26 06:30:00	61,3	75,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 06:30:00	54,3	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 06:30:00	59,5	72,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 06:30:00	63,5	77,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 06:00:00	60,9	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 06:00:00	54,8	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 06:00:00	60,2	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 06:00:00	62,7	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 05:30:00	59,8	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 05:30:00	53,8	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 05:30:00	58,5	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 05:30:00	60,5	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 05:00:00	56,8	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 05:00:00	50,9	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 05:00:00	55,4	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 05:00:00	57,7	66,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-26 04:30:00	54,9	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 04:30:00	48,9	59,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 04:30:00	54,1	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 04:30:00	55,9	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 04:00:00	53,3	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 04:00:00	47,6	60,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 04:00:00	51,9	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 04:00:00	54,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 03:30:00	53,7	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 03:30:00	47,1	57,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 03:30:00	52,5	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 03:30:00	53,6	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 03:00:00	53,5	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 03:00:00	46,7	57,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 03:00:00	52,2	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 03:00:00	53,7	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 02:30:00	52,9	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 02:30:00	45,4	59,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 02:30:00	51,5	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 02:30:00	54,1	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 02:00:00	52,2	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 02:00:00	44,7	59,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 02:00:00	51,7	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 02:00:00	54,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 01:30:00	52,7	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 01:30:00	47,3	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 01:30:00	52,3	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 01:30:00	54,6	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 01:00:00	55,0	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 01:00:00	48,9	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 01:00:00	54,0	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 01:00:00	56,2	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 00:30:00	54,1	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 00:30:00	47,1	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 00:30:00	52,6	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 00:30:00	55,6	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-26 00:00:00	55,1	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-26 00:00:00	48,8	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-26 00:00:00	53,8	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-26 00:00:00	57,2	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 23:30:00	56,0	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 23:30:00	49,9	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 23:30:00	55,2	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 23:30:00	58,1	65,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-25 23:00:00	56,3	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 23:00:00	49,8	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 23:00:00	56,0	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 23:00:00	58,7	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 22:30:00	57,8	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 22:30:00	50,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 22:30:00	58,2	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 22:30:00	60,5	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 22:00:00	58,4	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 22:00:00	51,9	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 22:00:00	58,7	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 22:00:00	61,3	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 21:30:00	59,1	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 21:30:00	52,1	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 21:30:00	59,0	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 21:30:00	61,8	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 21:00:00	59,5	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 21:00:00	53,1	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 21:00:00	59,5	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 21:00:00	62,1	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 20:30:00	59,8	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 20:30:00	53,9	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 20:30:00	60,5	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 20:30:00	62,8	76,2	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 20:00:00	59,7	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 20:00:00	52,5	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 20:00:00	60,6	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 20:00:00	63,0	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 19:30:00	60,8	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-11-25 19:30:00	52,8	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-11-25 19:30:00	61,6	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-11-25 19:30:00	64,0	79,0	-6,0	55	
ST01	Høvikveien 2C	2024-11-25 19:00:00	60,9	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 19:00:00	54,5	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 19:00:00	61,0	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 19:00:00	64,4	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 18:30:00	61,0	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 18:30:00	54,3	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 18:30:00	61,4	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 18:30:00	64,9	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 18:00:00	61,1	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 18:00:00	55,7	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 18:00:00	62,1	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 18:00:00	65,8	77,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-25 17:30:00	61,3	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 17:30:00	54,7	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 17:30:00	62,5	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 17:30:00	67,2	79,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 17:00:00	62,2	80,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 17:00:00	55,5	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 17:00:00	61,2	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 17:00:00	65,7	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 16:30:00	62,4	83,2	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 16:30:00	55,2	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 16:30:00	61,0	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 16:30:00	67,0	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 16:00:00	61,9	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 16:00:00	55,9	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 16:00:00	60,9	66,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 16:00:00	64,8	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 15:30:00	61,8	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 15:30:00	55,1	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 15:30:00	61,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 15:30:00	68,9	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 15:00:00	62,1	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 15:00:00	54,1	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 15:00:00	62,7	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 15:00:00	66,2	85,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 14:30:00	62,4	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 14:30:00	54,9	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 14:30:00	63,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 14:30:00	68,4	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 14:00:00	61,9	79,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 14:00:00	54,4	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 14:00:00	63,1	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 14:00:00	66,7	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 13:30:00	61,8	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 13:30:00	54,4	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 13:30:00	62,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 13:30:00	66,9	82,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 13:00:00	62,0	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 13:00:00	55,8	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 13:00:00	62,4	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 13:00:00	66,1	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 12:45:00	66,4	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 12:30:00	62,6	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 12:30:00	55,3	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 12:30:00	62,6	77,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-25 12:00:00	61,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 12:00:00	54,3	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 12:00:00	62,7	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 12:00:00	65,3	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 11:30:00	61,7	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 11:30:00	54,7	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 11:30:00	63,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 11:30:00	65,2	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 11:00:00	61,3	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 11:00:00	55,1	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 11:00:00	63,8	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 11:00:00	65,9	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 10:30:00	61,9	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 10:30:00	55,8	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 10:30:00	64,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 10:30:00	66,1	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 10:00:00	60,4	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 10:00:00	53,3	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 10:00:00	62,9	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 10:00:00	64,8	80,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 09:30:00	60,9	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 09:30:00	57,3	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 09:30:00	62,6	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 09:30:00	66,5	86,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 09:00:00	60,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 09:00:00	54,6	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 09:00:00	61,7	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 09:00:00	64,4	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 08:30:00	59,8	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 08:30:00	54,7	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 08:30:00	60,7	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 08:30:00	65,6	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 08:00:00	58,6	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 08:00:00	51,0	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 08:00:00	59,8	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 08:00:00	63,6	81,3	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 07:30:00	59,2	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 07:30:00	51,6	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 07:30:00	61,4	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 07:30:00	63,5	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-11-25 07:00:00	59,6	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-11-25 07:00:00	51,3	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-11-25 07:00:00	62,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-11-25 07:00:00	64,2	68,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-25 06:30:00	59,3	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 06:30:00	50,4	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 06:30:00	62,2	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 06:30:00	63,8	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 06:00:00	59,0	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 06:00:00	51,2	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 06:00:00	62,2	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 06:00:00	63,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 05:30:00	57,4	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 05:30:00	49,9	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 05:30:00	59,9	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 05:30:00	60,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 05:00:00	54,0	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 05:00:00	46,4	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 05:00:00	56,6	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 05:00:00	57,9	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 04:30:00	53,4	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 04:30:00	47,4	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 04:30:00	55,2	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 04:30:00	56,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 04:00:00	51,7	64,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 04:00:00	45,5	53,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 04:00:00	52,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 04:00:00	54,7	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 03:30:00	49,7	61,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 03:30:00	42,7	50,4	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 03:30:00	50,9	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 03:30:00	52,2	64,0	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 03:00:00	49,9	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 03:00:00	44,6	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 03:00:00	53,1	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 03:00:00	53,5	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 02:30:00	49,2	60,8	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 02:30:00	42,3	51,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 02:30:00	51,2	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 02:30:00	53,2	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 02:00:00	50,2	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 02:00:00	44,2	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 02:00:00	51,9	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 02:00:00	54,5	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 01:30:00	51,9	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 01:30:00	45,6	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 01:30:00	52,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 01:30:00	54,4	65,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-11-25 01:00:00	51,8	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 01:00:00	45,7	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 01:00:00	51,9	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 01:00:00	54,3	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 00:30:00	51,5	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 00:30:00	46,1	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 00:30:00	52,0	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 00:30:00	53,6	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-11-25 00:00:00	52,8	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-11-25 00:00:00	48,1	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-11-25 00:00:00	53,6	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-11-25 00:00:00	55,6	64,6	-6,0	45	