



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-19 00:00:00	54,0	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-19 00:00:00	55,7	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-19 00:00:00	47,7	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-19 00:00:00	57,1	63,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 23:30:00	54,7	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 23:30:00	56,5	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 23:30:00	46,9	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 23:30:00	57,9	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 23:00:00	55,4	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 23:00:00	57,9	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 23:00:00	47,3	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 23:00:00	58,8	65,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 22:30:00	56,3	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 22:30:00	58,8	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 22:30:00	48,2	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 22:30:00	59,8	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 22:00:00	57,7	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 22:00:00	59,0	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 22:00:00	50,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 22:00:00	60,1	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 21:30:00	57,5	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 21:30:00	58,4	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 21:30:00	50,1	67,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 21:30:00	59,7	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 21:00:00	57,2	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 21:00:00	58,0	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 21:00:00	49,1	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 21:00:00	59,6	71,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 20:30:00	57,8	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 20:30:00	58,1	70,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 20:30:00	50,8	76,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 20:30:00	59,8	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 20:00:00	58,0	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 20:00:00	58,3	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 20:00:00	50,7	76,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 20:00:00	60,1	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 19:30:00	58,5	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-18 19:30:00	58,3	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-18 19:30:00	51,8	77,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-18 19:30:00	60,2	73,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-18 19:00:00	58,4	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 19:00:00	58,3	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 19:00:00	56,6	94,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 19:00:00	60,3	70,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-18 18:30:00	58,8	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 18:30:00	58,5	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 18:30:00	51,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 18:30:00	60,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 18:00:00	61,0	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 18:00:00	58,6	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 18:00:00	51,0	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 18:00:00	60,8	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 17:30:00	62,1	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 17:30:00	59,1	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 17:30:00	52,7	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 17:30:00	61,3	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 17:00:00	61,2	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 17:00:00	58,6	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 17:00:00	51,7	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 17:00:00	60,9	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 16:30:00	59,9	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 16:30:00	59,1	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 16:30:00	51,6	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 16:30:00	61,3	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 16:00:00	59,5	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 16:00:00	58,8	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 16:00:00	52,1	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 16:00:00	61,5	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 15:30:00	60,1	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 15:30:00	59,4	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 15:30:00	52,1	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 15:30:00	62,0	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 15:00:00	59,7	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 15:00:00	59,2	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 15:00:00	51,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 15:00:00	62,0	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 14:30:00	59,9	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 14:30:00	59,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 14:30:00	51,6	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 14:30:00	62,1	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 14:00:00	57,8	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 14:00:00	58,7	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 14:00:00	56,1	88,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 14:00:00	59,2	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 13:30:00	56,4	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 13:30:00	58,3	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 13:30:00	60,5	91,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 13:30:00	58,5	67,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-18 13:00:00	56,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 13:00:00	58,4	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 13:00:00	49,5	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 13:00:00	59,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 12:30:00	56,1	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 12:30:00	48,4	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 12:30:00	58,9	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 12:30:00	58,5	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 12:00:00	56,0	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 12:00:00	48,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 12:00:00	58,6	66,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 12:00:00	58,6	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 11:30:00	56,8	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 11:30:00	50,0	76,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 11:30:00	59,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 11:30:00	59,1	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 11:00:00	57,6	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 11:00:00	49,8	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 11:00:00	60,5	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 11:00:00	59,0	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 10:30:00	58,6	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 10:30:00	49,7	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 10:30:00	61,8	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 10:30:00	59,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 10:00:00	58,6	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 10:00:00	49,7	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 10:00:00	61,9	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 10:00:00	59,4	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 09:30:00	58,6	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 09:30:00	49,1	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 09:30:00	62,3	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 09:30:00	59,2	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 09:00:00	57,7	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 09:00:00	48,4	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 09:00:00	61,2	66,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 09:00:00	58,1	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 08:30:00	57,1	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 08:30:00	47,7	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 08:30:00	60,6	66,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 08:30:00	58,2	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 08:00:00	56,5	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 08:00:00	48,8	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 08:00:00	59,4	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 08:00:00	57,2	69,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-18 07:30:00	55,2	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 07:30:00	47,2	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 07:30:00	58,2	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 07:30:00	56,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 07:00:00	54,5	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-18 07:00:00	48,7	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-18 07:00:00	57,5	66,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-18 07:00:00	56,1	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-18 06:30:00	55,1	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 06:30:00	49,1	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 06:30:00	57,6	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 06:30:00	56,5	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 06:00:00	53,4	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 06:00:00	48,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 06:00:00	55,7	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 06:00:00	54,5	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 05:30:00	51,6	59,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 05:30:00	43,6	61,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 05:30:00	54,7	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 05:30:00	53,4	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 05:00:00	52,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 05:00:00	45,8	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 05:00:00	55,0	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 05:00:00	54,3	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 04:30:00	52,3	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 04:30:00	44,8	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 04:30:00	54,1	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 04:30:00	53,8	73,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 04:00:00	51,4	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 04:00:00	43,5	63,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 04:00:00	53,9	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 04:00:00	53,4	73,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 03:30:00	52,2	60,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 03:30:00	43,8	54,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 03:30:00	54,3	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 03:30:00	53,5	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 03:00:00	51,6	61,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 03:00:00	43,4	56,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 03:00:00	54,3	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 03:00:00	53,1	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 02:30:00	50,9	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 02:30:00	42,2	55,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 02:30:00	53,5	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 02:30:00	52,5	71,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-18 02:00:00	50,5	58,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 02:00:00	42,1	49,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 02:00:00	53,6	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 02:00:00	52,1	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 01:30:00	52,1	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 01:30:00	45,0	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 01:30:00	55,6	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 01:30:00	54,0	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 01:00:00	53,1	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 01:00:00	45,9	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 01:00:00	56,6	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 01:00:00	55,2	72,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 00:30:00	54,0	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 00:30:00	47,2	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 00:30:00	59,8	86,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 00:30:00	58,1	88,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-18 00:00:00	54,4	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-18 00:00:00	47,2	71,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-18 00:00:00	58,3	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-18 00:00:00	57,0	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 23:30:00	55,1	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 23:30:00	47,5	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 23:30:00	59,0	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 23:30:00	57,8	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 23:00:00	55,4	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 23:00:00	47,2	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 23:00:00	59,1	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 23:00:00	58,0	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 22:30:00	56,3	70,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 22:30:00	47,9	66,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 22:30:00	60,0	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 22:30:00	58,6	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 22:00:00	57,4	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 22:00:00	49,8	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 22:00:00	60,7	68,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 22:00:00	59,1	66,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 21:30:00	58,0	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 21:30:00	50,7	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 21:30:00	61,0	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 21:30:00	59,3	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 21:00:00	58,1	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 21:00:00	50,5	78,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 21:00:00	61,5	80,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 21:00:00	58,6	74,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-17 20:30:00	58,2	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 20:30:00	50,1	78,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 20:30:00	60,8	66,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 20:30:00	58,3	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 20:00:00	58,0	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 20:00:00	49,4	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 20:00:00	60,8	65,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 20:00:00	58,7	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 19:30:00	58,0	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-17 19:30:00	50,6	78,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-17 19:30:00	60,4	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-17 19:30:00	58,6	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-17 19:00:00	57,7	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 19:00:00	51,4	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 19:00:00	60,7	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 19:00:00	59,5	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 18:30:00	58,3	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 18:30:00	54,0	82,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 18:30:00	60,4	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 18:30:00	58,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 18:00:00	57,7	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 18:00:00	54,3	86,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 18:00:00	60,3	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 18:00:00	58,8	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 17:30:00	58,2	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 17:30:00	53,0	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 17:30:00	60,4	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 17:30:00	58,5	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 17:00:00	59,9	83,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 17:00:00	57,2	84,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 17:00:00	60,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 17:00:00	58,9	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 16:30:00	57,4	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 16:30:00	50,1	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 16:30:00	60,5	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 16:30:00	59,2	65,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 16:00:00	60,1	83,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 16:00:00	57,5	85,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 16:00:00	60,4	66,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 16:00:00	59,2	64,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 15:30:00	58,4	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 15:30:00	50,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 15:30:00	60,5	66,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 15:30:00	59,1	64,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-17 15:00:00	59,0	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 15:00:00	52,9	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 15:00:00	60,9	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 15:00:00	59,9	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 14:30:00	57,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 14:30:00	49,1	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 14:30:00	60,4	67,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 14:30:00	59,3	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 14:00:00	60,7	82,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 14:00:00	58,6	83,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 14:00:00	60,7	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 14:00:00	59,2	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 13:30:00	57,2	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 13:30:00	49,4	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 13:30:00	60,7	66,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 13:30:00	58,9	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 13:00:00	57,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 13:00:00	50,1	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 13:00:00	60,7	67,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 13:00:00	58,9	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 12:30:00	59,2	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 12:30:00	57,0	85,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 12:30:00	60,3	66,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 12:30:00	58,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 12:00:00	58,6	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 12:00:00	54,2	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 12:00:00	60,6	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 12:00:00	59,0	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 11:30:00	57,4	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 11:30:00	49,0	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 11:30:00	61,2	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 11:30:00	60,0	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 11:00:00	57,1	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 11:00:00	49,3	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 11:00:00	61,4	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 11:00:00	60,0	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 10:30:00	58,5	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 10:30:00	53,5	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 10:30:00	61,7	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 10:30:00	59,8	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 10:00:00	59,5	82,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 10:00:00	57,5	84,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 10:00:00	61,7	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 10:00:00	59,7	70,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-17 09:45:00	62,2	67,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 09:45:00	60,3	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 09:30:00	58,4	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 09:30:00	50,6	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 09:00:00	59,2	80,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 09:00:00	56,0	83,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 09:00:00	62,0	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 09:00:00	60,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 08:30:00	57,2	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 08:30:00	49,6	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 08:30:00	61,3	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 08:30:00	59,7	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 08:00:00	57,4	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 08:00:00	53,5	78,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 08:00:00	60,0	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 08:00:00	58,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 07:30:00	56,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 07:30:00	49,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 07:30:00	60,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 07:30:00	59,1	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 07:00:00	55,9	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-17 07:00:00	52,7	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-17 07:00:00	58,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-17 07:00:00	58,0	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-17 06:30:00	56,7	82,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 06:30:00	55,7	82,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 06:30:00	58,1	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 06:30:00	57,5	72,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 06:00:00	53,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 06:00:00	47,0	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 06:00:00	56,9	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 06:00:00	56,1	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 05:30:00	52,1	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 05:30:00	45,7	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 05:30:00	56,3	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 05:30:00	55,0	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 05:00:00	51,9	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 05:00:00	43,5	53,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 05:00:00	54,7	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 05:00:00	54,6	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 04:30:00	51,1	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 04:30:00	42,4	53,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 04:30:00	53,9	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 04:30:00	53,8	68,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-17 04:00:00	51,2	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 04:00:00	42,5	50,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 04:00:00	53,7	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 04:00:00	53,8	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 03:30:00	50,8	61,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 03:30:00	42,0	50,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 03:30:00	53,0	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 03:30:00	52,9	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 03:00:00	51,2	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 03:00:00	42,8	56,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 03:00:00	54,1	76,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 03:00:00	53,2	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 02:30:00	50,9	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 02:30:00	52,9	76,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 02:30:00	54,7	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 02:30:00	53,4	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 02:00:00	52,1	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 02:00:00	43,8	51,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 02:00:00	55,4	76,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 02:00:00	54,4	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 01:30:00	53,3	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 01:30:00	47,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 01:30:00	55,1	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 01:30:00	54,0	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 01:00:00	54,9	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 01:00:00	47,1	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 01:00:00	57,3	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 01:00:00	56,4	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 00:30:00	54,8	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 00:30:00	47,9	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 00:30:00	57,5	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 00:30:00	56,3	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-17 00:00:00	55,4	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-17 00:00:00	48,6	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-17 00:00:00	57,7	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-17 00:00:00	56,7	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 23:30:00	56,2	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 23:30:00	49,7	78,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 23:30:00	59,2	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 23:30:00	57,7	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 23:00:00	57,7	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 23:00:00	51,0	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 23:00:00	60,8	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 23:00:00	59,7	72,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-16 22:30:00	58,4	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 22:30:00	51,4	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 22:30:00	62,0	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 22:30:00	60,6	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 22:00:00	58,8	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 22:00:00	51,9	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 22:00:00	62,5	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 22:00:00	61,0	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 21:30:00	59,6	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 21:30:00	53,0	77,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 21:30:00	63,3	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 21:30:00	61,7	73,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 21:00:00	59,8	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 21:00:00	52,1	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 21:00:00	63,4	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 21:00:00	61,7	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 20:30:00	60,2	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 20:30:00	53,0	78,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 20:30:00	63,5	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 20:30:00	62,0	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 20:00:00	60,3	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 20:00:00	52,8	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 20:00:00	63,4	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 20:00:00	61,7	77,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 19:30:00	60,7	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-16 19:30:00	53,4	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-16 19:30:00	63,4	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-16 19:30:00	61,5	71,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-16 19:00:00	60,6	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 19:00:00	53,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 19:00:00	63,3	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 19:00:00	61,2	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 18:30:00	60,2	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 18:30:00	54,4	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 18:30:00	63,7	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 18:30:00	61,5	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 18:00:00	59,7	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 18:00:00	55,3	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 18:00:00	63,1	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 18:00:00	61,1	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 17:30:00	58,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 17:30:00	51,9	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 17:30:00	62,0	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 17:30:00	59,0	69,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-16 17:00:00	58,8	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 17:00:00	58,2	92,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 17:00:00	62,5	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 17:00:00	58,9	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 16:30:00	56,3	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 16:30:00	49,8	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 16:30:00	58,6	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 16:30:00	55,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 16:00:00	55,3	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 16:00:00	50,2	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 16:00:00	56,5	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 16:00:00	55,8	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 15:30:00	53,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 15:30:00	50,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 15:30:00	57,5	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 15:30:00	54,9	80,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 15:00:00	54,0	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 15:00:00	50,8	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 15:00:00	55,4	66,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 15:00:00	55,2	81,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 14:30:00	56,1	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 14:30:00	51,3	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 14:30:00	64,1	91,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 14:30:00	58,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 14:00:00	57,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 14:00:00	51,5	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 14:00:00	65,8	88,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 14:00:00	59,9	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 13:30:00	57,9	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 13:30:00	51,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 13:30:00	64,7	89,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 13:30:00	59,6	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 13:00:00	60,8	82,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 13:00:00	54,2	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 13:00:00	65,3	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 13:00:00	59,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 12:30:00	58,8	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 12:30:00	52,5	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 12:30:00	64,6	80,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 12:30:00	59,2	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 12:00:00	62,5	86,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 12:00:00	51,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 12:00:00	66,9	89,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 12:00:00	59,5	66,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-16 11:30:00	59,6	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 11:30:00	51,2	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 11:30:00	63,9	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 11:30:00	61,0	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 11:00:00	59,5	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 11:00:00	51,5	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 11:00:00	64,1	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 11:00:00	61,8	77,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 10:30:00	60,4	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 10:30:00	53,0	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 10:30:00	65,7	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 10:30:00	62,3	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 10:00:00	60,6	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 10:00:00	52,3	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 10:00:00	64,7	85,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 10:00:00	61,4	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 09:45:00	54,1	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 09:30:00	60,5	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 09:30:00	65,5	85,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 09:00:00	59,0	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 09:00:00	64,0	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 08:30:00	58,7	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 08:30:00	52,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 08:30:00	66,2	90,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 08:30:00	57,9	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 08:00:00	58,2	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 08:00:00	53,0	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 08:00:00	68,0	87,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 08:00:00	59,2	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 07:30:00	58,7	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 07:30:00	52,2	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 07:30:00	68,4	88,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 07:30:00	59,9	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 07:00:00	59,1	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-16 07:00:00	52,7	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-16 07:00:00	63,4	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-16 07:00:00	60,8	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-16 06:30:00	60,0	74,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 06:30:00	51,8	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 06:30:00	63,7	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 06:30:00	62,1	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 06:00:00	59,8	76,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 06:00:00	52,4	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 06:00:00	63,4	71,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-16 06:00:00	62,7	76,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 05:30:00	58,5	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 05:30:00	50,3	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 05:30:00	61,6	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 05:30:00	60,9	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 05:00:00	55,7	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 05:00:00	47,0	66,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 05:00:00	58,6	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 05:00:00	58,0	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 04:30:00	54,7	64,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 04:30:00	46,4	65,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 04:30:00	57,0	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 04:30:00	56,5	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 04:00:00	52,6	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 04:00:00	44,2	58,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 04:00:00	54,9	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 04:00:00	54,3	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 03:30:00	51,4	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 03:30:00	44,5	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 03:30:00	53,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 03:30:00	54,2	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 03:00:00	51,1	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 03:00:00	42,9	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 03:00:00	53,1	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 03:00:00	53,9	63,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 02:30:00	50,8	63,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 02:30:00	42,8	55,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 02:30:00	52,4	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 02:30:00	53,6	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 02:00:00	51,4	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 02:00:00	42,9	51,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 02:00:00	53,3	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 02:00:00	54,1	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 01:30:00	52,9	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 01:30:00	45,2	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 01:30:00	54,7	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 01:30:00	55,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 01:00:00	55,1	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 01:00:00	48,0	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 01:00:00	56,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 01:00:00	57,4	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 00:30:00	54,2	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 00:30:00	48,5	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 00:30:00	55,7	69,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-16 00:30:00	56,6	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-16 00:00:00	54,4	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-16 00:00:00	47,0	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-16 00:00:00	56,6	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-16 00:00:00	57,5	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 23:30:00	56,0	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 23:30:00	49,0	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 23:30:00	57,3	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 23:30:00	58,9	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 23:00:00	57,5	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 23:00:00	50,4	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 23:00:00	58,7	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 23:00:00	60,6	78,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 22:30:00	57,7	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 22:30:00	49,5	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 22:30:00	60,0	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 22:30:00	61,4	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 22:00:00	59,9	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 22:00:00	52,1	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 22:00:00	60,8	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 22:00:00	62,5	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 21:30:00	60,0	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 21:30:00	52,8	75,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 21:30:00	61,0	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 21:30:00	63,0	74,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 21:00:00	60,3	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 21:00:00	52,0	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 21:00:00	61,0	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 21:00:00	63,0	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 20:30:00	60,3	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 20:30:00	53,7	79,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 20:30:00	60,7	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 20:30:00	62,7	71,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 20:00:00	60,6	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 20:00:00	57,4	87,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 20:00:00	60,8	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 20:00:00	62,8	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 19:30:00	61,2	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-15 19:30:00	57,4	82,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-15 19:30:00	60,4	74,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-15 19:30:00	62,4	66,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-15 19:00:00	60,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 19:00:00	55,2	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 19:00:00	60,9	71,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-15 19:00:00	62,9	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 18:30:00	61,6	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 18:30:00	59,0	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 18:30:00	61,1	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 18:30:00	65,9	86,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 18:00:00	59,5	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 18:00:00	54,8	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 18:00:00	58,8	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 18:00:00	63,3	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 17:30:00	60,0	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 17:30:00	54,3	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 17:30:00	58,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 17:30:00	68,8	88,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 17:00:00	59,3	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 17:00:00	55,1	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 17:00:00	57,6	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 17:00:00	67,5	87,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 16:30:00	57,9	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 16:30:00	56,7	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 16:30:00	56,2	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 16:30:00	64,4	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 16:00:00	55,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 16:00:00	53,0	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 16:00:00	54,5	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 16:00:00	61,8	80,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 15:30:00	54,2	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 15:30:00	53,3	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 15:30:00	53,5	64,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 15:30:00	66,6	86,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 15:00:00	57,3	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 15:00:00	52,7	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 15:00:00	54,9	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 15:00:00	65,6	90,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 14:30:00	59,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 14:30:00	53,5	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 14:30:00	58,1	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 14:30:00	64,0	84,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 14:00:00	60,9	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 14:00:00	60,4	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 14:00:00	58,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 14:00:00	74,3	90,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 13:30:00	59,8	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 13:30:00	59,1	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 13:30:00	59,0	70,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-15 13:30:00	74,4	95,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 13:00:00	59,5	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 13:00:00	55,4	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 13:00:00	60,4	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 13:00:00	69,0	86,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 12:30:00	59,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 12:30:00	56,9	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 12:30:00	60,0	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 12:30:00	72,7	89,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 12:00:00	59,2	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 12:00:00	55,7	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 12:00:00	59,7	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 12:00:00	72,1	93,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 11:30:00	58,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 11:30:00	49,6	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 11:30:00	59,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 11:30:00	61,5	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 11:00:00	60,4	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 11:00:00	51,9	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 11:00:00	60,9	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 11:00:00	63,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 10:30:00	60,6	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 10:30:00	51,8	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 10:30:00	62,1	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 10:30:00	64,4	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 10:00:00	60,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 10:00:00	52,5	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 10:00:00	62,0	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 10:00:00	64,1	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 09:30:00	60,3	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 09:30:00	51,9	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 09:30:00	62,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 09:30:00	66,1	82,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 09:00:00	58,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 09:00:00	53,1	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 09:00:00	59,0	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 09:00:00	68,0	86,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 08:30:00	58,5	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 08:30:00	52,5	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 08:30:00	58,6	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 08:30:00	67,2	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 08:00:00	57,9	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 08:00:00	51,7	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 08:00:00	59,6	75,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-15 08:00:00	65,8	82,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 07:30:00	58,0	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 07:30:00	51,2	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 07:30:00	58,9	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 07:30:00	63,8	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 07:00:00	58,1	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-15 07:00:00	51,4	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-15 07:00:00	59,8	66,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-15 07:00:00	62,2	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-15 06:30:00	59,6	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 06:30:00	52,1	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 06:30:00	61,1	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 06:30:00	63,3	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 06:00:00	59,9	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 06:00:00	52,3	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 06:00:00	62,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 06:00:00	63,4	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 05:30:00	58,1	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 05:30:00	50,3	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 05:30:00	60,4	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 05:30:00	61,4	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 05:00:00	55,8	63,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 05:00:00	46,9	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 05:00:00	57,7	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 05:00:00	58,4	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 04:30:00	54,5	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 04:30:00	45,3	55,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 04:30:00	56,4	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 04:30:00	57,1	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 04:00:00	52,8	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 04:00:00	44,5	57,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 04:00:00	55,0	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 04:00:00	55,2	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 03:30:00	50,3	61,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 03:30:00	52,9	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 03:30:00	42,8	55,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 03:30:00	51,9	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 03:00:00	51,1	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 03:00:00	53,4	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 03:00:00	42,1	51,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 03:00:00	53,0	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 02:30:00	51,1	62,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 02:30:00	53,8	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 02:30:00	42,4	51,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-15 02:30:00	52,8	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 02:00:00	52,0	65,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 02:00:00	55,2	76,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 02:00:00	43,4	55,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 02:00:00	54,5	74,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 01:30:00	53,8	73,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 01:30:00	56,2	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 01:30:00	45,8	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 01:30:00	55,7	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 01:00:00	54,6	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 01:00:00	57,3	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 01:00:00	47,0	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 01:00:00	56,3	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 00:30:00	54,3	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 00:30:00	56,7	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 00:30:00	47,5	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 00:30:00	55,4	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-15 00:00:00	55,0	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-15 00:00:00	57,5	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-15 00:00:00	47,6	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-15 00:00:00	56,6	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 23:30:00	56,3	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 23:30:00	58,6	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 23:30:00	49,9	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 23:30:00	57,0	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 23:00:00	57,3	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 23:00:00	60,4	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 23:00:00	50,0	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 23:00:00	59,0	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 22:30:00	57,4	72,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 22:30:00	61,1	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 22:30:00	48,9	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 22:30:00	59,7	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 22:00:00	58,3	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 22:00:00	62,2	75,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 22:00:00	51,5	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 22:00:00	60,7	76,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 21:30:00	59,0	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 21:30:00	62,4	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 21:30:00	51,2	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 21:30:00	61,3	76,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 21:00:00	59,4	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 21:00:00	62,5	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 21:00:00	52,7	69,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-14 21:00:00	61,1	74,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 20:30:00	60,2	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 20:30:00	62,8	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 20:30:00	52,9	77,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 20:30:00	60,8	77,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 20:00:00	60,1	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 20:00:00	63,1	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 20:00:00	53,3	87,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 20:00:00	60,9	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 19:45:00	60,4	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-14 19:45:00	63,2	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-14 19:45:00	52,3	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-14 19:30:00	61,1	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-14 19:00:00	60,4	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 19:00:00	63,8	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 19:00:00	52,3	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 19:00:00	61,6	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 18:30:00	60,7	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 18:30:00	63,5	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 18:30:00	55,6	87,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 18:30:00	61,1	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 18:00:00	59,2	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 18:00:00	61,5	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 18:00:00	53,5	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 18:00:00	57,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 17:30:00	59,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 17:30:00	62,3	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 17:30:00	58,0	88,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 17:30:00	58,0	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 17:00:00	59,2	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 17:00:00	62,0	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 17:00:00	53,7	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 17:00:00	57,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 16:30:00	59,6	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 16:30:00	63,3	82,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 16:30:00	53,5	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 16:30:00	57,1	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 16:00:00	57,6	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 16:00:00	71,2	87,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 16:00:00	59,3	91,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 16:00:00	55,4	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 15:30:00	55,3	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 15:30:00	64,8	86,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 15:30:00	52,6	71,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-14 15:30:00	55,8	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 15:00:00	57,8	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 15:00:00	66,2	88,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 15:00:00	53,5	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 15:00:00	57,4	67,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 14:30:00	61,5	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 14:30:00	66,2	83,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 14:30:00	55,6	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 14:30:00	60,5	66,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 14:00:00	61,4	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 14:00:00	67,9	88,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 14:00:00	55,4	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 14:00:00	60,7	66,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 13:30:00	61,2	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 13:30:00	70,5	87,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 13:30:00	55,1	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 13:30:00	60,9	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 13:00:00	61,6	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 13:00:00	79,8	97,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 13:00:00	59,0	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 13:00:00	61,0	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 12:30:00	60,6	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 12:30:00	78,5	97,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 12:30:00	56,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 12:30:00	61,1	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 12:00:00	61,3	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 12:00:00	65,9	82,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 12:00:00	60,7	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 12:00:00	61,6	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 11:30:00	60,0	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 11:30:00	62,9	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 11:30:00	52,3	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 11:30:00	61,5	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 11:00:00	60,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 11:00:00	65,4	87,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 11:00:00	52,4	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 11:00:00	61,4	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 10:30:00	59,7	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 10:30:00	66,3	90,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 10:30:00	52,7	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 10:30:00	62,5	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 10:00:00	59,3	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 10:00:00	62,9	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 10:00:00	52,6	70,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-14 10:00:00	60,9	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 09:30:00	58,7	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 09:30:00	64,5	80,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 09:30:00	52,1	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 09:30:00	59,0	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 09:00:00	59,0	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 09:00:00	82,3	99,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 09:00:00	58,6	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 09:00:00	60,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 08:30:00	59,9	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 08:30:00	85,6	100,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 08:30:00	61,0	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 08:30:00	60,0	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 08:00:00	58,5	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 08:00:00	74,9	94,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 08:00:00	54,6	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 08:00:00	59,1	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 07:30:00	57,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 07:30:00	63,7	81,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 07:30:00	53,1	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 07:30:00	59,3	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 07:00:00	58,7	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-14 07:00:00	63,1	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-14 07:00:00	51,9	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-14 07:00:00	59,7	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-14 06:30:00	58,6	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 06:30:00	62,8	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 06:30:00	50,9	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 06:30:00	60,5	72,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 06:00:00	59,5	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 06:00:00	63,2	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 06:00:00	50,9	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 06:00:00	62,5	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 05:30:00	57,4	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 05:30:00	61,0	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 05:30:00	49,9	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 05:30:00	60,1	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 05:00:00	54,2	63,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 05:00:00	57,0	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 05:00:00	44,9	54,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 05:00:00	56,7	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 04:30:00	50,0	60,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 04:30:00	55,3	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 04:30:00	42,6	56,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-14 04:30:00	52,2	63,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 04:00:00	52,9	77,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 04:00:00	53,3	74,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 04:00:00	48,0	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 04:00:00	50,0	61,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 03:30:00	46,1	56,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 03:30:00	50,8	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 03:30:00	39,9	48,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 03:30:00	48,7	61,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 03:00:00	47,7	59,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 03:00:00	52,0	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 03:00:00	39,5	56,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 03:00:00	49,4	63,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 02:30:00	47,9	61,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 02:30:00	52,2	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 02:30:00	40,2	53,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 02:30:00	49,2	61,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 02:00:00	48,0	59,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 02:00:00	53,1	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 02:00:00	40,2	53,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 02:00:00	49,9	60,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 01:30:00	52,4	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 01:30:00	53,9	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 01:30:00	52,4	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 01:30:00	51,0	63,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 01:00:00	51,5	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 01:00:00	57,8	84,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 01:00:00	45,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 01:00:00	58,0	86,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 00:30:00	51,9	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 00:30:00	55,2	83,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 00:30:00	46,3	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 00:30:00	52,0	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-14 00:00:00	45,9	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-14 00:00:00	51,8	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-14 00:00:00	54,8	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-14 00:00:00	52,0	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 23:30:00	47,7	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 23:30:00	53,2	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 23:30:00	56,3	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 23:30:00	53,0	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 23:00:00	48,7	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 23:00:00	53,7	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 23:00:00	57,4	67,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-13 23:00:00	53,7	64,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 22:30:00	49,0	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 22:30:00	54,9	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 22:30:00	58,3	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 22:30:00	54,9	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 22:00:00	49,6	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 22:00:00	55,0	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 22:00:00	58,3	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 22:00:00	57,5	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 21:30:00	50,4	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 21:30:00	57,1	74,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 21:30:00	59,6	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 21:30:00	59,1	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 21:00:00	52,2	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 21:00:00	60,0	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 21:00:00	63,0	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 21:00:00	61,2	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 20:30:00	51,8	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 20:30:00	58,4	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 20:30:00	61,6	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 20:30:00	59,8	66,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 20:00:00	53,6	74,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 20:00:00	60,2	72,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 20:00:00	62,5	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 20:00:00	60,4	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 19:30:00	53,2	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-13 19:30:00	60,5	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-13 19:30:00	64,3	83,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-13 19:30:00	60,4	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-13 19:00:00	53,3	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 19:00:00	60,5	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 19:00:00	64,4	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 19:00:00	60,8	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 18:30:00	54,9	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 18:30:00	60,7	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 18:30:00	65,7	88,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 18:30:00	60,8	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 18:00:00	59,1	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 18:00:00	61,2	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 18:00:00	81,8	100,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 18:00:00	60,8	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 17:30:00	61,7	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 17:30:00	60,5	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 17:30:00	84,5	101,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-13 17:30:00	59,3	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 17:00:00	58,8	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 17:00:00	59,4	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 17:00:00	81,7	99,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 17:00:00	57,8	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 16:30:00	58,1	83,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 16:30:00	58,8	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 16:30:00	79,2	97,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 16:30:00	57,5	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 16:00:00	54,1	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 16:00:00	58,5	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 16:00:00	74,8	98,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 16:00:00	56,5	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 15:30:00	60,1	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 15:30:00	59,1	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 15:30:00	82,3	101,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 15:30:00	55,1	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 15:00:00	52,5	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 15:00:00	59,3	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 15:00:00	62,3	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 15:00:00	57,4	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 14:30:00	61,2	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 14:30:00	60,3	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 14:30:00	66,4	90,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 14:30:00	59,1	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 14:15:00	63,6	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 14:00:00	59,5	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 14:00:00	59,5	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 14:00:00	59,2	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 13:45:00	66,4	92,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 13:30:00	60,8	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 13:30:00	60,2	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 13:30:00	59,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 13:00:00	53,4	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 13:00:00	58,6	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 13:00:00	67,2	91,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 13:00:00	59,0	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 12:30:00	64,7	81,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 12:30:00	60,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 12:30:00	68,8	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 12:30:00	60,3	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 12:00:00	51,5	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 12:00:00	59,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 12:00:00	66,0	90,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-13 12:00:00	61,2	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 11:30:00	51,2	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 11:30:00	59,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 11:30:00	64,0	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 11:30:00	61,7	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 11:00:00	50,8	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 11:00:00	59,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 11:00:00	63,9	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 11:00:00	59,8	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 10:30:00	51,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 10:30:00	57,5	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 10:30:00	63,5	86,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 10:30:00	58,6	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 10:00:00	52,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 10:00:00	59,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 10:00:00	64,7	83,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 10:00:00	60,0	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 09:45:00	67,5	81,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 09:30:00	64,3	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 09:30:00	59,4	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 09:30:00	60,6	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 09:00:00	51,4	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 09:00:00	58,2	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 09:00:00	67,5	95,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 09:00:00	57,5	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 08:30:00	52,1	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 08:30:00	57,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 08:30:00	66,4	90,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 08:30:00	58,1	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 08:15:00	79,2	94,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 08:00:00	59,5	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 08:00:00	58,3	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 08:00:00	61,0	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 07:30:00	50,6	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 07:30:00	58,0	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 07:30:00	66,7	87,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 07:30:00	60,5	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 07:00:00	50,8	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-13 07:00:00	59,2	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-13 07:00:00	64,1	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-13 07:00:00	61,7	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-13 06:30:00	51,0	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 06:30:00	59,3	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 06:30:00	63,1	71,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-13 06:30:00	60,9	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 06:00:00	51,1	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 06:00:00	59,6	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 06:00:00	63,2	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 06:00:00	62,0	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 05:30:00	50,2	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 05:30:00	57,6	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 05:30:00	60,8	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 05:30:00	60,4	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 05:00:00	45,9	59,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 05:00:00	54,7	63,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 05:00:00	57,7	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 05:00:00	56,9	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 04:30:00	44,9	56,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 04:30:00	53,7	62,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 04:30:00	56,6	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 04:30:00	56,0	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 04:00:00	43,8	60,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 04:00:00	51,2	62,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 04:00:00	54,3	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 04:00:00	53,3	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 03:30:00	42,0	55,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 03:30:00	50,5	60,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 03:30:00	53,0	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 03:30:00	52,8	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 03:00:00	39,9	54,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 03:00:00	48,1	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 03:00:00	52,1	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 03:00:00	51,5	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 02:30:00	40,2	49,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 02:30:00	48,7	59,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 02:30:00	53,3	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 02:30:00	51,3	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 02:00:00	40,5	50,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 02:00:00	49,0	60,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 02:00:00	53,8	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 02:00:00	52,0	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 01:30:00	44,3	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 01:30:00	52,0	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 01:30:00	56,4	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 01:30:00	54,7	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 01:00:00	45,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 01:00:00	52,2	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 01:00:00	55,5	66,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-13 01:00:00	54,1	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 00:30:00	47,4	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 00:30:00	54,0	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 00:30:00	57,0	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 00:30:00	56,0	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-13 00:00:00	47,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-13 00:00:00	54,7	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-13 00:00:00	57,8	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-13 00:00:00	56,9	69,1	-6,0	45	