



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-09 00:00:00	58,5	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-09 00:00:00	57,5	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-09 00:00:00	49,9	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-09 00:00:00	60,3	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 23:30:00	59,1	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 23:30:00	57,8	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 23:30:00	49,4	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 23:30:00	60,9	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 23:00:00	59,2	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 23:00:00	57,7	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 23:00:00	49,0	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 23:00:00	60,8	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 22:30:00	58,7	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 22:30:00	58,0	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 22:30:00	51,2	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 22:30:00	61,0	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 22:00:00	59,2	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 22:00:00	58,6	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 22:00:00	51,8	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 22:00:00	61,3	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 21:30:00	60,3	75,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 21:30:00	58,9	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 21:30:00	50,5	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 21:30:00	62,3	77,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 21:00:00	60,0	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 21:00:00	59,3	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 21:00:00	51,1	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 21:00:00	62,4	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 20:30:00	60,3	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 20:30:00	59,6	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 20:30:00	50,6	66,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 20:30:00	62,7	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 20:00:00	60,9	74,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 20:00:00	59,4	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 20:00:00	50,9	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 20:00:00	63,3	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 19:30:00	61,4	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-08 19:30:00	60,3	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-08 19:30:00	51,9	67,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-08 19:30:00	63,8	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-08 19:00:00	57,9	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 19:00:00	60,0	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 19:00:00	51,7	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 19:00:00	62,3	71,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-08 18:30:00	59,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 18:30:00	59,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 18:30:00	51,1	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 18:30:00	62,6	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 18:00:00	61,8	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 18:00:00	59,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 18:00:00	52,0	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 18:00:00	64,5	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 17:30:00	60,1	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 17:30:00	60,0	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 17:30:00	52,5	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 17:30:00	64,1	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 17:00:00	60,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 17:00:00	53,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 17:00:00	64,8	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 17:00:00	61,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 16:30:00	60,9	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 16:30:00	55,0	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 16:30:00	64,5	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 16:30:00	60,8	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 16:00:00	61,1	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 16:00:00	53,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 16:00:00	64,2	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 16:00:00	60,5	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 15:30:00	60,7	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 15:30:00	55,4	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 15:30:00	67,3	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 15:30:00	60,7	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 15:00:00	60,1	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 15:00:00	54,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 15:00:00	63,5	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 15:00:00	59,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 14:30:00	59,3	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 14:30:00	51,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 14:30:00	63,3	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 14:30:00	59,0	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 14:00:00	59,9	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 14:00:00	52,9	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 14:00:00	64,5	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 14:00:00	59,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 13:30:00	59,8	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 13:30:00	52,4	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 13:30:00	64,5	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 13:30:00	58,8	73,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-08 13:00:00	60,4	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 13:00:00	52,1	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 13:00:00	64,4	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 13:00:00	59,1	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 12:30:00	60,8	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 12:30:00	52,7	66,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 12:30:00	64,5	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 12:30:00	60,0	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 12:00:00	60,2	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 12:00:00	52,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 12:00:00	64,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 12:00:00	61,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 11:30:00	61,4	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 11:30:00	52,3	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 11:30:00	65,5	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 11:30:00	62,5	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 11:00:00	61,9	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 11:00:00	53,1	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 11:00:00	65,3	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 11:00:00	62,3	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 10:30:00	61,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 10:30:00	52,3	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 10:30:00	64,8	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 10:30:00	62,5	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 10:00:00	61,2	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 10:00:00	52,9	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 10:00:00	64,8	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 10:00:00	62,1	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 09:30:00	61,1	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 09:30:00	54,7	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 09:30:00	65,3	81,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 09:30:00	62,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 09:00:00	60,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 09:00:00	54,8	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 09:00:00	64,4	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 09:00:00	61,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 08:30:00	59,5	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 08:30:00	53,8	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 08:30:00	64,1	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 08:30:00	60,9	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 08:00:00	57,6	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 08:00:00	52,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 08:00:00	63,3	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 08:00:00	60,1	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-08 07:30:00	57,5	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 07:30:00	51,1	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 07:30:00	61,9	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 07:30:00	59,0	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 07:00:00	56,1	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-08 07:00:00	50,9	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-08 07:00:00	61,6	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-08 07:00:00	57,0	66,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-08 06:30:00	56,4	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 06:30:00	48,6	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 06:30:00	59,4	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 06:30:00	57,2	73,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 06:00:00	53,4	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 06:00:00	46,2	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 06:00:00	56,8	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 06:00:00	55,2	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 05:30:00	52,0	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 05:30:00	44,9	64,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 05:30:00	56,6	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 05:30:00	54,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 05:00:00	52,9	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 05:00:00	44,6	63,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 05:00:00	56,7	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 05:00:00	54,9	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 04:30:00	52,8	60,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 04:30:00	44,7	53,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 04:30:00	56,3	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 04:30:00	55,1	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 04:00:00	51,9	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 04:00:00	42,9	51,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 04:00:00	56,7	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 04:00:00	55,2	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 03:30:00	52,4	61,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 03:30:00	44,0	59,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 03:30:00	56,4	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 03:30:00	55,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 03:00:00	51,9	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 03:00:00	43,3	63,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 03:00:00	55,0	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 03:00:00	53,8	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 02:30:00	53,1	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 02:30:00	45,1	61,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 02:30:00	55,9	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 02:30:00	54,8	68,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-08 02:00:00	52,6	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 02:00:00	43,6	61,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 02:00:00	55,9	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 02:00:00	54,2	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 01:30:00	54,7	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 01:30:00	47,1	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 01:30:00	58,3	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 01:30:00	55,7	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 01:00:00	55,3	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 01:00:00	47,6	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 01:00:00	58,7	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 01:00:00	55,9	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 00:30:00	57,0	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 00:30:00	49,5	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 00:30:00	60,3	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 00:30:00	57,3	72,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-08 00:00:00	56,9	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-08 00:00:00	49,1	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-08 00:00:00	60,3	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-08 00:00:00	57,2	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 23:30:00	58,5	75,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 23:30:00	52,8	77,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 23:30:00	60,9	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 23:30:00	58,0	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 23:00:00	58,2	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 23:00:00	51,2	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 23:00:00	61,2	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 23:00:00	58,3	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 22:30:00	58,7	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 22:30:00	51,3	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 22:30:00	62,2	76,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 22:30:00	59,3	73,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 22:00:00	60,0	81,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 22:00:00	54,1	80,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 22:00:00	62,5	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 22:00:00	59,7	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 21:30:00	59,3	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 21:30:00	51,2	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 21:30:00	62,9	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 21:30:00	60,7	67,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 21:00:00	60,1	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 21:00:00	52,7	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 21:00:00	63,7	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 21:00:00	61,5	72,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-07 20:30:00	60,6	70,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 20:30:00	54,2	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 20:30:00	63,4	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 20:30:00	60,9	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 20:00:00	61,0	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 20:00:00	53,4	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 20:00:00	63,8	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 20:00:00	60,8	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 19:30:00	61,5	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-07 19:30:00	53,7	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-07 19:30:00	64,4	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-07 19:30:00	61,4	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-07 19:00:00	62,6	79,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 19:00:00	55,2	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 19:00:00	65,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 19:00:00	62,0	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 18:30:00	62,7	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 18:30:00	55,0	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 18:30:00	64,9	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 18:30:00	61,7	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 18:00:00	62,3	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 18:00:00	56,8	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 18:00:00	65,2	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 18:00:00	61,8	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 17:30:00	63,2	82,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 17:30:00	64,5	93,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 17:30:00	64,6	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 17:30:00	62,0	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 17:00:00	63,1	82,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 17:00:00	55,2	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 17:00:00	64,5	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 17:00:00	61,2	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 16:30:00	62,3	86,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 16:30:00	53,4	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 16:30:00	62,5	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 16:30:00	59,0	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 16:00:00	59,1	79,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 16:00:00	51,7	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 16:00:00	60,5	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 16:00:00	58,2	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 15:30:00	59,3	78,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 15:30:00	51,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 15:30:00	59,8	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 15:30:00	58,0	75,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-07 15:00:00	59,8	79,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 15:00:00	52,7	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 15:00:00	60,3	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 15:00:00	59,0	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 14:30:00	60,2	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 14:30:00	55,0	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 14:30:00	61,2	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 14:30:00	59,3	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 14:00:00	61,0	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 14:00:00	54,8	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 14:00:00	63,6	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 14:00:00	60,4	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 13:30:00	62,0	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 13:30:00	54,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 13:30:00	64,9	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 13:30:00	61,0	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 13:00:00	62,0	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 13:00:00	53,9	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 13:00:00	64,4	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 13:00:00	60,8	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 12:30:00	60,1	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 12:30:00	52,5	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 12:30:00	62,4	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 12:30:00	60,7	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 12:00:00	62,1	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 12:00:00	53,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 12:00:00	64,1	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 12:00:00	61,6	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 11:30:00	61,5	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 11:30:00	53,6	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 11:30:00	64,7	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 11:30:00	61,6	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 11:00:00	62,5	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 11:00:00	55,3	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 11:00:00	64,9	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 11:00:00	61,2	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 10:30:00	61,7	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 10:30:00	54,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 10:30:00	65,3	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 10:30:00	61,7	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 10:00:00	61,5	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 10:00:00	54,8	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 10:00:00	64,5	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 10:00:00	61,3	72,4	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-07 09:30:00	61,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 09:30:00	54,3	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 09:30:00	65,3	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 09:30:00	61,6	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 09:00:00	61,3	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 09:00:00	54,3	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 09:00:00	65,3	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 09:00:00	61,4	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 08:30:00	61,3	80,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 08:30:00	55,9	83,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 08:30:00	64,8	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 08:30:00	62,2	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 08:00:00	61,8	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 08:00:00	54,0	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 08:00:00	65,4	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 08:00:00	62,9	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 07:30:00	60,9	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 07:30:00	53,2	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 07:30:00	65,6	84,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 07:30:00	63,2	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 07:00:00	60,5	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-07 07:00:00	51,9	66,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-07 07:00:00	65,4	85,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-07 07:00:00	63,9	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-07 06:30:00	60,3	75,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 06:30:00	53,4	76,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 06:30:00	64,9	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 06:30:00	63,7	73,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 06:00:00	60,2	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 06:00:00	52,2	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 06:00:00	63,5	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 06:00:00	63,0	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 05:30:00	57,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 05:30:00	48,8	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 05:30:00	60,5	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 05:30:00	59,8	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 05:00:00	55,3	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 05:00:00	47,1	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 05:00:00	58,7	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 05:00:00	57,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 04:30:00	55,0	75,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 04:30:00	47,4	72,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 04:30:00	57,6	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 04:30:00	56,5	68,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-07 04:00:00	53,1	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 04:00:00	44,6	59,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 04:00:00	56,3	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 04:00:00	55,4	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 03:30:00	52,2	63,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 03:30:00	43,7	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 03:30:00	55,1	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 03:30:00	54,3	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 03:00:00	52,0	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 03:00:00	42,6	52,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 03:00:00	54,1	63,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 03:00:00	53,7	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 02:30:00	52,8	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 02:30:00	43,9	54,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 02:30:00	55,6	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 02:30:00	54,7	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 02:00:00	53,5	77,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 02:00:00	47,5	74,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 02:00:00	55,4	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 02:00:00	54,1	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 01:30:00	53,7	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 01:30:00	45,3	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 01:30:00	57,1	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 01:30:00	56,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 01:00:00	54,2	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 01:00:00	47,2	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 01:00:00	56,7	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 01:00:00	55,5	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 00:30:00	54,8	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 00:30:00	47,5	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 00:30:00	58,4	75,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 00:30:00	56,8	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-07 00:00:00	55,3	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-07 00:00:00	47,8	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-07 00:00:00	58,8	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-07 00:00:00	57,5	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 23:30:00	56,5	75,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 23:30:00	50,2	71,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 23:30:00	59,7	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 23:30:00	58,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 23:00:00	58,0	79,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 23:00:00	56,3	84,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 23:00:00	61,1	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 23:00:00	59,6	68,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-06 22:30:00	58,2	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 22:30:00	49,7	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 22:30:00	63,0	82,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 22:30:00	61,6	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 22:00:00	58,6	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 22:00:00	51,0	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 22:00:00	62,0	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 22:00:00	60,8	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 21:30:00	58,9	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 21:30:00	51,0	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 21:30:00	63,4	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 21:30:00	61,6	74,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 21:00:00	59,5	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 21:00:00	51,8	73,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 21:00:00	62,7	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 21:00:00	61,3	78,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 20:30:00	59,6	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 20:30:00	50,5	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 20:30:00	63,5	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 20:30:00	62,1	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 20:00:00	60,0	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 20:00:00	51,8	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 20:00:00	63,0	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 20:00:00	61,7	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 19:30:00	60,5	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-06 19:30:00	53,1	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-06 19:30:00	64,8	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-06 19:30:00	63,4	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-06 19:00:00	61,5	79,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 19:00:00	55,7	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 19:00:00	63,8	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 19:00:00	61,7	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 18:30:00	62,1	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 18:30:00	54,4	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 18:30:00	64,3	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 18:30:00	61,3	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 18:00:00	62,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 18:00:00	55,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 18:00:00	64,4	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 18:00:00	61,6	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 17:45:00	55,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 17:30:00	63,1	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 17:30:00	64,7	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 17:30:00	61,4	73,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-06 17:00:00	62,9	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 17:00:00	56,0	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 17:00:00	64,0	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 17:00:00	61,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 16:30:00	60,9	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 16:30:00	54,7	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 16:30:00	60,9	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 16:30:00	59,3	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 16:00:00	60,0	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 16:00:00	53,4	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 16:00:00	59,9	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 16:00:00	57,9	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 15:45:00	53,4	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 15:30:00	58,7	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 15:30:00	59,3	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 15:30:00	58,2	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 15:15:00	53,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 15:00:00	60,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 15:00:00	60,3	80,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 15:00:00	57,6	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 14:30:00	63,1	79,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 14:30:00	62,0	80,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 14:30:00	63,1	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 14:30:00	58,5	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 14:00:00	62,5	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 14:00:00	58,7	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 14:00:00	63,8	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 14:00:00	59,4	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 13:30:00	62,3	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 13:30:00	57,8	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 13:30:00	63,6	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 13:30:00	60,4	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 13:00:00	61,1	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 13:00:00	55,1	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 13:00:00	63,0	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 13:00:00	59,1	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 12:30:00	62,5	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 12:30:00	63,4	96,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 12:30:00	63,8	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 12:30:00	59,9	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 12:00:00	60,7	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 12:00:00	53,2	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 12:00:00	62,8	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 12:00:00	59,7	76,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-06 11:30:00	60,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 11:30:00	54,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 11:30:00	62,6	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 11:30:00	58,4	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 11:00:00	60,5	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 11:00:00	54,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 11:00:00	63,3	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 11:00:00	58,6	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 10:30:00	60,3	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 10:30:00	53,9	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 10:30:00	63,5	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 10:30:00	58,6	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 10:00:00	59,9	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 10:00:00	53,6	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 10:00:00	62,4	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 10:00:00	59,4	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 09:30:00	60,3	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 09:30:00	54,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 09:30:00	63,0	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 09:30:00	58,4	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 09:15:00	60,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 09:00:00	53,8	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 09:00:00	58,7	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 09:00:00	63,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 08:30:00	59,7	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 08:30:00	52,6	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 08:30:00	59,1	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 08:30:00	63,7	78,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 08:00:00	59,2	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 08:00:00	52,2	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 08:00:00	59,4	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 08:00:00	63,9	78,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 07:30:00	59,1	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 07:30:00	51,5	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 07:30:00	59,6	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 07:30:00	63,8	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 07:00:00	60,1	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-06 07:00:00	51,7	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-06 07:00:00	61,1	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-06 07:00:00	64,0	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-06 06:30:00	59,4	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 06:30:00	51,4	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 06:30:00	61,9	75,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 06:30:00	63,8	72,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-06 06:00:00	60,0	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 06:00:00	52,3	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 06:00:00	63,9	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 06:00:00	64,3	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 05:30:00	58,2	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 05:30:00	50,4	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 05:30:00	61,3	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 05:30:00	61,9	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 05:00:00	56,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 05:00:00	48,6	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 05:00:00	58,0	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 05:00:00	59,0	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 04:30:00	54,5	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 04:30:00	45,9	55,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 04:30:00	56,7	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 04:30:00	57,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 04:00:00	54,0	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 04:00:00	45,9	57,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 04:00:00	55,3	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 04:00:00	56,5	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 03:30:00	59,5	78,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 03:30:00	56,8	74,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 03:30:00	54,9	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 03:30:00	56,4	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 03:00:00	51,6	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 03:00:00	45,5	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 03:00:00	53,1	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 03:00:00	54,1	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 02:30:00	53,1	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 02:30:00	45,4	53,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 02:30:00	54,1	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 02:30:00	54,6	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 02:00:00	52,6	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 02:00:00	45,1	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 02:00:00	53,8	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 02:00:00	55,2	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 01:30:00	53,9	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 01:30:00	47,4	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 01:30:00	54,8	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 01:30:00	56,6	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 01:00:00	54,2	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 01:00:00	48,9	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 01:00:00	54,8	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 01:00:00	56,3	66,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-06 00:30:00	55,1	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 00:30:00	48,7	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 00:30:00	55,4	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 00:30:00	57,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-06 00:00:00	56,3	74,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-06 00:00:00	49,9	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-06 00:00:00	56,9	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-06 00:00:00	59,2	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 23:30:00	57,7	77,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 23:30:00	50,6	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 23:30:00	57,8	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 23:30:00	59,6	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 23:00:00	58,1	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 23:00:00	51,3	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 23:00:00	58,9	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 23:00:00	60,5	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 22:30:00	64,4	84,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 22:30:00	61,6	82,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 22:30:00	59,9	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 22:30:00	61,8	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 22:00:00	60,2	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 22:00:00	52,5	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 22:00:00	61,4	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 22:00:00	63,2	75,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 21:30:00	60,3	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 21:30:00	52,4	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 21:30:00	61,8	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 21:30:00	63,6	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 21:00:00	59,6	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 21:00:00	52,5	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 21:00:00	61,9	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 21:00:00	63,6	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 20:30:00	60,9	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 20:30:00	56,2	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 20:30:00	61,8	77,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 20:30:00	63,8	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 20:00:00	61,6	76,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 20:00:00	56,4	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 20:00:00	60,8	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 20:00:00	63,2	72,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-05 19:30:00	62,1	80,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-05 19:30:00	56,0	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-05 19:30:00	60,8	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-05 19:30:00	63,5	71,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-05 19:00:00	62,3	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 19:00:00	56,6	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 19:00:00	61,5	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 19:00:00	63,7	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 18:30:00	61,6	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 18:30:00	55,2	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 18:30:00	61,1	80,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 18:30:00	65,4	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 18:00:00	59,3	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 18:00:00	53,9	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 18:00:00	60,6	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 18:00:00	61,9	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 17:30:00	58,8	83,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 17:30:00	51,9	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 17:30:00	58,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 17:30:00	61,7	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 17:00:00	59,4	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 17:00:00	57,7	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 17:00:00	59,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 17:00:00	63,9	83,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 16:30:00	60,1	85,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 16:30:00	54,8	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 16:30:00	59,1	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 16:30:00	62,1	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 16:00:00	58,8	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 16:00:00	53,5	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 16:00:00	58,2	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 16:00:00	60,5	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 15:30:00	59,4	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 15:30:00	57,0	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 15:30:00	59,3	84,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 15:30:00	61,0	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 15:00:00	61,9	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 15:00:00	60,3	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 15:00:00	59,4	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 15:00:00	66,5	87,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 14:30:00	61,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 14:30:00	53,7	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 14:30:00	61,2	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 14:30:00	65,1	84,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 14:00:00	60,5	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 14:00:00	53,9	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 14:00:00	62,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 14:00:00	74,9	92,7	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-05 13:30:00	62,3	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 13:30:00	60,5	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 13:30:00	61,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 13:30:00	65,7	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 13:00:00	60,4	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 13:00:00	67,7	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 12:30:00	56,3	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 12:30:00	60,5	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 12:30:00	65,9	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 12:00:00	63,3	83,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 12:00:00	56,0	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 12:00:00	60,7	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 12:00:00	67,3	87,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 11:30:00	62,9	80,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 11:30:00	55,5	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 11:30:00	61,4	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 11:30:00	69,4	89,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 11:00:00	62,1	81,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 11:00:00	54,3	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 11:00:00	60,9	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 11:00:00	67,2	88,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 10:30:00	61,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 10:30:00	57,5	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 10:30:00	61,5	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 10:30:00	68,6	89,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 10:00:00	61,5	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 10:00:00	57,3	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 10:00:00	62,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 10:00:00	66,5	85,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 09:30:00	60,5	77,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 09:30:00	62,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 09:30:00	62,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 09:30:00	69,3	88,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 09:00:00	56,9	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 09:00:00	61,4	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 09:00:00	62,5	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 09:00:00	67,7	84,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 08:30:00	71,3	87,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 08:30:00	54,1	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 08:30:00	59,7	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 08:30:00	61,5	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 08:00:00	69,0	89,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 08:00:00	53,0	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 08:00:00	60,4	76,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-05 08:00:00	60,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 07:30:00	64,0	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 07:30:00	54,3	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 07:30:00	60,9	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 07:30:00	60,5	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 07:00:00	64,9	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-05 07:00:00	55,6	81,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-05 07:00:00	61,4	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-05 07:00:00	61,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-05 06:30:00	63,1	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 06:30:00	51,9	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 06:30:00	60,2	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 06:30:00	59,5	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 06:00:00	63,8	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 06:00:00	53,1	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 06:00:00	60,6	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 06:00:00	62,3	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 05:30:00	61,5	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 05:30:00	52,1	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 05:30:00	59,5	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 05:30:00	59,8	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 05:00:00	59,4	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 05:00:00	54,2	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 05:00:00	57,7	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 05:00:00	57,4	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 04:30:00	57,7	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 04:30:00	54,3	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 04:30:00	57,5	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 04:30:00	55,5	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 04:00:00	56,4	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 04:00:00	48,0	58,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 04:00:00	55,2	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 04:00:00	54,3	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 03:30:00	55,6	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 03:30:00	47,9	59,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 03:30:00	53,7	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 03:30:00	53,6	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 03:00:00	55,9	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 03:00:00	47,5	61,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 03:00:00	53,8	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 03:00:00	54,6	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 02:30:00	55,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 02:30:00	46,5	59,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 02:30:00	53,1	64,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-05 02:30:00	53,3	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 02:00:00	55,2	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 02:00:00	45,8	57,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 02:00:00	52,8	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 02:00:00	53,0	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 01:30:00	56,6	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 01:30:00	50,0	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 01:30:00	54,1	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 01:30:00	54,6	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 01:00:00	57,9	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 01:00:00	50,0	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 01:00:00	55,9	78,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 01:00:00	55,8	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 00:30:00	58,0	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 00:30:00	49,2	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 00:30:00	55,3	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 00:30:00	55,4	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-05 00:00:00	58,0	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-05 00:00:00	50,1	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-05 00:00:00	57,5	81,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-05 00:00:00	55,0	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 23:30:00	59,7	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 23:30:00	51,3	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 23:30:00	58,1	78,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 23:30:00	57,0	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 23:00:00	61,2	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 23:00:00	54,1	73,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 23:00:00	60,0	78,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 23:00:00	57,9	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 22:45:00	59,2	73,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 22:30:00	61,4	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 22:30:00	52,9	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 22:30:00	58,5	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 22:00:00	62,1	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 22:00:00	53,2	76,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 22:00:00	60,8	82,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 22:00:00	59,1	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 21:30:00	62,7	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 21:30:00	53,5	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 21:30:00	61,1	80,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 21:30:00	59,7	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 21:00:00	63,2	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 21:00:00	53,9	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 21:00:00	61,9	87,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-04 21:00:00	60,3	70,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 20:45:00	54,4	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 20:30:00	63,5	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 20:30:00	61,7	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 20:30:00	60,5	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 20:00:00	63,9	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 20:00:00	55,8	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 20:00:00	62,4	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 20:00:00	61,0	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-04 19:45:00	55,6	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 19:30:00	64,3	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-04 19:30:00	63,1	76,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-04 19:30:00	60,9	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-04 19:00:00	64,3	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 19:00:00	55,8	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 19:00:00	63,1	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 19:00:00	60,8	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 18:30:00	73,1	93,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 18:30:00	56,4	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 18:30:00	63,5	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 18:30:00	61,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 18:00:00	73,6	95,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 18:00:00	56,7	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 18:00:00	61,3	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 17:45:00	56,2	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 17:30:00	67,2	90,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 17:30:00	63,6	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 17:30:00	61,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 17:15:00	56,3	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 17:00:00	64,2	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 17:00:00	63,5	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 17:00:00	60,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 16:45:00	62,3	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 16:30:00	63,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 16:30:00	58,4	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 16:30:00	59,4	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 16:00:00	65,2	82,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 16:00:00	59,2	83,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 16:00:00	63,8	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 16:00:00	59,6	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 15:45:00	63,2	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 15:30:00	64,0	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 15:30:00	56,3	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 15:30:00	59,4	70,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-04 15:15:00	59,0	82,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 15:00:00	68,8	87,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 15:00:00	63,1	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 15:00:00	59,6	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 14:30:00	70,7	88,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 14:30:00	62,9	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 14:30:00	60,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 14:00:00	69,7	89,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 14:00:00	56,8	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 14:00:00	63,1	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 14:00:00	61,2	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 13:45:00	56,0	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 13:30:00	69,5	89,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 13:30:00	63,0	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 13:30:00	60,8	77,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 13:00:00	63,9	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 13:00:00	55,1	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 13:00:00	62,1	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 13:00:00	60,4	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 12:30:00	64,0	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 12:30:00	54,9	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 12:30:00	62,1	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 12:30:00	60,8	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 12:00:00	63,8	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 12:00:00	54,8	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 12:00:00	62,1	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 12:00:00	60,9	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 11:30:00	65,6	85,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 11:30:00	54,2	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 11:30:00	61,6	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 11:30:00	59,8	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 11:00:00	68,2	87,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 11:00:00	55,2	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 11:00:00	60,5	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 11:00:00	58,9	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 10:30:00	67,3	86,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 10:30:00	52,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 10:30:00	61,0	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 10:30:00	60,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 10:00:00	64,0	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 10:00:00	53,3	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 10:00:00	60,9	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 10:00:00	60,4	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 09:30:00	64,9	90,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-04 09:30:00	54,7	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 09:30:00	60,9	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 09:30:00	61,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 09:00:00	64,9	82,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 09:00:00	57,1	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 09:00:00	61,1	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 09:00:00	59,9	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 08:30:00	65,2	82,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 08:30:00	54,6	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 08:30:00	59,7	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 08:30:00	58,9	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 08:00:00	63,7	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 08:00:00	57,0	83,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 08:00:00	60,5	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 08:00:00	59,5	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 07:30:00	63,4	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 07:30:00	54,2	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 07:30:00	61,0	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 07:30:00	60,4	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 07:00:00	64,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-04 07:00:00	54,1	80,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-04 07:00:00	60,6	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-04 07:00:00	61,5	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-04 06:30:00	63,8	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 06:30:00	52,5	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 06:30:00	60,4	74,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 06:30:00	62,5	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 06:00:00	63,5	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 06:00:00	52,8	74,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 06:00:00	60,0	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 06:00:00	62,6	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 05:30:00	61,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 05:30:00	49,9	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 05:30:00	58,1	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 05:30:00	60,3	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 05:00:00	58,4	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 05:00:00	48,0	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 05:00:00	56,2	73,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 05:00:00	57,8	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 04:30:00	57,0	75,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 04:30:00	47,4	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 04:30:00	54,3	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 04:30:00	56,1	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 04:00:00	56,1	69,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-04 04:00:00	64,8	85,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 04:00:00	62,9	85,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 04:00:00	54,0	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 03:30:00	54,4	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 03:30:00	44,7	55,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 03:30:00	52,0	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 03:30:00	53,4	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 03:00:00	53,9	66,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 03:00:00	44,7	60,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 03:00:00	51,6	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 03:00:00	53,5	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 02:30:00	54,1	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 02:30:00	45,0	63,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 02:30:00	52,7	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 02:30:00	53,5	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 02:00:00	53,2	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 02:00:00	44,1	54,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 02:00:00	51,6	62,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 02:00:00	52,5	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 01:30:00	54,2	64,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 01:30:00	45,9	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 01:30:00	52,6	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 01:30:00	53,5	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 01:00:00	54,4	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 01:00:00	47,6	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 01:00:00	53,2	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 01:00:00	53,6	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 00:30:00	55,3	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 00:30:00	48,3	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 00:30:00	53,4	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 00:30:00	54,1	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-04 00:00:00	58,1	80,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-04 00:00:00	48,3	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-04 00:00:00	55,5	80,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-04 00:00:00	56,6	79,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 23:30:00	58,1	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 23:30:00	48,6	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 23:30:00	55,1	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 23:30:00	57,0	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 23:00:00	60,0	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 23:00:00	49,4	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 23:00:00	56,4	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 23:00:00	59,3	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 22:30:00	60,9	72,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-03 22:30:00	50,3	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 22:30:00	57,4	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 22:30:00	59,7	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 22:00:00	61,7	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 22:00:00	52,4	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 22:00:00	58,2	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 22:00:00	60,3	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 21:30:00	62,2	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 21:30:00	51,7	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 21:30:00	58,6	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 21:30:00	61,0	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 21:00:00	62,1	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 21:00:00	63,6	96,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 21:00:00	59,6	74,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 21:00:00	61,0	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 20:45:00	62,1	74,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 20:30:00	63,5	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 20:30:00	53,4	77,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 20:30:00	59,3	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 20:00:00	68,6	86,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 20:00:00	52,6	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 20:00:00	59,5	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 20:00:00	69,2	96,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-03 19:30:00	67,9	92,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 19:30:00	55,3	83,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-03 19:30:00	60,1	79,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-03 19:30:00	64,0	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-03 19:00:00	56,9	90,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 19:00:00	59,5	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 19:00:00	64,3	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 18:45:00	64,9	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 18:30:00	53,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 18:30:00	59,7	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 18:30:00	65,0	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 18:00:00	64,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 18:00:00	53,8	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 18:00:00	59,8	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 18:00:00	64,4	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 17:30:00	64,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 17:30:00	51,3	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 17:30:00	59,8	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 17:30:00	64,3	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 17:00:00	64,7	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 17:00:00	51,8	70,1	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-03 17:00:00	60,1	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 17:00:00	63,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 16:30:00	64,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 16:30:00	52,4	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 16:30:00	60,2	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 16:30:00	63,4	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 16:00:00	63,9	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 16:00:00	58,9	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 16:00:00	60,6	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 16:00:00	61,1	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 15:30:00	59,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 15:30:00	51,3	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 15:30:00	57,8	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 15:30:00	59,5	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 15:00:00	62,4	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 15:00:00	54,6	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 15:00:00	60,8	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 15:00:00	60,5	82,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 14:30:00	65,5	83,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 14:30:00	60,3	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 14:30:00	62,1	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 14:30:00	60,8	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 14:00:00	63,2	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 14:00:00	54,1	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 14:00:00	61,4	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 14:00:00	60,4	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 13:30:00	67,6	87,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 13:30:00	52,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 13:30:00	60,8	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 13:30:00	60,9	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 13:00:00	63,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 13:00:00	52,5	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 13:00:00	60,8	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 13:00:00	60,7	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 12:30:00	65,5	81,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 12:30:00	54,7	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 12:30:00	60,1	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 12:30:00	61,4	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 12:00:00	63,4	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 12:00:00	56,1	83,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 12:00:00	60,7	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 12:00:00	61,0	66,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 11:30:00	63,6	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 11:30:00	50,4	73,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-03 11:30:00	60,7	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 11:30:00	62,8	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 11:00:00	63,8	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 11:00:00	50,4	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 11:00:00	60,0	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 11:00:00	63,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 10:30:00	64,0	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 10:30:00	52,4	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 10:30:00	60,6	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 10:30:00	63,3	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 10:00:00	64,0	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 10:00:00	51,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 10:00:00	60,0	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 10:00:00	62,8	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 09:30:00	62,7	87,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 09:30:00	51,9	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 09:30:00	59,2	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 09:30:00	60,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 09:00:00	64,1	82,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 09:00:00	53,0	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 09:00:00	57,9	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 09:00:00	59,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 08:30:00	62,7	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 08:30:00	51,9	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 08:30:00	58,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 08:30:00	59,0	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 08:00:00	62,5	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 08:00:00	53,0	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 08:00:00	60,1	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 08:00:00	59,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 07:30:00	63,0	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 07:30:00	50,0	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 07:30:00	58,2	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 07:30:00	60,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 07:00:00	62,9	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-03 07:00:00	53,7	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-03 07:00:00	58,5	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-03 07:00:00	60,4	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-03 06:30:00	62,7	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 06:30:00	51,0	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 06:30:00	58,8	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 06:30:00	60,0	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 06:00:00	63,5	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 06:00:00	51,2	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-03 06:00:00	59,8	74,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 06:00:00	62,2	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 05:30:00	61,3	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 05:30:00	48,3	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 05:30:00	57,6	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 05:30:00	61,0	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 05:00:00	57,7	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 05:00:00	46,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 05:00:00	54,9	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 05:00:00	56,5	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 04:30:00	56,3	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 04:30:00	46,3	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 04:30:00	53,4	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 04:30:00	54,9	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 04:00:00	53,9	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 04:00:00	42,4	53,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 04:00:00	50,2	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 04:00:00	52,4	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 03:30:00	52,6	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 03:30:00	41,3	50,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 03:30:00	49,1	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 03:30:00	51,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 03:00:00	52,1	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 03:00:00	41,7	54,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 03:00:00	48,9	60,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 03:00:00	51,3	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 02:30:00	52,5	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 02:30:00	42,2	51,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 02:30:00	49,2	61,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 02:30:00	51,1	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 02:00:00	53,1	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 02:00:00	41,8	52,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 02:00:00	49,5	60,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 02:00:00	51,5	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 01:30:00	53,6	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 01:30:00	44,1	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 01:30:00	50,6	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 01:30:00	52,4	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 01:00:00	55,2	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 01:00:00	45,4	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 01:00:00	51,8	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 01:00:00	54,1	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 00:30:00	55,2	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 00:30:00	46,9	71,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-03 00:30:00	53,0	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 00:30:00	54,4	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-03 00:00:00	56,6	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-03 00:00:00	45,6	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-03 00:00:00	53,3	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-03 00:00:00	55,5	66,7	-6,0	45	