


◆ ST02 ◆ ST04 ◆ ST03 ◆ ST01 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-16 00:00:00	51,5	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-16 00:00:00	62,0	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-16 00:00:00	63,1	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-16 00:00:00	57,0	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 23:30:00	51,3	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 23:30:00	62,3	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 23:30:00	63,4	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 23:30:00	56,9	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 23:00:00	50,6	66,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 23:00:00	62,0	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 23:00:00	63,0	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 23:00:00	56,9	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 22:30:00	52,0	67,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 22:30:00	62,2	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 22:30:00	63,2	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 22:30:00	57,4	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 22:00:00	50,4	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 22:00:00	62,0	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 22:00:00	63,1	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 22:00:00	57,4	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 21:30:00	50,4	67,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 21:30:00	60,6	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 21:30:00	62,5	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 21:30:00	57,6	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 21:00:00	51,5	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 21:00:00	61,1	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 21:00:00	63,0	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 21:00:00	58,1	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 20:30:00	51,7	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 20:30:00	62,8	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 20:30:00	64,0	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 20:30:00	59,5	85,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 20:00:00	51,1	66,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 20:00:00	63,4	74,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 20:00:00	64,3	73,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 20:00:00	59,2	81,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 19:30:00	50,7	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-15 19:30:00	63,8	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-15 19:30:00	64,7	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-15 19:30:00	58,8	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-15 19:00:00	50,5	66,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 19:00:00	62,7	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 19:00:00	64,2	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 19:00:00	58,0	76,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-15 18:30:00	51,5	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 18:30:00	62,5	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 18:30:00	64,3	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 18:30:00	58,6	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 18:00:00	52,3	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 18:00:00	62,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 18:00:00	64,5	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 18:00:00	60,0	79,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 17:30:00	54,0	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 17:30:00	61,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 17:30:00	64,8	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 17:30:00	59,9	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 17:00:00	52,5	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 17:00:00	61,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 17:00:00	64,4	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 17:00:00	60,1	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 16:30:00	52,2	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 16:30:00	62,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 16:30:00	64,5	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 16:30:00	59,8	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 16:00:00	52,5	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 16:00:00	62,1	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 16:00:00	64,7	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 16:00:00	60,1	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 15:30:00	53,4	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 15:30:00	62,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 15:30:00	65,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 15:30:00	60,6	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 15:00:00	52,9	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 15:00:00	62,4	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 15:00:00	65,0	82,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 15:00:00	60,8	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 14:30:00	52,6	67,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 14:30:00	63,3	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 14:30:00	65,1	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 14:30:00	60,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 14:00:00	52,9	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 14:00:00	63,1	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 14:00:00	64,8	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 14:00:00	61,1	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 13:30:00	51,8	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 13:30:00	61,2	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 13:30:00	63,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 13:30:00	59,0	72,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-15 13:00:00	51,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 13:00:00	60,6	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 13:00:00	62,9	78,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 13:00:00	58,4	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 12:30:00	53,0	90,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 12:30:00	59,8	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 12:30:00	60,7	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 12:30:00	56,5	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 12:00:00	48,7	68,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 12:00:00	58,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 12:00:00	60,9	78,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 12:00:00	56,6	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 11:30:00	48,6	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 11:30:00	60,8	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 11:30:00	60,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 11:30:00	57,3	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 11:00:00	50,3	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 11:00:00	62,5	80,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 11:00:00	62,7	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 11:00:00	58,7	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 10:30:00	50,6	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 10:30:00	63,7	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 10:30:00	65,1	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 10:30:00	59,5	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 10:00:00	50,8	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 10:00:00	63,8	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 10:00:00	65,0	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 10:00:00	59,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 09:30:00	50,4	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 09:30:00	63,7	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 09:30:00	64,9	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 09:30:00	59,0	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 09:00:00	49,6	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 09:00:00	63,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 09:00:00	65,5	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 09:00:00	58,2	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 08:30:00	49,0	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 08:30:00	62,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 08:30:00	64,4	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 08:30:00	57,7	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 08:00:00	48,6	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 08:00:00	64,6	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 08:00:00	61,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 08:00:00	56,8	73,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-15 07:30:00	48,2	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 07:30:00	63,0	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 07:30:00	61,3	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 07:30:00	56,6	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 07:00:00	47,6	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-15 07:00:00	60,9	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-15 07:00:00	60,2	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-15 07:00:00	55,4	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-15 06:30:00	46,6	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 06:30:00	59,9	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 06:30:00	59,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 06:30:00	54,8	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 06:00:00	46,1	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 06:00:00	58,0	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 06:00:00	56,8	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 06:00:00	55,4	80,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 05:30:00	49,0	74,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 05:30:00	57,4	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 05:30:00	55,8	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 05:30:00	54,8	78,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 05:00:00	41,4	52,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 05:00:00	55,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 05:00:00	54,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 05:00:00	50,9	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 04:30:00	42,5	55,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 04:30:00	55,9	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 04:30:00	55,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 04:30:00	52,0	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 04:00:00	44,4	61,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 04:00:00	55,5	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 04:00:00	54,7	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 04:00:00	51,2	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 03:30:00	50,9	61,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 03:30:00	55,7	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 03:30:00	54,2	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 03:30:00	52,8	64,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 03:00:00	49,9	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 03:00:00	56,2	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 03:00:00	54,6	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 03:00:00	53,1	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 02:30:00	47,0	60,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 02:30:00	55,9	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 02:30:00	54,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 02:30:00	52,4	62,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-15 02:00:00	44,3	53,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 02:00:00	57,5	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 02:00:00	56,5	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 02:00:00	52,6	61,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 01:30:00	46,8	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 01:30:00	58,8	77,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 01:30:00	59,4	86,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 01:30:00	54,7	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 01:00:00	48,2	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 01:00:00	59,0	73,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 01:00:00	56,8	75,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 01:00:00	55,5	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 00:30:00	47,8	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 00:30:00	58,4	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 00:30:00	55,9	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 00:30:00	57,9	85,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-15 00:00:00	49,7	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-15 00:00:00	59,9	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-15 00:00:00	57,0	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-15 00:00:00	57,4	76,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 23:30:00	49,9	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 23:30:00	60,6	76,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 23:30:00	57,5	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 23:30:00	57,5	75,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 23:00:00	49,9	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 23:00:00	60,1	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 23:00:00	57,5	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 23:00:00	57,4	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 22:30:00	50,3	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 22:30:00	61,0	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 22:30:00	58,3	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 22:30:00	58,4	76,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 22:00:00	51,6	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 22:00:00	61,3	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 22:00:00	59,0	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 22:00:00	59,2	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 21:30:00	51,1	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 21:30:00	61,3	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 21:30:00	58,9	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 21:30:00	59,4	76,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 21:00:00	52,8	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 21:00:00	63,2	78,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 21:00:00	60,4	73,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 21:00:00	60,2	73,9	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-14 20:30:00	53,8	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 20:30:00	63,5	80,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 20:30:00	60,5	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 20:30:00	60,1	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 20:00:00	54,1	75,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 20:00:00	63,1	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 20:00:00	60,0	74,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 20:00:00	60,7	77,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 19:30:00	55,6	80,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-14 19:30:00	65,7	77,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-14 19:30:00	60,2	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-14 19:30:00	60,8	76,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-14 19:00:00	54,5	86,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 19:00:00	63,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 19:00:00	60,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 19:00:00	61,7	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 18:30:00	54,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 18:30:00	63,9	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 18:30:00	61,0	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 18:30:00	61,9	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 18:00:00	54,9	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 18:00:00	63,1	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 18:00:00	60,4	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 18:00:00	61,0	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 17:30:00	53,5	76,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 17:30:00	61,9	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 17:30:00	59,7	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 17:30:00	59,7	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 17:00:00	52,3	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 17:00:00	61,3	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 17:00:00	59,4	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 17:00:00	59,1	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 16:30:00	51,8	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 16:30:00	61,5	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 16:30:00	58,7	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 16:30:00	59,2	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 16:00:00	61,5	93,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 16:00:00	61,2	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 16:00:00	56,9	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 16:00:00	59,0	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 15:30:00	52,3	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 15:30:00	59,9	79,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 15:30:00	62,0	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 15:30:00	56,8	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-14 15:00:00	51,8	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 15:00:00	57,8	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 15:00:00	60,9	89,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 15:00:00	56,8	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 14:30:00	56,5	91,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 14:30:00	59,3	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 14:30:00	62,2	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 14:30:00	59,4	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 14:00:00	57,8	83,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 14:00:00	60,4	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 14:00:00	62,3	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 14:00:00	57,9	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 13:30:00	54,5	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 13:30:00	60,8	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 13:30:00	63,8	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 13:30:00	59,3	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 13:00:00	53,3	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 13:00:00	59,6	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 13:00:00	62,0	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 13:00:00	57,9	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 12:30:00	54,1	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 12:30:00	61,4	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 12:30:00	64,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 12:30:00	59,2	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 12:00:00	54,4	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 12:00:00	61,2	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 12:00:00	64,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 12:00:00	60,2	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 11:30:00	52,4	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 11:30:00	60,5	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 11:30:00	64,7	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 11:30:00	61,7	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 11:00:00	52,4	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 11:00:00	61,0	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 11:00:00	64,8	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 11:00:00	62,3	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 10:30:00	52,9	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 10:30:00	61,8	83,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 10:30:00	64,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 10:30:00	62,7	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 10:00:00	53,1	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 10:00:00	61,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 10:00:00	65,1	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 10:00:00	62,9	72,9	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-14 09:30:00	53,5	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 09:30:00	61,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 09:30:00	65,4	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 09:30:00	63,1	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 09:00:00	53,6	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 09:00:00	61,9	83,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 09:00:00	65,8	82,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 09:00:00	63,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 08:30:00	52,7	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 08:30:00	60,3	81,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 08:30:00	64,6	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 08:30:00	61,2	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 08:00:00	53,5	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 08:00:00	60,8	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 08:00:00	66,5	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 08:00:00	63,1	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 07:30:00	53,2	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 07:30:00	61,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 07:30:00	66,8	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 07:30:00	63,6	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 07:00:00	54,0	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-14 07:00:00	61,1	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-14 07:00:00	65,9	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-14 07:00:00	64,3	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-14 06:30:00	51,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 06:30:00	60,4	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 06:30:00	65,7	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 06:30:00	64,8	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 06:00:00	52,4	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 06:00:00	61,1	78,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 06:00:00	65,0	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 06:00:00	65,0	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 05:30:00	48,7	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 05:30:00	58,6	81,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 05:30:00	62,2	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 05:30:00	61,4	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 05:00:00	63,0	82,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 05:00:00	63,9	85,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 05:00:00	60,3	72,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 05:00:00	58,4	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 04:30:00	50,1	79,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 04:30:00	55,5	79,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 04:30:00	58,3	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 04:30:00	57,2	68,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-14 04:00:00	43,1	51,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 04:00:00	52,3	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 04:00:00	57,0	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 04:00:00	55,6	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 03:30:00	42,4	51,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 03:30:00	51,5	60,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 03:30:00	55,7	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 03:30:00	54,7	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 03:00:00	44,8	59,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 03:00:00	52,6	61,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 03:00:00	56,8	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 03:00:00	55,7	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 02:30:00	43,7	53,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 02:30:00	53,7	63,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 02:30:00	57,5	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 02:30:00	56,4	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 02:00:00	42,7	51,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 02:00:00	52,3	64,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 02:00:00	56,6	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 02:00:00	55,4	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 01:30:00	46,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 01:30:00	54,2	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 01:30:00	57,6	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 01:30:00	56,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 01:00:00	46,0	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 01:00:00	53,8	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 01:00:00	58,1	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 01:00:00	56,1	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 00:30:00	46,4	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 00:30:00	54,3	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 00:30:00	58,7	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 00:30:00	56,4	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-14 00:00:00	47,9	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-14 00:00:00	55,4	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-14 00:00:00	59,4	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-14 00:00:00	56,9	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 23:30:00	48,6	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 23:30:00	56,8	80,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 23:30:00	57,4	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 23:30:00	56,7	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 23:00:00	48,3	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 23:00:00	54,9	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 23:00:00	58,7	66,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 23:00:00	56,4	64,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-13 22:30:00	58,8	79,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 22:30:00	61,7	83,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 22:30:00	61,7	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 22:30:00	58,1	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 22:00:00	50,3	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 22:00:00	59,7	84,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 22:00:00	62,7	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 22:00:00	60,5	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 21:30:00	50,5	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 21:30:00	59,2	73,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 21:30:00	63,7	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 21:30:00	62,3	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 21:00:00	50,9	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 21:00:00	59,7	72,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 21:00:00	64,4	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 21:00:00	63,3	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 20:30:00	51,5	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 20:30:00	61,3	81,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 20:30:00	64,6	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 20:30:00	63,4	78,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 20:00:00	50,7	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 20:00:00	60,2	75,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 20:00:00	64,9	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 20:00:00	63,6	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 19:30:00	54,7	77,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-13 19:30:00	61,6	81,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-13 19:30:00	64,7	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-13 19:30:00	63,1	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-13 19:00:00	52,9	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 19:00:00	61,4	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 19:00:00	64,3	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 19:00:00	62,4	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 18:30:00	55,1	80,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 18:30:00	61,0	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 18:30:00	63,9	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 18:30:00	62,1	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 18:00:00	56,4	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 18:00:00	60,7	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 18:00:00	63,0	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 18:00:00	59,7	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 17:30:00	53,4	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 17:30:00	60,7	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 17:30:00	63,7	83,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 17:30:00	60,3	71,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-13 17:00:00	62,8	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 17:00:00	65,0	84,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 17:00:00	64,0	85,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 17:00:00	59,8	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 16:30:00	53,8	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 16:30:00	60,8	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 16:30:00	63,4	80,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 16:30:00	58,8	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 16:00:00	54,2	81,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 16:00:00	58,8	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 16:00:00	59,8	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 16:00:00	58,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 15:30:00	59,4	92,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 15:30:00	58,0	77,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 15:30:00	61,0	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 15:30:00	57,8	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 15:00:00	49,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 15:00:00	57,5	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 15:00:00	61,5	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 15:00:00	57,9	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 14:30:00	53,0	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 14:30:00	60,8	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 14:30:00	63,4	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 14:30:00	59,4	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 14:00:00	51,8	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 14:00:00	59,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 14:00:00	63,4	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 14:00:00	59,0	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 13:30:00	53,1	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 13:30:00	59,9	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 13:30:00	63,1	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 13:30:00	59,3	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 13:00:00	51,9	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 13:00:00	60,4	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 13:00:00	63,2	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 13:00:00	59,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 12:30:00	52,0	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 12:30:00	60,0	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 12:30:00	63,2	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 12:30:00	59,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 12:00:00	52,7	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 12:00:00	60,9	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 12:00:00	63,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 12:00:00	59,9	73,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-13 11:30:00	52,5	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 11:30:00	60,2	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 11:30:00	63,7	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 11:30:00	59,8	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 11:00:00	51,3	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 11:00:00	60,1	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 11:00:00	63,6	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 11:00:00	60,8	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 10:30:00	51,5	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 10:30:00	59,2	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 10:30:00	64,3	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 10:30:00	61,7	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 10:00:00	51,1	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 10:00:00	59,4	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 10:00:00	64,8	89,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 10:00:00	62,0	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 09:30:00	51,8	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 09:30:00	58,8	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 09:30:00	64,0	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 09:30:00	61,9	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 09:00:00	51,5	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 09:00:00	59,1	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 09:00:00	63,4	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 09:00:00	60,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 08:30:00	52,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 08:30:00	60,0	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 08:30:00	64,2	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 08:30:00	59,2	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 08:00:00	53,1	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 08:00:00	60,0	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 08:00:00	64,9	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 08:00:00	59,6	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 07:30:00	52,3	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 07:30:00	59,9	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 07:30:00	64,8	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 07:30:00	60,3	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 07:00:00	54,5	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-13 07:00:00	61,5	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-13 07:00:00	65,1	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-13 07:00:00	61,7	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-13 06:30:00	53,5	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 06:30:00	61,3	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 06:30:00	65,1	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 06:30:00	62,5	71,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-13 06:00:00	53,0	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 06:00:00	61,0	72,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 06:00:00	64,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 06:00:00	63,5	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 05:30:00	58,5	84,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 05:30:00	60,8	82,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 05:30:00	62,3	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 05:30:00	61,2	73,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 05:00:00	48,0	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 05:00:00	56,7	76,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 05:00:00	59,5	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 05:00:00	58,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 04:30:00	46,1	53,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 04:30:00	54,7	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 04:30:00	57,8	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 04:30:00	56,4	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 04:00:00	43,4	52,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 04:00:00	52,2	64,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 04:00:00	56,1	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 04:00:00	55,0	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 03:30:00	43,7	54,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 03:30:00	51,8	61,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 03:30:00	55,5	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 03:30:00	54,5	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 03:00:00	45,1	58,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 03:00:00	49,5	59,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 03:00:00	54,8	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 03:00:00	51,7	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 02:30:00	43,6	61,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 02:30:00	49,3	59,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 02:30:00	56,0	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 02:30:00	51,8	63,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 02:00:00	43,2	56,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 02:00:00	49,8	59,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 02:00:00	56,1	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 02:00:00	52,0	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 01:30:00	45,8	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 01:30:00	50,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 01:30:00	56,4	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 01:30:00	52,4	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 01:00:00	46,4	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 01:00:00	51,5	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 01:00:00	58,0	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 01:00:00	53,4	67,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-13 00:30:00	50,9	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 00:30:00	53,2	72,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 00:30:00	58,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 00:30:00	54,4	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-13 00:00:00	47,8	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-13 00:00:00	52,9	74,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-13 00:00:00	59,9	76,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-13 00:00:00	55,0	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 23:30:00	48,3	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 23:30:00	53,8	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 23:30:00	58,0	73,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 23:30:00	54,6	62,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 23:00:00	49,3	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 23:00:00	56,6	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 23:00:00	61,1	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 23:00:00	59,3	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 22:30:00	49,1	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 22:30:00	57,7	75,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 22:30:00	62,4	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 22:30:00	60,8	70,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 22:00:00	49,8	67,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 22:00:00	58,9	75,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 22:00:00	63,2	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 22:00:00	61,8	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 21:30:00	52,8	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 21:30:00	59,3	74,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 21:30:00	63,2	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 21:30:00	61,6	76,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 21:00:00	58,5	75,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 21:00:00	61,5	79,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 21:00:00	64,1	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 21:00:00	62,2	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 20:30:00	51,3	77,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 20:30:00	60,2	78,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 20:30:00	65,2	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 20:30:00	64,0	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 20:00:00	52,5	74,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 20:00:00	60,2	79,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 20:00:00	64,7	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 20:00:00	63,4	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-12 19:30:00	52,0	75,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-12 19:30:00	60,1	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-12 19:30:00	65,1	78,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-12 19:30:00	63,9	73,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-12 19:00:00	50,6	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 19:00:00	60,3	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 19:00:00	65,6	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 19:00:00	64,4	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 18:30:00	51,2	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 18:30:00	60,6	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 18:30:00	65,5	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 18:30:00	63,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 18:00:00	54,5	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 18:00:00	60,8	78,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 18:00:00	65,2	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 18:00:00	63,3	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 17:30:00	55,2	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 17:30:00	62,0	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 17:30:00	65,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 17:30:00	62,3	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 17:00:00	53,9	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 17:00:00	61,2	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 17:00:00	65,2	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 17:00:00	61,8	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 16:30:00	59,1	93,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 16:30:00	59,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 16:30:00	64,2	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 16:30:00	61,2	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 16:00:00	52,2	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 16:00:00	55,3	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 16:00:00	59,0	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 16:00:00	55,6	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 15:30:00	50,6	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 15:30:00	56,2	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 15:30:00	61,0	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 15:30:00	58,8	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 15:00:00	53,3	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 15:00:00	59,4	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 15:00:00	63,8	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 15:00:00	62,6	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 14:30:00	54,1	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 14:30:00	59,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 14:30:00	63,4	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 14:30:00	61,9	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 14:00:00	51,9	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 14:00:00	60,1	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 14:00:00	65,4	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 14:00:00	62,7	70,1	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-12 13:30:00	50,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 13:30:00	58,5	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 13:30:00	64,6	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 13:30:00	62,1	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 13:00:00	51,9	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 13:00:00	61,3	83,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 13:00:00	64,6	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 13:00:00	61,3	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 12:30:00	50,6	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 12:30:00	59,7	81,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 12:30:00	64,6	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 12:30:00	62,2	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 12:00:00	51,1	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 12:00:00	59,7	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 12:00:00	65,0	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 12:00:00	62,6	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 11:30:00	49,4	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 11:30:00	58,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 11:30:00	64,7	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 11:30:00	62,5	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 11:00:00	48,9	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 11:00:00	57,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 11:00:00	64,2	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 11:00:00	62,1	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 10:30:00	49,9	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 10:30:00	58,7	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 10:30:00	64,9	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 10:30:00	62,6	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 10:00:00	51,2	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 10:00:00	58,6	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 10:00:00	65,0	91,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 10:00:00	63,1	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 09:45:00	64,8	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 09:30:00	50,6	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 09:30:00	59,1	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 09:30:00	63,1	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 09:00:00	50,6	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 09:00:00	59,2	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 09:00:00	64,5	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 09:00:00	62,6	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 08:30:00	52,1	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 08:30:00	59,3	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 08:30:00	63,9	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 08:30:00	61,9	68,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-12 08:00:00	51,4	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 08:00:00	58,8	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 08:00:00	64,5	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 08:00:00	62,3	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 07:30:00	50,8	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 07:30:00	58,7	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 07:30:00	64,7	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 07:30:00	62,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 07:00:00	53,8	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-12 07:00:00	60,4	85,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-12 07:00:00	64,3	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-12 07:00:00	62,4	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-12 06:30:00	51,8	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 06:30:00	59,4	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 06:30:00	65,1	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 06:30:00	63,6	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 06:00:00	51,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 06:00:00	60,0	76,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 06:00:00	63,8	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 06:00:00	64,0	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 05:30:00	48,9	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 05:30:00	58,0	81,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 05:30:00	61,8	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 05:30:00	61,7	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 05:00:00	46,2	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 05:00:00	54,7	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 05:00:00	58,8	75,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 05:00:00	58,6	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 04:30:00	44,8	52,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 04:30:00	53,2	62,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 04:30:00	57,6	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 04:30:00	57,4	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 04:00:00	44,3	52,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 04:00:00	52,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 04:00:00	55,7	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 04:00:00	55,0	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 03:30:00	42,9	52,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 03:30:00	51,1	65,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 03:30:00	53,2	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 03:30:00	52,8	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 03:00:00	48,4	73,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 03:00:00	53,5	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 03:00:00	53,9	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 03:00:00	53,8	68,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-12 02:30:00	44,0	55,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 02:30:00	51,4	61,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 02:30:00	54,4	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 02:30:00	53,0	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 02:00:00	43,7	52,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 02:00:00	51,9	62,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 02:00:00	55,7	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 02:00:00	54,6	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 01:30:00	43,9	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 01:30:00	50,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 01:30:00	53,7	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 01:30:00	53,0	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 01:00:00	46,8	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 01:00:00	54,4	73,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 01:00:00	57,3	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 01:00:00	56,3	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 00:30:00	47,1	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 00:30:00	54,1	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 00:30:00	57,0	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 00:30:00	55,7	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-12 00:00:00	48,0	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-12 00:00:00	57,5	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-12 00:00:00	54,3	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-12 00:00:00	55,8	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 23:30:00	50,3	73,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 23:30:00	59,5	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 23:30:00	56,6	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 23:30:00	58,0	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 23:00:00	50,0	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 23:00:00	60,8	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 23:00:00	57,6	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 23:00:00	59,1	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 22:30:00	50,8	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 22:30:00	62,0	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 22:30:00	58,4	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 22:30:00	60,4	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 22:00:00	51,7	77,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 22:00:00	62,0	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 22:00:00	58,1	80,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 22:00:00	61,0	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 21:30:00	50,6	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 21:30:00	62,4	75,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 21:30:00	58,7	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 21:30:00	61,2	70,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-11 21:00:00	52,3	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 21:00:00	62,9	75,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 21:00:00	60,1	76,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 21:00:00	61,0	76,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 20:30:00	51,4	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 20:30:00	63,2	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 20:30:00	59,9	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 20:30:00	61,2	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 20:00:00	57,5	77,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 20:00:00	62,3	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 20:00:00	60,1	73,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 20:00:00	60,8	75,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 19:30:00	52,8	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-11 19:30:00	62,3	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-11 19:30:00	60,3	74,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-11 19:30:00	60,6	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-11 19:00:00	55,2	80,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 19:00:00	62,9	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 19:00:00	60,9	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 19:00:00	60,7	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 18:30:00	56,6	80,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 18:30:00	64,2	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 18:30:00	61,1	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 18:30:00	61,8	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 18:00:00	53,6	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 18:00:00	63,6	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 18:00:00	60,7	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 18:00:00	61,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 17:30:00	52,7	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 17:30:00	63,7	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 17:30:00	60,3	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 17:30:00	61,5	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 17:00:00	52,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 17:00:00	63,4	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 17:00:00	60,2	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 17:00:00	61,5	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 16:30:00	54,3	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 16:30:00	63,6	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 16:30:00	60,9	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 16:30:00	60,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 16:00:00	54,4	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 16:00:00	64,3	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 16:00:00	59,6	78,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 16:00:00	59,0	72,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-11 15:30:00	52,4	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 15:30:00	61,2	79,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 15:30:00	58,1	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 15:30:00	57,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 15:00:00	50,9	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 15:00:00	63,1	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 15:00:00	58,3	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 15:00:00	61,0	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 14:30:00	51,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 14:30:00	64,7	83,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 14:30:00	59,9	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 14:30:00	62,2	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 14:00:00	52,5	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 14:00:00	64,7	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 14:00:00	60,5	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 14:00:00	61,0	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 13:30:00	51,9	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 13:30:00	64,5	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 13:30:00	60,3	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 13:30:00	61,7	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 13:00:00	53,3	77,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 13:00:00	64,9	80,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 13:00:00	61,4	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 13:00:00	61,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 12:30:00	52,2	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 12:30:00	64,2	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 12:30:00	60,6	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 12:30:00	61,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 12:00:00	54,0	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 12:00:00	64,1	84,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 12:00:00	61,1	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 12:00:00	60,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 11:30:00	52,0	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 11:30:00	62,4	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 11:30:00	59,2	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 11:30:00	59,1	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 11:00:00	51,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 11:00:00	62,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 11:00:00	59,7	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 11:00:00	60,0	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 10:30:00	51,6	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 10:30:00	63,0	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 10:30:00	59,5	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 10:30:00	59,5	69,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-11 10:00:00	53,7	79,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 10:00:00	62,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 10:00:00	60,6	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 10:00:00	59,6	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 09:30:00	51,4	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 09:30:00	62,4	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 09:30:00	59,4	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 09:30:00	59,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 09:00:00	53,9	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 09:00:00	62,8	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 09:00:00	59,7	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 09:00:00	58,7	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 08:30:00	51,0	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 08:30:00	62,5	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 08:30:00	59,2	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 08:30:00	58,7	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 08:00:00	51,1	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 08:00:00	62,3	81,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 08:00:00	59,0	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 08:00:00	59,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 07:30:00	52,9	79,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 07:30:00	63,1	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 07:30:00	59,7	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 07:30:00	60,0	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 07:00:00	51,5	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-11 07:00:00	62,8	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-11 07:00:00	58,8	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-11 07:00:00	59,3	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-11 06:30:00	49,2	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 06:30:00	61,8	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 06:30:00	58,1	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 06:30:00	59,6	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 06:00:00	54,4	76,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 06:00:00	62,6	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 06:00:00	60,4	77,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 06:00:00	61,4	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 05:30:00	50,8	74,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 05:30:00	61,0	81,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 05:30:00	58,0	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 05:30:00	60,0	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 05:00:00	45,0	54,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 05:00:00	57,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 05:00:00	54,1	63,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 05:00:00	56,6	68,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-11 04:30:00	46,3	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 04:30:00	56,8	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 04:30:00	53,9	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 04:30:00	55,7	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 04:00:00	43,6	51,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 04:00:00	55,3	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 04:00:00	52,1	61,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 04:00:00	54,4	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 03:30:00	41,9	50,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 03:30:00	53,5	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 03:30:00	50,2	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 03:30:00	52,5	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 03:00:00	41,8	51,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 03:00:00	52,7	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 03:00:00	50,3	61,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 03:00:00	52,3	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 02:30:00	42,1	50,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 02:30:00	54,2	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 02:30:00	50,5	61,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 02:30:00	54,0	75,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 02:00:00	43,9	64,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 02:00:00	54,5	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 02:00:00	51,6	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 02:00:00	53,8	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 01:30:00	46,1	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 01:30:00	56,7	88,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 01:30:00	52,9	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 01:30:00	53,7	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 01:00:00	46,6	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 01:00:00	55,2	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 01:00:00	52,8	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 01:00:00	54,3	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 00:30:00	46,8	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 00:30:00	56,6	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 00:30:00	54,0	74,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 00:30:00	55,2	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-11 00:00:00	49,0	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-11 00:00:00	57,3	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-11 00:00:00	55,1	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-11 00:00:00	56,1	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 23:30:00	50,9	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 23:30:00	57,8	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 23:30:00	57,5	77,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 23:30:00	55,9	68,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-10 23:00:00	59,1	66,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 23:00:00	55,9	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 23:00:00	57,7	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 23:00:00	48,4	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 22:30:00	61,5	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 22:30:00	57,8	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 22:30:00	60,8	77,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 22:30:00	50,1	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 22:00:00	62,0	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 22:00:00	57,8	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 22:00:00	61,2	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 22:00:00	49,5	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 21:30:00	62,8	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 21:30:00	58,4	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 21:30:00	62,0	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 21:30:00	50,4	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 21:00:00	64,0	78,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 21:00:00	58,8	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 21:00:00	63,1	79,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 21:00:00	50,4	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 20:30:00	63,5	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 20:30:00	58,7	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 20:30:00	62,8	77,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 20:30:00	50,0	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 20:00:00	66,1	84,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 20:00:00	58,9	76,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 20:00:00	63,1	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 20:00:00	50,1	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 19:30:00	68,7	82,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-10 19:30:00	59,1	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-10 19:30:00	63,8	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-10 19:30:00	52,1	78,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-10 19:00:00	68,5	87,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 19:00:00	59,3	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 19:00:00	64,3	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 19:00:00	52,7	88,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 18:30:00	68,4	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 18:30:00	59,4	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 18:30:00	63,9	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 18:30:00	50,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 18:00:00	66,5	86,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 18:00:00	59,5	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 18:00:00	64,6	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 18:00:00	50,8	70,1	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-10 17:30:00	65,9	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 17:30:00	59,4	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 17:30:00	64,8	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 17:30:00	51,2	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 17:00:00	68,8	87,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 17:00:00	59,9	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 17:00:00	63,8	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 17:00:00	53,0	78,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 16:30:00	63,6	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 16:30:00	58,9	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 16:30:00	62,5	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 16:30:00	50,9	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 16:00:00	64,2	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 16:00:00	63,9	82,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 16:00:00	62,4	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 16:00:00	56,5	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 15:30:00	61,9	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 15:30:00	62,5	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 15:30:00	62,1	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 15:30:00	56,0	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 15:00:00	69,4	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 15:00:00	62,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 15:00:00	62,8	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 15:00:00	58,4	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 14:30:00	67,0	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 14:30:00	60,5	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 14:30:00	64,0	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 14:30:00	55,8	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 14:15:00	67,8	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 14:00:00	60,8	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 14:00:00	65,1	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 14:00:00	56,2	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 13:30:00	59,5	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 13:30:00	64,9	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 13:30:00	50,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 13:00:00	66,8	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 13:00:00	62,6	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 13:00:00	64,6	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 13:00:00	57,4	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 12:30:00	66,3	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 12:30:00	60,2	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 12:30:00	64,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 12:30:00	51,1	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 12:00:00	66,8	73,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-10 12:00:00	60,0	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 12:00:00	65,3	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 12:00:00	51,3	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 11:30:00	67,2	77,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 11:30:00	60,5	78,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 11:30:00	65,7	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 11:30:00	51,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 11:15:00	66,7	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 11:00:00	60,2	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 11:00:00	65,7	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 11:00:00	50,7	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 10:30:00	66,3	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 10:30:00	60,6	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 10:30:00	65,1	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 10:30:00	51,3	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 10:00:00	67,6	84,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 10:00:00	64,8	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 10:00:00	64,3	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 10:00:00	60,9	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 09:30:00	64,3	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 09:30:00	60,4	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 09:30:00	62,1	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 09:30:00	51,8	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 09:00:00	64,5	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 09:00:00	61,3	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 09:00:00	61,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 09:00:00	57,8	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 08:30:00	66,5	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 08:30:00	65,1	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 08:30:00	59,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 08:30:00	64,9	81,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 08:00:00	62,7	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 08:00:00	59,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 08:00:00	59,3	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 08:00:00	52,1	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 07:30:00	63,8	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 07:30:00	59,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 07:30:00	61,0	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 07:30:00	52,0	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 07:00:00	64,6	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-10 07:00:00	61,3	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-10 07:00:00	61,6	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-10 07:00:00	51,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-10 06:30:00	64,2	71,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-10 06:30:00	61,0	78,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 06:30:00	61,5	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 06:30:00	51,7	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 06:00:00	63,8	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 06:00:00	60,5	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 06:00:00	62,8	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 06:00:00	52,5	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 05:30:00	61,2	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 05:30:00	58,0	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 05:30:00	60,4	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 05:30:00	49,8	74,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 05:00:00	58,8	76,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 05:00:00	55,4	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 05:00:00	57,9	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 05:00:00	48,0	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 04:30:00	56,6	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 04:30:00	54,0	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 04:30:00	55,6	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 04:30:00	46,4	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 04:00:00	54,2	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 04:00:00	51,8	62,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 04:00:00	53,3	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 04:00:00	43,8	59,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 03:30:00	53,9	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 03:30:00	51,2	62,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 03:30:00	52,7	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 03:30:00	43,3	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 03:00:00	52,2	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 03:00:00	49,7	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 03:00:00	51,4	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 03:00:00	42,6	52,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 02:30:00	54,3	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 02:30:00	51,0	63,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 02:30:00	52,9	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 02:30:00	44,6	64,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 02:00:00	53,8	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 02:00:00	50,9	60,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 02:00:00	52,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 02:00:00	42,6	59,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 01:30:00	54,9	63,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 01:30:00	52,0	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 01:30:00	53,1	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 01:30:00	44,9	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 01:00:00	55,1	65,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-10 01:00:00	52,4	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 01:00:00	53,4	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 01:00:00	46,3	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 00:30:00	56,2	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 00:30:00	53,5	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 00:30:00	54,9	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 00:30:00	46,0	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-10 00:00:00	57,8	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-10 00:00:00	55,4	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-10 00:00:00	57,1	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-10 00:00:00	47,5	71,5	-6,0	45	