


E18 Vestkorridoren, E103 Strand-Ramstadsletta
Histogramrapport

Mätperiod: 2024-06-17 00:00:00 - 2024-06-23 00:00:00

Kommentar: 2024, uke 25

◆ ST02 ◆ ST01 ◆ ST04 ◆ ST03 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-23 00:00:00	49,9	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-23 00:00:00	56,7	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-23 00:00:00	59,2	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-23 00:00:00	60,2	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 23:30:00	49,3	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 23:30:00	56,8	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 23:30:00	59,1	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 23:30:00	60,9	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 23:00:00	48,8	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 23:00:00	57,5	78,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 23:00:00	60,4	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 23:00:00	61,5	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 22:30:00	48,1	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 22:30:00	56,3	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 22:30:00	59,6	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 22:30:00	60,6	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 22:00:00	47,4	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 22:00:00	57,4	80,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 22:00:00	60,4	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 22:00:00	61,5	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 21:30:00	48,2	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 21:30:00	56,9	70,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 21:30:00	60,6	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 21:30:00	61,9	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 21:00:00	50,1	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 21:00:00	57,9	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 21:00:00	60,8	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 21:00:00	62,2	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 20:30:00	50,3	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 20:30:00	58,6	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 20:30:00	61,1	67,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 20:30:00	62,6	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 20:00:00	48,4	66,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 20:00:00	58,3	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 20:00:00	62,5	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 20:00:00	62,7	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 19:30:00	48,5	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-22 19:30:00	58,5	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-22 19:30:00	62,3	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-22 19:30:00	63,1	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-22 19:00:00	49,8	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 19:00:00	59,3	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 19:00:00	63,5	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 19:00:00	63,9	69,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-22 18:30:00	48,8	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 18:30:00	59,3	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 18:30:00	63,4	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 18:30:00	64,1	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 18:00:00	49,0	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 18:00:00	58,1	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 18:00:00	61,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 18:00:00	63,3	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 17:30:00	47,8	65,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 17:30:00	57,4	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 17:30:00	60,1	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 17:30:00	62,7	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 17:00:00	48,2	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 17:00:00	58,0	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 17:00:00	59,9	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 17:00:00	62,3	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 16:30:00	48,2	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 16:30:00	57,8	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 16:30:00	61,2	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 16:30:00	63,0	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 16:00:00	48,8	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 16:00:00	58,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 16:00:00	61,6	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 16:00:00	64,0	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 15:30:00	48,8	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 15:30:00	58,7	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 15:30:00	61,1	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 15:30:00	63,9	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 15:00:00	49,1	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 15:00:00	57,8	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 15:00:00	61,5	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 15:00:00	64,4	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 14:30:00	49,4	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 14:30:00	58,6	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 14:30:00	62,4	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 14:30:00	64,8	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 14:00:00	50,4	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 14:00:00	57,1	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 14:00:00	61,2	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 14:00:00	63,2	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 13:30:00	50,5	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 13:30:00	58,7	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 13:30:00	61,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 13:30:00	64,6	83,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-22 13:00:00	50,5	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 13:00:00	58,7	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 13:00:00	61,4	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 13:00:00	64,3	79,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 12:30:00	52,4	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 12:30:00	58,3	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 12:30:00	60,9	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 12:30:00	63,0	79,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 12:00:00	57,7	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 12:00:00	58,7	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 12:00:00	60,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 12:00:00	63,2	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 11:30:00	51,5	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 11:30:00	60,1	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 11:30:00	61,5	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 11:30:00	63,6	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 11:00:00	50,4	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 11:00:00	59,8	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 11:00:00	62,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 11:00:00	64,0	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 10:30:00	48,9	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 10:30:00	59,2	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 10:30:00	62,7	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 10:30:00	64,1	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 10:00:00	49,5	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 10:00:00	59,0	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 10:00:00	61,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 10:00:00	63,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 09:30:00	48,8	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 09:30:00	58,9	80,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 09:30:00	61,1	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 09:30:00	62,8	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 09:00:00	48,9	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 09:00:00	58,1	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 09:00:00	59,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 09:00:00	61,9	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 08:30:00	49,2	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 08:30:00	58,9	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 08:30:00	59,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 08:30:00	60,6	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 08:00:00	48,4	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 08:00:00	56,6	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 08:00:00	59,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 08:00:00	61,2	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-22 07:30:00	47,8	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 07:30:00	57,9	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 07:30:00	58,7	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 07:30:00	60,0	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 07:00:00	46,7	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-22 07:00:00	54,9	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-22 07:00:00	58,8	66,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-22 07:00:00	57,6	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-22 06:30:00	46,0	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 06:30:00	54,2	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 06:30:00	57,5	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 06:30:00	56,3	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 06:00:00	45,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 06:00:00	52,9	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 06:00:00	54,9	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 06:00:00	54,6	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 05:30:00	43,2	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 05:30:00	51,8	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 05:30:00	55,0	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 05:30:00	53,8	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 05:00:00	43,7	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 05:00:00	52,1	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 05:00:00	54,6	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 05:00:00	53,9	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 04:30:00	44,1	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 04:30:00	50,8	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 04:30:00	53,4	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 04:30:00	52,6	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 04:00:00	52,8	77,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 04:00:00	56,9	79,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 04:00:00	55,3	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 04:00:00	54,7	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 03:30:00	62,5	82,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 03:30:00	62,5	83,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 03:30:00	57,3	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 03:30:00	54,8	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 03:00:00	41,8	51,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 03:00:00	51,5	60,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 03:00:00	56,0	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 03:00:00	54,8	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 02:30:00	51,6	77,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 02:30:00	54,3	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 02:30:00	55,7	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 02:30:00	54,9	69,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-22 02:00:00	50,8	77,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 02:00:00	53,8	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 02:00:00	55,9	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 02:00:00	55,1	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 01:30:00	45,7	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 01:30:00	53,3	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 01:30:00	56,1	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 01:30:00	55,4	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 01:00:00	46,2	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 01:00:00	54,5	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 01:00:00	57,5	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 01:00:00	56,6	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 00:30:00	47,6	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 00:30:00	55,4	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 00:30:00	59,4	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 00:30:00	58,2	77,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-22 00:00:00	48,4	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-22 00:00:00	56,4	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-22 00:00:00	60,1	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-22 00:00:00	58,6	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 23:30:00	50,1	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 23:30:00	58,9	77,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 23:30:00	61,1	74,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 23:30:00	59,7	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 23:00:00	50,0	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 23:00:00	58,2	74,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 23:00:00	60,1	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 23:00:00	59,0	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 22:30:00	50,7	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 22:30:00	58,6	76,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 22:30:00	60,7	78,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 22:30:00	59,2	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 22:00:00	51,2	71,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 22:00:00	59,3	79,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 22:00:00	61,1	81,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 22:00:00	58,9	77,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 21:30:00	52,7	78,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 21:30:00	59,1	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 21:30:00	60,6	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 21:30:00	58,9	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 21:00:00	61,4	83,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 21:00:00	66,5	87,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 21:00:00	61,7	75,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 21:00:00	59,5	71,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-21 20:30:00	51,0	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 20:30:00	59,7	75,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 20:30:00	61,5	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 20:30:00	59,5	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 20:00:00	52,4	73,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 20:00:00	60,0	73,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 20:00:00	61,7	67,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 20:00:00	59,8	75,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 19:30:00	52,3	75,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-21 19:30:00	60,2	74,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-21 19:30:00	62,2	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-21 19:30:00	60,0	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-21 19:00:00	58,2	91,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 19:00:00	60,6	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 19:00:00	62,4	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 19:00:00	59,9	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 18:30:00	54,5	85,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 18:30:00	60,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 18:30:00	63,0	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 18:30:00	60,3	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 18:00:00	60,1	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 18:00:00	61,4	78,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 18:00:00	63,1	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 18:00:00	60,7	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 17:30:00	58,8	92,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 17:30:00	61,2	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 17:30:00	63,8	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 17:30:00	60,9	80,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 17:00:00	52,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 17:00:00	59,6	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 17:00:00	61,7	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 17:00:00	59,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 16:30:00	54,5	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 16:30:00	59,3	79,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 16:30:00	59,8	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 16:30:00	59,3	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 16:00:00	53,5	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 16:00:00	59,0	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 16:00:00	60,6	83,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 16:00:00	58,6	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 15:30:00	57,9	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 15:30:00	51,3	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 15:30:00	60,2	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 15:30:00	57,1	69,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-21 15:00:00	60,1	82,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 15:00:00	60,8	94,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 15:00:00	60,3	80,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 15:00:00	57,6	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 14:30:00	57,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 14:30:00	50,2	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 14:30:00	60,2	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 14:30:00	58,8	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 14:00:00	58,1	79,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 14:00:00	50,5	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 14:00:00	60,5	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 14:00:00	58,5	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 13:30:00	57,7	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 13:30:00	49,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 13:30:00	60,0	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 13:30:00	58,1	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 13:00:00	58,6	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 13:00:00	50,6	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 13:00:00	61,9	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 13:00:00	59,1	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 12:30:00	58,6	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 12:30:00	50,5	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 12:30:00	61,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 12:30:00	58,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 12:00:00	58,9	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 12:00:00	50,8	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 12:00:00	61,9	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 12:00:00	58,9	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 11:30:00	60,5	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 11:30:00	51,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 11:30:00	63,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 11:30:00	61,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 11:00:00	60,2	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 11:00:00	51,2	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 11:00:00	63,7	83,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 11:00:00	61,8	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 10:30:00	60,7	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 10:30:00	51,6	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 10:30:00	63,2	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 10:30:00	61,3	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 10:00:00	60,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 10:00:00	52,1	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 10:00:00	63,4	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 10:00:00	61,6	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-21 09:30:00	61,4	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 09:30:00	54,5	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 09:30:00	63,4	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 09:30:00	61,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 09:00:00	61,1	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 09:00:00	51,9	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 09:00:00	63,6	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 09:00:00	61,9	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 08:30:00	61,0	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 08:30:00	52,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 08:30:00	63,7	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 08:30:00	62,8	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 08:00:00	61,5	80,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 08:00:00	54,7	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 08:00:00	64,5	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 08:00:00	63,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 07:30:00	63,5	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 07:30:00	60,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 07:30:00	52,0	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 07:30:00	62,4	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 07:00:00	64,0	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-21 07:00:00	60,4	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-21 07:00:00	50,9	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-21 07:00:00	63,2	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-21 06:30:00	64,0	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 06:30:00	60,0	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 06:30:00	51,2	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 06:30:00	63,6	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 06:00:00	63,0	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 06:00:00	60,0	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 06:00:00	51,4	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 06:00:00	62,8	74,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 05:30:00	60,2	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 05:30:00	58,6	79,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 05:30:00	51,0	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 05:30:00	60,0	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 05:00:00	56,7	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 05:00:00	55,4	72,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 05:00:00	49,1	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 05:00:00	56,0	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 04:30:00	54,3	62,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 04:30:00	53,8	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 04:30:00	45,8	52,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 04:30:00	54,4	69,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-21 04:00:00	53,7	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 04:00:00	52,6	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 04:00:00	44,1	51,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 04:00:00	53,6	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 03:30:00	56,3	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 03:30:00	51,6	59,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 03:30:00	42,4	52,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 03:30:00	53,6	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 03:00:00	56,2	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 03:00:00	51,7	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 03:00:00	43,8	55,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 03:00:00	53,5	76,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 02:30:00	56,8	75,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 02:30:00	52,4	75,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 02:30:00	45,1	59,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 02:30:00	53,0	80,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 02:00:00	58,2	75,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 02:00:00	51,8	59,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 02:00:00	48,0	60,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 02:00:00	51,7	64,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 01:30:00	59,0	78,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 01:30:00	53,4	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 01:30:00	48,9	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 01:30:00	52,9	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 01:00:00	57,1	79,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 01:00:00	52,7	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 01:00:00	46,5	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 01:00:00	52,6	64,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 00:30:00	56,5	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 00:30:00	54,3	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 00:30:00	47,2	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 00:30:00	55,2	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-21 00:00:00	57,9	72,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-21 00:00:00	55,6	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-21 00:00:00	48,7	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-21 00:00:00	55,7	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 23:30:00	59,9	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 23:30:00	57,4	77,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 23:30:00	49,4	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 23:30:00	57,6	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 23:00:00	60,1	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 23:00:00	57,3	75,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 23:00:00	50,4	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 23:00:00	58,2	79,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-20 22:30:00	60,8	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 22:30:00	57,3	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 22:30:00	49,1	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 22:30:00	58,7	75,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 22:00:00	62,0	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 22:00:00	58,9	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 22:00:00	61,7	97,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 22:00:00	60,6	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 21:30:00	62,8	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 21:30:00	59,3	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 21:30:00	52,9	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 21:30:00	61,7	73,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 21:00:00	62,9	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 21:00:00	59,8	75,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 21:00:00	53,1	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 21:00:00	61,7	74,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 20:30:00	63,6	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 20:30:00	59,7	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 20:30:00	53,4	79,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 20:30:00	62,0	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 20:00:00	63,9	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 20:00:00	59,4	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 20:00:00	52,8	79,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 20:00:00	62,9	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 19:30:00	64,1	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-20 19:30:00	59,2	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-20 19:30:00	52,9	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-20 19:30:00	62,8	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-20 19:00:00	64,1	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 19:00:00	60,0	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 19:00:00	54,3	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 19:00:00	62,7	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 18:30:00	63,8	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 18:30:00	59,7	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 18:30:00	53,4	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 18:30:00	62,6	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 18:00:00	64,3	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 18:00:00	60,6	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 18:00:00	55,3	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 18:00:00	62,7	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 17:30:00	64,5	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 17:30:00	60,2	79,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 17:30:00	51,4	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 17:30:00	63,4	76,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-20 17:00:00	63,5	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 17:00:00	60,8	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 17:00:00	54,7	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 17:00:00	62,0	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 16:30:00	60,2	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 16:30:00	58,2	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 16:30:00	51,0	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 16:30:00	59,4	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 16:00:00	58,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 16:00:00	57,3	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 16:00:00	51,1	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 16:00:00	58,2	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 15:30:00	57,6	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 15:30:00	57,2	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 15:30:00	49,9	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 15:30:00	57,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 15:00:00	60,7	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 15:00:00	58,5	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 15:00:00	52,0	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 15:00:00	57,8	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 14:30:00	66,2	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 14:30:00	58,8	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 14:30:00	52,0	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 14:30:00	58,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 14:00:00	63,9	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 14:00:00	59,8	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 14:00:00	51,3	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 14:00:00	59,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 13:30:00	64,0	84,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 13:30:00	59,1	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 13:30:00	50,6	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 13:30:00	60,1	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 13:00:00	63,7	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 13:00:00	60,8	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 13:00:00	52,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 13:00:00	61,6	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 12:30:00	65,7	81,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 12:30:00	61,4	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 12:30:00	52,8	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 12:30:00	60,7	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 12:00:00	63,3	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 12:00:00	61,1	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 12:00:00	53,0	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 12:00:00	58,9	71,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-20 11:45:00	53,8	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 11:30:00	63,1	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 11:30:00	61,0	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 11:30:00	59,0	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 11:00:00	62,6	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 11:00:00	60,3	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 11:00:00	52,8	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 11:00:00	59,4	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 10:30:00	64,4	88,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 10:30:00	61,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 10:30:00	54,5	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 10:30:00	61,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 10:00:00	64,9	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 10:00:00	61,8	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 10:00:00	53,7	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 10:00:00	61,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 09:30:00	64,6	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 09:30:00	61,0	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 09:30:00	53,5	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 09:30:00	59,8	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 09:00:00	63,6	82,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 09:00:00	60,1	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 09:00:00	53,1	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 09:00:00	58,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 08:30:00	63,3	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 08:30:00	59,9	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 08:30:00	53,3	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 08:30:00	58,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 08:00:00	64,1	84,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 08:00:00	59,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 08:00:00	52,9	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 08:00:00	58,3	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 07:30:00	64,1	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 07:30:00	60,4	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 07:30:00	52,5	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 07:30:00	60,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 07:00:00	64,1	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-20 07:00:00	60,9	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-20 07:00:00	52,3	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-20 07:00:00	61,0	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-20 06:30:00	63,8	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 06:30:00	60,2	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 06:30:00	51,8	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 06:30:00	61,4	71,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-20 06:00:00	63,6	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 06:00:00	61,1	78,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 06:00:00	54,3	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 06:00:00	62,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 05:30:00	60,1	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 05:30:00	59,9	87,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 05:30:00	49,3	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 05:30:00	59,7	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 05:00:00	57,8	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 05:00:00	55,1	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 05:00:00	45,3	52,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 05:00:00	56,6	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 04:30:00	57,5	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 04:30:00	54,0	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 04:30:00	45,8	60,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 04:30:00	56,2	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 04:00:00	56,2	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 04:00:00	53,4	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 04:00:00	44,3	51,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 04:00:00	55,6	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 03:30:00	55,7	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 03:30:00	51,9	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 03:30:00	43,9	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 03:30:00	55,3	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 03:00:00	54,6	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 03:00:00	52,7	64,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 03:00:00	43,7	52,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 03:00:00	54,0	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 02:30:00	56,3	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 02:30:00	51,9	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 02:30:00	48,1	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 02:30:00	56,2	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 02:00:00	54,4	63,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 02:00:00	52,0	60,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 02:00:00	43,7	51,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 02:00:00	53,1	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 01:30:00	56,1	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 01:30:00	53,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 01:30:00	45,5	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 01:30:00	55,0	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 01:00:00	57,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 01:00:00	54,1	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 01:00:00	46,7	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 01:00:00	56,4	69,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-20 00:30:00	59,2	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 00:30:00	55,7	82,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 00:30:00	48,7	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 00:30:00	58,8	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-20 00:00:00	59,4	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-20 00:00:00	55,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-20 00:00:00	48,6	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-20 00:00:00	58,5	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 23:30:00	57,5	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 23:30:00	59,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 23:30:00	56,9	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 23:30:00	49,3	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 23:00:00	59,8	80,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 23:00:00	60,6	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 23:00:00	57,4	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 23:00:00	49,7	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 22:30:00	60,1	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 22:30:00	61,6	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 22:30:00	58,8	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 22:30:00	50,5	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 22:00:00	60,4	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 22:00:00	61,9	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 22:00:00	59,4	76,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 22:00:00	51,0	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 21:30:00	60,3	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 21:30:00	62,2	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 21:30:00	59,3	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 21:30:00	51,8	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 21:00:00	61,1	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 21:00:00	63,4	84,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 21:00:00	60,3	76,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 21:00:00	52,3	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 20:30:00	60,9	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 20:30:00	62,8	78,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 20:30:00	60,0	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 20:30:00	51,7	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 20:00:00	60,9	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 20:00:00	62,9	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 20:00:00	60,2	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 20:00:00	51,7	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-19 19:30:00	62,4	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-19 19:30:00	63,1	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-19 19:30:00	60,3	81,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-19 19:30:00	51,3	70,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-19 19:00:00	63,0	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 19:00:00	63,4	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 19:00:00	61,0	80,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 19:00:00	51,8	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 18:30:00	64,4	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 18:30:00	64,7	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 18:30:00	60,3	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 18:30:00	53,5	88,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 18:00:00	63,2	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 18:00:00	64,6	83,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 18:00:00	60,6	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 18:00:00	53,3	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 17:30:00	62,1	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 17:30:00	64,2	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 17:30:00	61,6	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 17:30:00	53,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 17:00:00	61,7	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 17:00:00	64,9	85,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 17:00:00	61,4	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 17:00:00	53,6	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 16:30:00	58,7	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 16:30:00	63,2	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 16:30:00	60,0	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 16:30:00	52,4	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 16:00:00	58,1	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 16:00:00	61,5	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 16:00:00	58,3	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 16:00:00	50,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 15:30:00	57,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 15:30:00	61,0	80,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 15:30:00	57,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 15:30:00	51,0	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 15:00:00	57,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 15:00:00	62,6	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 15:00:00	59,0	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 15:00:00	52,7	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 14:30:00	61,0	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 14:30:00	64,0	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 14:30:00	59,4	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 14:30:00	52,0	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 14:00:00	62,5	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 14:00:00	65,5	82,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 14:00:00	62,0	86,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 14:00:00	50,8	72,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-19 13:30:00	60,8	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 13:30:00	65,0	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 13:30:00	62,1	84,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 13:30:00	52,6	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 13:00:00	61,5	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 13:00:00	64,7	84,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 13:00:00	60,0	81,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 13:00:00	52,4	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 12:30:00	59,6	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 12:30:00	64,2	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 12:30:00	59,9	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 12:30:00	52,0	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 12:00:00	59,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 12:00:00	64,3	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 12:00:00	59,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 12:00:00	52,9	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 11:30:00	59,0	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 11:30:00	64,2	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 11:30:00	60,2	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 11:30:00	53,5	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 11:00:00	61,1	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 11:00:00	64,3	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 11:00:00	59,1	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 11:00:00	51,2	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 10:30:00	61,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 10:30:00	63,8	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 10:30:00	58,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 10:30:00	51,0	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 10:00:00	61,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 10:00:00	64,4	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 10:00:00	58,8	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 10:00:00	50,3	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 09:30:00	60,5	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 09:30:00	64,7	83,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 09:30:00	59,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 09:30:00	50,8	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 09:00:00	61,2	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 09:00:00	65,0	79,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 09:00:00	58,2	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 09:00:00	50,7	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 08:30:00	61,5	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 08:30:00	64,2	81,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 08:30:00	58,0	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 08:30:00	49,6	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-19 08:00:00	61,2	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 08:00:00	64,3	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 08:00:00	58,8	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 08:00:00	51,1	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 07:30:00	61,3	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 07:30:00	59,4	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 07:30:00	64,5	80,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 07:30:00	51,5	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 07:00:00	62,5	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-19 07:00:00	60,0	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-19 07:00:00	64,6	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-19 07:00:00	50,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-19 06:30:00	63,0	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 06:30:00	60,4	75,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 06:30:00	64,7	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 06:30:00	52,5	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 06:00:00	63,8	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 06:00:00	60,5	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 06:00:00	64,6	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 06:00:00	52,5	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 05:30:00	60,3	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 05:30:00	58,4	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 05:30:00	60,9	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 05:30:00	49,4	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 05:00:00	57,2	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 05:00:00	55,4	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 05:00:00	58,4	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 05:00:00	46,8	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 04:30:00	56,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 04:30:00	54,1	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 04:30:00	57,3	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 04:30:00	45,3	53,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 04:00:00	54,0	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 04:00:00	52,1	61,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 04:00:00	55,2	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 04:00:00	43,8	51,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 03:30:00	53,9	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 03:30:00	59,9	79,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 03:30:00	55,2	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 03:30:00	58,5	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 03:00:00	53,9	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 03:00:00	52,2	63,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 03:00:00	54,1	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 03:00:00	45,4	57,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-19 02:30:00	59,6	80,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 02:30:00	51,8	65,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 02:30:00	54,3	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 02:30:00	46,9	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 02:00:00	58,3	76,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 02:00:00	51,6	62,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 02:00:00	55,4	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 02:00:00	43,5	54,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 01:30:00	54,1	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 01:30:00	51,8	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 01:30:00	55,8	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 01:30:00	44,6	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 01:00:00	55,8	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 01:00:00	53,7	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 01:00:00	57,3	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 01:00:00	46,7	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 00:30:00	56,3	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 00:30:00	53,6	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 00:30:00	57,8	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 00:30:00	46,5	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-19 00:00:00	56,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-19 00:00:00	54,5	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-19 00:00:00	58,0	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-19 00:00:00	47,5	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 23:30:00	57,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 23:30:00	55,4	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 23:30:00	59,1	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 23:30:00	48,1	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 23:00:00	58,6	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 23:00:00	57,3	74,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 23:00:00	60,1	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 23:00:00	49,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 22:30:00	59,5	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 22:30:00	58,5	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 22:30:00	61,7	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 22:30:00	50,6	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 22:00:00	59,6	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 22:00:00	59,5	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 22:00:00	62,1	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 22:00:00	52,2	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 21:30:00	60,3	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 21:30:00	59,9	71,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 21:30:00	62,8	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 21:30:00	52,4	69,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-18 21:00:00	61,4	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 21:00:00	60,4	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 21:00:00	63,8	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 21:00:00	52,8	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 20:30:00	61,5	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 20:30:00	60,9	79,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 20:30:00	63,6	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 20:30:00	53,4	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 20:00:00	61,0	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 20:00:00	61,0	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 20:00:00	63,5	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 20:00:00	53,3	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 19:30:00	61,0	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-18 19:30:00	60,9	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-18 19:30:00	63,7	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-18 19:30:00	53,1	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-18 19:00:00	62,2	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 19:00:00	60,8	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 19:00:00	63,7	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 19:00:00	53,3	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 18:30:00	61,7	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 18:30:00	60,7	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 18:30:00	64,2	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 18:30:00	52,1	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 18:00:00	62,0	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 18:00:00	61,6	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 18:00:00	65,1	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 18:00:00	53,6	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 17:30:00	58,8	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 17:30:00	59,7	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 17:30:00	61,7	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 17:30:00	51,3	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 17:00:00	59,5	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 17:00:00	59,8	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 17:00:00	63,1	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 17:00:00	51,9	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 16:30:00	59,0	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 16:30:00	58,0	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 16:30:00	62,1	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 16:30:00	51,6	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 16:00:00	59,3	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 16:00:00	55,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 16:00:00	59,8	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 16:00:00	50,6	66,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-18 15:30:00	58,4	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 15:30:00	56,1	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 15:30:00	60,9	83,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 15:30:00	49,5	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 15:00:00	60,3	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 15:00:00	60,8	80,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 15:00:00	63,9	81,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 15:00:00	51,9	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 14:30:00	60,0	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 14:30:00	61,3	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 14:30:00	64,0	79,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 14:30:00	53,5	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 14:00:00	62,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 14:00:00	63,1	83,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 14:00:00	66,0	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 14:00:00	54,2	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 13:30:00	61,3	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 13:30:00	62,7	81,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 13:30:00	66,0	83,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 13:30:00	54,6	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 13:15:00	54,3	66,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 13:00:00	61,0	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 13:00:00	61,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 13:00:00	65,4	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 12:30:00	59,6	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 12:30:00	62,0	83,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 12:30:00	65,7	88,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 12:30:00	55,0	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 12:00:00	58,1	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 12:00:00	62,3	85,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 12:00:00	64,0	81,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 12:00:00	52,3	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 11:30:00	57,2	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 11:30:00	59,3	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 11:30:00	62,6	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 11:30:00	51,4	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 11:00:00	58,4	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 11:00:00	60,8	85,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 11:00:00	63,1	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 11:00:00	52,6	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 10:30:00	60,5	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 10:30:00	60,9	81,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 10:30:00	64,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 10:30:00	52,4	69,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-18 10:00:00	60,3	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 10:00:00	59,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 10:00:00	64,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 10:00:00	51,9	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 09:30:00	62,6	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 09:30:00	59,9	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 09:30:00	65,2	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 09:30:00	52,1	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 09:00:00	62,2	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 09:00:00	59,5	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 09:00:00	64,6	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 09:00:00	51,5	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 08:30:00	61,8	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 08:30:00	59,9	82,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 08:30:00	64,2	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 08:30:00	53,1	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 08:00:00	60,2	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 08:00:00	60,5	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 08:00:00	63,6	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 08:00:00	53,8	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 07:30:00	59,3	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 07:30:00	60,5	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 07:30:00	63,9	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 07:30:00	56,0	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 07:00:00	60,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-18 07:00:00	59,5	78,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-18 07:00:00	63,5	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-18 07:00:00	52,1	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-18 06:30:00	60,6	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 06:30:00	58,7	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 06:30:00	63,3	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 06:30:00	51,5	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 06:00:00	62,8	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 06:00:00	60,8	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 06:00:00	64,2	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 06:00:00	54,2	73,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 05:30:00	60,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 05:30:00	58,4	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 05:30:00	61,7	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 05:30:00	50,1	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 05:00:00	57,1	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 05:00:00	54,9	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 05:00:00	58,1	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 05:00:00	45,8	66,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-18 04:30:00	56,4	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 04:30:00	53,3	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 04:30:00	57,6	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 04:30:00	44,7	52,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 04:00:00	54,5	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 04:00:00	51,7	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 04:00:00	55,7	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 04:00:00	43,2	52,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 03:30:00	53,3	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 03:30:00	50,8	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 03:30:00	54,0	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 03:30:00	42,2	53,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 03:00:00	53,4	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 03:00:00	51,6	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 03:00:00	54,0	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 03:00:00	43,6	54,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 02:30:00	52,7	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 02:30:00	50,9	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 02:30:00	54,1	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 02:30:00	43,2	56,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 02:00:00	53,6	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 02:00:00	51,4	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 02:00:00	54,4	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 02:00:00	43,6	59,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 01:30:00	53,3	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 01:30:00	52,3	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 01:30:00	54,6	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 01:30:00	45,0	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 01:00:00	54,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 01:00:00	53,8	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 01:00:00	56,3	64,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 01:00:00	46,8	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 00:30:00	54,1	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 00:30:00	53,9	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 00:30:00	56,3	65,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 00:30:00	47,2	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-18 00:00:00	55,7	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-18 00:00:00	56,0	75,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-18 00:00:00	58,0	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-18 00:00:00	51,2	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 23:30:00	57,0	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 23:30:00	57,3	78,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 23:30:00	59,3	76,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 23:30:00	50,7	70,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-17 23:00:00	57,6	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 23:00:00	57,7	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 23:00:00	60,3	82,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 23:00:00	50,2	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 22:30:00	58,6	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 22:30:00	58,7	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 22:30:00	61,3	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 22:30:00	51,3	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 22:00:00	59,1	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 22:00:00	59,2	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 22:00:00	61,8	66,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 22:00:00	51,6	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 21:30:00	59,5	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 21:30:00	60,0	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 21:30:00	62,1	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 21:30:00	52,2	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 21:00:00	60,4	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 21:00:00	60,7	75,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 21:00:00	62,8	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 21:00:00	53,4	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 20:30:00	60,5	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 20:30:00	61,0	74,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 20:30:00	63,0	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 20:30:00	53,2	70,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 20:00:00	60,8	80,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 20:00:00	61,2	74,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 20:00:00	63,1	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 20:00:00	54,0	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 19:30:00	60,6	71,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-17 19:30:00	60,9	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-17 19:30:00	63,3	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-17 19:30:00	52,7	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-17 19:00:00	62,7	87,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 19:00:00	61,2	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 19:00:00	63,4	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 19:00:00	54,7	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 18:30:00	61,1	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 18:30:00	61,5	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 18:30:00	63,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 18:30:00	53,3	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 18:00:00	60,9	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 18:00:00	61,8	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 18:00:00	63,8	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 18:00:00	56,6	79,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-06-17 17:30:00	61,2	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 17:30:00	61,4	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 17:30:00	64,1	78,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 17:30:00	54,3	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 17:00:00	60,0	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 17:00:00	61,3	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 17:00:00	64,3	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 17:00:00	53,6	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 16:30:00	58,1	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 16:30:00	59,8	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 16:30:00	61,3	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 16:30:00	52,0	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 16:00:00	57,2	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 16:00:00	58,5	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 16:00:00	59,4	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 16:00:00	50,8	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 15:30:00	57,2	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 15:30:00	57,7	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 15:30:00	60,8	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 15:30:00	51,0	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 15:00:00	58,5	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 15:00:00	61,3	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 15:00:00	50,9	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 15:00:00	57,2	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 14:30:00	61,5	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 14:30:00	64,2	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 14:30:00	53,6	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 14:30:00	59,2	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 14:00:00	60,9	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 14:00:00	64,0	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 14:00:00	55,3	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 14:00:00	59,2	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 13:30:00	61,3	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 13:30:00	64,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 13:30:00	56,0	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 13:30:00	60,9	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 13:00:00	61,1	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 13:00:00	64,0	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 13:00:00	54,9	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 13:00:00	60,2	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 12:30:00	61,0	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 12:30:00	63,7	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 12:30:00	54,0	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 12:30:00	59,2	67,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-17 12:00:00	60,3	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 12:00:00	63,4	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 12:00:00	54,9	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 12:00:00	59,2	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 11:30:00	60,1	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 11:30:00	64,1	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 11:30:00	52,3	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 11:30:00	60,0	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 11:00:00	60,8	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 11:00:00	63,7	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 11:00:00	54,9	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 11:00:00	59,4	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 10:30:00	61,1	78,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 10:30:00	64,9	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 10:30:00	53,6	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 10:30:00	60,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 10:00:00	61,7	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 10:00:00	65,3	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 10:00:00	54,2	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 10:00:00	61,1	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 09:30:00	61,8	79,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 09:30:00	65,7	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 09:30:00	55,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 09:30:00	61,4	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 09:00:00	60,8	82,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 09:00:00	64,9	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 09:00:00	53,9	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 09:00:00	61,5	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 08:30:00	60,4	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 08:30:00	64,6	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 08:30:00	54,6	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 08:30:00	60,2	65,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 08:00:00	60,7	80,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 08:00:00	64,7	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 08:00:00	54,9	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 08:00:00	60,7	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 07:30:00	60,5	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 07:30:00	65,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 07:30:00	53,6	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 07:30:00	61,6	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-17 07:00:00	60,7	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-17 07:00:00	65,1	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-17 07:00:00	53,9	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-17 07:00:00	62,9	69,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-17 06:30:00	60,6	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 06:30:00	65,7	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 06:30:00	53,4	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 06:30:00	64,3	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 06:00:00	60,7	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 06:00:00	65,5	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 06:00:00	54,1	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 06:00:00	64,9	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 05:30:00	58,4	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 05:30:00	62,5	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 05:30:00	53,4	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 05:30:00	61,6	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 05:00:00	55,0	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 05:00:00	59,0	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 05:00:00	46,9	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 05:00:00	57,9	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 04:30:00	54,0	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 04:30:00	57,2	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 04:30:00	49,2	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 04:30:00	55,8	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 04:00:00	54,2	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 04:00:00	56,6	71,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 04:00:00	51,2	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 04:00:00	54,1	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 03:30:00	50,9	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 03:30:00	54,4	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 03:30:00	45,9	57,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 03:30:00	52,4	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 03:00:00	50,4	61,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 03:00:00	55,2	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 03:00:00	45,3	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 03:00:00	53,6	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 02:30:00	49,4	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 02:30:00	54,4	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 02:30:00	42,2	62,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 02:30:00	53,3	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 02:00:00	51,1	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 02:00:00	54,6	65,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 02:00:00	46,4	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 02:00:00	53,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 01:30:00	54,0	80,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 01:30:00	56,7	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 01:30:00	47,7	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 01:30:00	55,2	66,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-17 01:00:00	53,6	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 01:00:00	58,1	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 01:00:00	48,0	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 01:00:00	56,7	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 00:30:00	53,3	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 00:30:00	57,6	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 00:30:00	45,9	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 00:30:00	56,2	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-17 00:00:00	54,4	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-17 00:00:00	58,4	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-17 00:00:00	47,0	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-17 00:00:00	57,0	67,7	-6,0	45	