


◆ ST01 ◆ ST02 ◆ ST04 ◆ ST03 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-30 00:00:00	56,9	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-30 00:00:00	50,4	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-30 00:00:00	57,3	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-30 00:00:00	58,8	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 23:30:00	57,6	74,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 23:30:00	50,7	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 23:30:00	57,3	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 23:30:00	59,4	64,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 23:00:00	57,8	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 23:00:00	51,5	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 23:00:00	57,3	66,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 23:00:00	59,7	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 22:30:00	58,3	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 22:30:00	51,6	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 22:30:00	57,7	67,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 22:30:00	60,1	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 22:00:00	58,9	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 22:00:00	51,8	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 22:00:00	57,9	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 22:00:00	60,4	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 21:30:00	58,2	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 21:30:00	50,9	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 21:30:00	58,2	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 21:30:00	60,3	66,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 21:00:00	57,5	80,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 21:00:00	52,0	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 21:00:00	59,1	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 21:00:00	60,6	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 20:30:00	56,2	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 20:30:00	50,2	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 20:30:00	57,4	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 20:30:00	58,9	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 20:00:00	55,3	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 20:00:00	48,8	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 20:00:00	54,6	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 20:00:00	57,8	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 19:30:00	57,9	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-29 19:30:00	50,7	67,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-29 19:30:00	57,7	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-29 19:30:00	59,8	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-29 19:00:00	59,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 19:00:00	53,5	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 19:00:00	59,4	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 19:00:00	61,0	68,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-29 18:30:00	60,8	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 18:30:00	53,9	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 18:30:00	59,8	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 18:30:00	61,9	66,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 18:00:00	60,9	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 18:00:00	53,3	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 18:00:00	59,9	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 18:00:00	62,4	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 17:30:00	61,7	80,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 17:30:00	57,2	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 17:30:00	59,9	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 17:30:00	62,2	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 17:00:00	61,4	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 17:00:00	54,7	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 17:00:00	59,8	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 17:00:00	61,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 16:30:00	61,4	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 16:30:00	54,6	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 16:30:00	59,9	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 16:30:00	62,5	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 16:00:00	61,2	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 16:00:00	55,3	85,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 16:00:00	59,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 16:00:00	62,5	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 15:30:00	61,0	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 15:30:00	54,6	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 15:30:00	60,0	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 15:30:00	62,5	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 15:15:00	53,7	61,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 15:00:00	61,2	68,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 15:00:00	59,9	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 15:00:00	62,4	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 14:45:00	54,8	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 14:30:00	61,4	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 14:30:00	59,7	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 14:30:00	62,5	67,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 14:00:00	61,6	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 14:00:00	62,8	96,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 14:00:00	59,7	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 14:00:00	62,5	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 13:30:00	60,1	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 13:30:00	53,4	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 13:30:00	59,1	67,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 13:30:00	61,6	68,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-29 13:00:00	59,9	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 13:00:00	53,8	66,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 13:00:00	59,6	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 13:00:00	61,8	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 12:30:00	60,7	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 12:30:00	53,5	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 12:30:00	59,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 12:30:00	62,1	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 12:00:00	60,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 12:00:00	54,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 12:00:00	60,0	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 12:00:00	62,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 11:30:00	60,0	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 11:30:00	53,4	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 11:30:00	59,9	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 11:30:00	61,8	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 11:00:00	60,3	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 11:00:00	54,6	68,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 11:00:00	60,5	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 11:00:00	62,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 10:30:00	60,1	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 10:30:00	54,4	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 10:30:00	59,7	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 10:30:00	61,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 10:00:00	60,4	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 10:00:00	55,4	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 10:00:00	59,8	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 10:00:00	62,2	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 09:30:00	59,8	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 09:30:00	54,9	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 09:30:00	59,4	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 09:30:00	61,9	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 09:00:00	58,8	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 09:00:00	54,0	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 09:00:00	58,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 09:00:00	62,9	91,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 08:30:00	58,3	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 08:30:00	53,1	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 08:30:00	60,3	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 08:30:00	58,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 08:00:00	57,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 08:00:00	52,2	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 08:00:00	60,8	80,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 08:00:00	57,2	68,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-29 07:30:00	57,3	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 07:30:00	51,9	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 07:30:00	59,1	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 07:30:00	57,6	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 07:00:00	56,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-29 07:00:00	50,0	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-29 07:00:00	58,1	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-29 07:00:00	56,4	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-29 06:30:00	55,5	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 06:30:00	49,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 06:30:00	57,0	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 06:30:00	55,3	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 06:00:00	54,3	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 06:00:00	49,4	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 06:00:00	55,7	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 06:00:00	54,1	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 05:30:00	54,2	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 05:30:00	49,4	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 05:30:00	55,7	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 05:30:00	54,3	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 05:00:00	53,4	63,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 05:00:00	47,9	57,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 05:00:00	55,2	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 05:00:00	53,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 04:30:00	52,6	63,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 04:30:00	48,7	59,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 04:30:00	54,1	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 04:30:00	52,7	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 04:00:00	53,7	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 04:00:00	49,3	59,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 04:00:00	55,0	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 04:00:00	53,7	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 03:30:00	54,1	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 03:30:00	48,6	59,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 03:30:00	55,4	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 03:30:00	54,2	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 03:00:00	53,8	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 03:00:00	46,3	55,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 03:00:00	54,4	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 03:00:00	52,9	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 02:30:00	53,0	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 02:30:00	46,5	57,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 02:30:00	55,0	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 02:30:00	53,4	69,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-29 02:00:00	53,1	60,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 02:00:00	46,2	57,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 02:00:00	55,4	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 02:00:00	53,5	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 01:30:00	53,8	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 01:30:00	47,5	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 01:30:00	55,7	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 01:30:00	54,4	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 01:00:00	55,3	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 01:00:00	48,2	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 01:00:00	56,5	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 01:00:00	54,7	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 00:30:00	56,0	72,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 00:30:00	49,7	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 00:30:00	57,0	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 00:30:00	55,0	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-29 00:00:00	56,4	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-29 00:00:00	51,2	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-29 00:00:00	58,0	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-29 00:00:00	55,7	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 23:30:00	57,2	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 23:30:00	50,5	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 23:30:00	58,7	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 23:30:00	56,0	65,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 23:00:00	58,2	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 23:00:00	52,0	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 23:00:00	59,6	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 23:00:00	57,0	66,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 22:30:00	60,0	81,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 22:30:00	54,9	80,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 22:30:00	60,2	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 22:30:00	57,6	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 22:00:00	58,9	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 22:00:00	53,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 22:00:00	60,7	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 22:00:00	58,1	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 21:30:00	58,4	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 21:30:00	52,9	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 21:30:00	60,9	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 21:30:00	58,9	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 21:00:00	58,3	75,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 21:00:00	52,7	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 21:00:00	60,7	66,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 21:00:00	58,7	69,6	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-28 20:30:00	60,2	75,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 20:30:00	55,0	78,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 20:30:00	62,0	74,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 20:30:00	59,2	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 20:00:00	60,9	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 20:00:00	54,2	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 20:00:00	62,3	79,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 20:00:00	59,6	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 19:30:00	61,8	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 19:30:00	54,7	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-28 19:30:00	62,7	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-28 19:30:00	60,1	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-28 19:15:00	54,6	61,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-28 19:00:00	62,8	81,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 19:00:00	64,9	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 19:00:00	59,6	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 18:30:00	61,0	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 18:30:00	54,5	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 18:30:00	64,4	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 18:30:00	57,9	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 18:00:00	58,8	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 18:00:00	52,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 18:00:00	64,0	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 18:00:00	57,3	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 17:30:00	60,1	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 17:30:00	55,1	77,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 17:30:00	64,9	89,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 17:30:00	58,8	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 17:00:00	59,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 17:00:00	67,5	98,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 17:00:00	63,6	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 17:00:00	58,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 16:30:00	59,0	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 16:30:00	53,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 16:30:00	65,4	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 16:30:00	57,2	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 16:00:00	58,9	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 16:00:00	52,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 16:00:00	65,2	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 16:00:00	56,4	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 15:30:00	59,3	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 15:30:00	53,7	77,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 15:30:00	61,8	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 15:30:00	56,7	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-28 15:00:00	58,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 15:00:00	51,3	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 15:00:00	58,1	65,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 15:00:00	57,0	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 14:30:00	58,0	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 14:30:00	51,7	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 14:30:00	65,7	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 14:30:00	56,5	67,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 14:00:00	56,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 14:00:00	51,2	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 14:00:00	65,5	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 14:00:00	55,9	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 13:30:00	59,2	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 13:30:00	54,9	88,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 13:30:00	65,3	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 13:30:00	56,9	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 13:00:00	60,5	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 13:00:00	53,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 13:00:00	65,6	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 13:00:00	58,0	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 12:30:00	61,4	79,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 12:30:00	53,3	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 12:30:00	65,4	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 12:30:00	58,5	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 12:00:00	61,9	79,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 12:00:00	54,9	78,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 12:00:00	66,3	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 12:00:00	59,3	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 11:30:00	61,8	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 11:30:00	53,5	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 11:30:00	64,7	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 11:30:00	60,1	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 11:00:00	61,9	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 11:00:00	55,9	88,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 11:00:00	64,6	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 11:00:00	60,6	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 10:30:00	62,5	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 10:30:00	57,2	86,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 10:30:00	65,7	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 10:30:00	61,5	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 10:00:00	62,2	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 10:00:00	55,2	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 10:00:00	65,9	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 10:00:00	61,5	67,9	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-28 09:30:00	62,1	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 09:30:00	54,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 09:30:00	65,4	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 09:30:00	62,4	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 09:00:00	61,1	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 09:00:00	52,9	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 09:00:00	65,0	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 09:00:00	61,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 08:30:00	60,8	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 08:30:00	55,3	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 08:30:00	65,1	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 08:30:00	60,5	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 08:00:00	61,8	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 08:00:00	54,8	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 08:00:00	66,6	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 08:00:00	63,0	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 07:30:00	61,7	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 07:30:00	53,4	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 07:30:00	65,9	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 07:30:00	63,5	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 07:00:00	60,3	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-28 07:00:00	52,5	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-28 07:00:00	64,8	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-28 07:00:00	63,8	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-28 06:30:00	60,0	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 06:30:00	51,5	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 06:30:00	64,6	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 06:30:00	63,8	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 06:00:00	58,1	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 06:00:00	50,2	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 06:00:00	62,6	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 06:00:00	62,2	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 05:30:00	58,0	77,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 05:30:00	49,9	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 05:30:00	61,0	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 05:30:00	59,8	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 05:00:00	55,3	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 05:00:00	48,7	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 05:00:00	59,7	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 05:00:00	58,9	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 04:30:00	55,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 04:30:00	54,2	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 04:30:00	58,6	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 04:30:00	57,4	68,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-28 04:00:00	55,0	76,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 04:00:00	50,8	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 04:00:00	56,1	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 04:00:00	55,0	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 03:30:00	51,6	60,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 03:30:00	44,2	54,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 03:30:00	55,8	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 03:30:00	54,6	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 03:00:00	52,0	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 03:00:00	46,1	60,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 03:00:00	55,9	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 03:00:00	55,0	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 02:30:00	52,9	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 02:30:00	48,9	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 02:30:00	56,8	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 02:30:00	56,1	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 02:00:00	51,5	60,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 02:00:00	46,2	52,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 02:00:00	55,7	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 02:00:00	54,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 01:30:00	54,1	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 01:30:00	52,5	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 01:30:00	56,9	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 01:30:00	55,7	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 01:00:00	55,8	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 01:00:00	54,9	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 01:00:00	57,2	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 01:00:00	55,4	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 00:30:00	55,8	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 00:30:00	51,8	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 00:30:00	56,9	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 00:30:00	55,3	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-28 00:00:00	56,4	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-28 00:00:00	49,9	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-28 00:00:00	57,8	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-28 00:00:00	56,2	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 23:30:00	63,4	84,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 23:30:00	61,8	82,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 23:30:00	59,5	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 23:30:00	56,9	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 23:00:00	55,6	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 23:00:00	48,7	74,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 23:00:00	58,4	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 23:00:00	56,8	70,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-27 22:30:00	55,3	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 22:30:00	50,3	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 22:30:00	58,1	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 22:30:00	58,2	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 22:00:00	55,1	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 22:00:00	48,4	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 22:00:00	57,9	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 22:00:00	55,8	74,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 21:30:00	57,4	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 21:30:00	49,5	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 21:30:00	61,0	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 21:30:00	59,5	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 21:00:00	63,5	83,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 21:00:00	59,6	81,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 21:00:00	62,3	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 21:00:00	60,4	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 20:30:00	58,9	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 20:30:00	51,7	81,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 20:30:00	61,9	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 20:30:00	60,6	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 20:00:00	59,3	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 20:00:00	50,8	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 20:00:00	61,7	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 20:00:00	61,1	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 19:30:00	59,2	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-27 19:30:00	64,5	96,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-27 19:30:00	62,3	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-27 19:30:00	60,7	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-27 19:00:00	60,1	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 19:00:00	56,2	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 19:00:00	62,1	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 19:00:00	59,6	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 18:30:00	59,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 18:30:00	50,9	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 18:30:00	61,7	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 18:30:00	59,0	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 18:00:00	59,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 18:00:00	62,4	93,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 18:00:00	61,6	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 18:00:00	59,1	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 17:30:00	59,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 17:30:00	52,2	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 17:30:00	61,0	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 17:30:00	60,1	78,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-27 17:00:00	57,8	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 17:00:00	50,0	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 17:00:00	58,8	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 17:00:00	59,3	83,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 16:30:00	56,6	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 16:30:00	48,8	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 16:30:00	58,0	64,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 16:30:00	57,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 16:00:00	56,4	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 16:00:00	48,6	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 16:00:00	58,2	66,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 16:00:00	56,9	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 15:30:00	56,6	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 15:30:00	47,7	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 15:30:00	61,0	94,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 15:30:00	58,6	85,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 15:00:00	57,1	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 15:00:00	47,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 15:00:00	58,0	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 15:00:00	58,1	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 14:30:00	60,5	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 14:30:00	61,0	85,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 14:30:00	61,3	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 14:30:00	58,7	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 14:00:00	58,9	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 14:00:00	49,2	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 14:00:00	61,8	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 14:00:00	58,8	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 13:30:00	58,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 13:30:00	49,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 13:30:00	61,5	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 13:30:00	59,4	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 13:00:00	58,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 13:00:00	49,2	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 13:00:00	60,8	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 13:00:00	58,4	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 12:30:00	58,0	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 12:30:00	48,4	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 12:30:00	60,3	67,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 12:30:00	58,0	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 12:00:00	59,4	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 12:00:00	49,9	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 12:00:00	61,7	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 12:00:00	59,3	72,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-27 11:30:00	58,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 11:30:00	49,4	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 11:30:00	61,2	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 11:30:00	59,1	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 11:00:00	61,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 11:00:00	49,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 11:00:00	62,2	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 11:00:00	59,3	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 10:30:00	59,6	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 10:30:00	50,3	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 10:30:00	63,0	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 10:30:00	61,1	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 10:00:00	59,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 10:00:00	51,3	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 10:00:00	62,8	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 10:00:00	61,8	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 09:30:00	59,2	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 09:30:00	50,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 09:30:00	62,3	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 09:30:00	60,2	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 09:00:00	57,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 09:00:00	49,7	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 09:00:00	62,7	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 09:00:00	59,5	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 08:30:00	58,0	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 08:30:00	49,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 08:30:00	61,7	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 08:30:00	59,0	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 08:00:00	57,8	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 08:00:00	49,8	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 08:00:00	62,4	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 08:00:00	60,3	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 07:30:00	57,5	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 07:30:00	49,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 07:30:00	62,4	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 07:30:00	59,8	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 07:00:00	57,6	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-27 07:00:00	49,6	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-27 07:00:00	62,7	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-27 07:00:00	61,1	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-27 06:30:00	58,3	76,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 06:30:00	50,0	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 06:30:00	62,9	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 06:30:00	62,1	70,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-27 06:00:00	59,1	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 06:00:00	50,8	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 06:00:00	62,8	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 06:00:00	63,0	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 05:30:00	56,9	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 05:30:00	48,2	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 05:30:00	59,8	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 05:30:00	59,4	72,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 05:00:00	60,1	85,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 05:00:00	57,4	82,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 05:00:00	57,9	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 05:00:00	57,3	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 04:30:00	55,0	77,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 04:30:00	48,5	76,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 04:30:00	57,0	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 04:30:00	56,3	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 04:00:00	53,6	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 04:00:00	44,0	52,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 04:00:00	56,1	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 04:00:00	55,9	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 03:30:00	59,7	82,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 03:30:00	61,0	85,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 03:30:00	56,5	74,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 03:30:00	55,4	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 03:00:00	50,8	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 03:00:00	41,8	48,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 03:00:00	53,3	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 03:00:00	53,4	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 02:30:00	51,8	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 02:30:00	42,8	52,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 02:30:00	54,9	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 02:30:00	54,1	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 02:00:00	51,8	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 02:00:00	44,2	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 02:00:00	54,5	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 02:00:00	54,0	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 01:30:00	52,8	74,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 01:30:00	45,0	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 01:30:00	56,0	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 01:30:00	55,3	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 01:00:00	57,9	78,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 01:00:00	55,1	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 01:00:00	57,3	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 01:00:00	56,5	68,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-27 00:30:00	54,8	75,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 00:30:00	46,4	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 00:30:00	57,6	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 00:30:00	56,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-27 00:00:00	60,3	80,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-27 00:00:00	56,6	79,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-27 00:00:00	59,1	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-27 00:00:00	57,9	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 23:30:00	57,3	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 23:30:00	49,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 23:30:00	59,5	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 23:30:00	58,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 23:00:00	57,4	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 23:00:00	49,3	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 23:00:00	59,8	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 23:00:00	58,6	73,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 22:30:00	57,7	78,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 22:30:00	49,1	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 22:30:00	60,1	66,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 22:30:00	58,3	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 22:00:00	58,2	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 22:00:00	49,8	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 22:00:00	60,8	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 22:00:00	58,7	73,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 21:30:00	58,9	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 21:30:00	50,9	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 21:30:00	61,0	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 21:30:00	59,5	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 21:00:00	59,8	74,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 21:00:00	51,5	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 21:00:00	62,0	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 21:00:00	60,3	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 20:30:00	60,0	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 20:30:00	51,9	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 20:30:00	62,2	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 20:30:00	60,6	79,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 20:00:00	59,6	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 20:00:00	54,8	88,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 20:00:00	61,8	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 20:00:00	60,1	74,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-26 19:30:00	60,3	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-06-26 19:30:00	51,7	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-06-26 19:30:00	62,3	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-26 19:30:00	60,6	81,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-26 19:00:00	60,4	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 19:00:00	51,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 19:00:00	62,6	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 19:00:00	60,5	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 18:30:00	60,9	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 18:30:00	52,6	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 18:30:00	62,8	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 18:30:00	63,0	88,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 18:00:00	60,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 18:00:00	52,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 18:00:00	62,8	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 18:00:00	60,0	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 17:30:00	60,5	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 17:30:00	52,8	81,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 17:30:00	62,4	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 17:30:00	58,9	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 17:00:00	59,2	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 17:00:00	50,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 17:00:00	60,5	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 17:00:00	58,4	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 16:30:00	54,9	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 16:30:00	48,5	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 16:30:00	55,6	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 16:30:00	55,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 16:00:00	54,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 16:00:00	47,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 16:00:00	55,7	66,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 16:00:00	55,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 15:30:00	55,4	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 15:30:00	47,7	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 15:30:00	58,3	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 15:30:00	55,9	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 15:00:00	57,5	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 15:00:00	48,7	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 15:00:00	58,9	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 15:00:00	57,5	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 14:30:00	60,0	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 14:30:00	51,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 14:30:00	61,6	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 14:30:00	59,0	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 14:00:00	58,7	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 14:00:00	49,9	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 14:00:00	61,4	66,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 14:00:00	58,6	70,4	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-26 13:30:00	58,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 13:30:00	48,8	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 13:30:00	61,2	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 13:30:00	58,8	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 13:00:00	57,7	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 13:00:00	48,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 13:00:00	61,6	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 13:00:00	59,7	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 12:30:00	58,7	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 12:30:00	49,0	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 12:30:00	61,2	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 12:30:00	59,2	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 12:00:00	58,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 12:00:00	50,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 12:00:00	62,0	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 12:00:00	60,0	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 11:30:00	58,7	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 11:30:00	49,2	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 11:30:00	62,9	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 11:30:00	61,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 11:00:00	60,6	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 11:00:00	51,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 11:00:00	63,8	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 11:00:00	62,1	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 10:30:00	60,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 10:30:00	51,6	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 10:30:00	70,1	93,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 10:30:00	62,2	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 10:00:00	60,2	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 10:00:00	53,3	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 10:00:00	72,1	90,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 10:00:00	61,0	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 09:30:00	58,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 09:30:00	50,7	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 09:30:00	71,1	91,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 09:30:00	60,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 09:00:00	58,4	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 09:00:00	50,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 09:00:00	70,3	89,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 09:00:00	60,6	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 08:30:00	58,5	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 08:30:00	51,1	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 08:30:00	68,6	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 08:30:00	60,8	72,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-26 08:00:00	58,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 08:00:00	51,2	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 08:00:00	68,9	91,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 08:00:00	60,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 07:30:00	60,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 07:30:00	51,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 07:30:00	64,0	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 07:30:00	62,7	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 07:00:00	60,3	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-26 07:00:00	51,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-26 07:00:00	63,5	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-26 07:00:00	61,8	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-26 06:30:00	59,9	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 06:30:00	50,0	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 06:30:00	62,5	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 06:30:00	61,0	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 06:00:00	59,6	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 06:00:00	50,3	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 06:00:00	62,2	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 06:00:00	61,6	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 05:30:00	60,2	81,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 05:30:00	58,1	83,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 05:30:00	59,6	71,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 05:30:00	58,7	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 05:00:00	54,8	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 05:00:00	47,0	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 05:00:00	56,6	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 05:00:00	55,6	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 04:30:00	52,7	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 04:30:00	43,8	51,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 04:30:00	55,0	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 04:30:00	54,1	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 04:00:00	53,2	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 04:00:00	43,9	56,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 04:00:00	54,7	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 04:00:00	54,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 03:30:00	52,1	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 03:30:00	43,1	55,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 03:30:00	53,5	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 03:30:00	52,8	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 03:00:00	51,7	65,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 03:00:00	42,7	50,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 03:00:00	53,1	63,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 03:00:00	52,5	67,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-06-26 02:30:00	52,1	63,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 02:30:00	43,0	51,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 02:30:00	53,3	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 02:30:00	52,6	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 02:00:00	51,0	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 02:00:00	42,4	49,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 02:00:00	53,2	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 02:00:00	51,7	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 01:30:00	53,2	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 01:30:00	45,7	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 01:30:00	54,8	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 01:30:00	53,1	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 01:00:00	55,5	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 01:00:00	61,4	84,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 01:00:00	61,8	85,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 01:00:00	54,0	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 00:30:00	55,6	64,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 00:30:00	54,3	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 00:30:00	47,0	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 00:30:00	54,4	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-26 00:00:00	56,5	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-26 00:00:00	55,0	74,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-26 00:00:00	47,3	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-26 00:00:00	55,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 23:30:00	58,5	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 23:30:00	56,6	73,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 23:30:00	48,6	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 23:30:00	57,0	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 23:00:00	59,0	66,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 23:00:00	57,2	75,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 23:00:00	49,0	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 23:00:00	57,7	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 22:30:00	60,0	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 22:30:00	58,1	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 22:30:00	49,6	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 22:30:00	58,8	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 22:00:00	60,8	69,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 22:00:00	58,6	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 22:00:00	50,4	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 22:00:00	59,0	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 21:30:00	61,4	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 21:30:00	59,1	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 21:30:00	60,9	94,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 21:30:00	59,9	75,5	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-25 21:00:00	62,1	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 21:00:00	64,0	83,6	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 21:00:00	59,6	80,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 21:00:00	60,1	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 20:30:00	62,0	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 20:30:00	60,3	77,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 20:30:00	52,1	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 20:30:00	60,0	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 20:00:00	62,0	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 20:00:00	60,3	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 20:00:00	58,0	92,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 20:00:00	60,0	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 19:30:00	62,5	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-06-25 19:30:00	60,5	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-25 19:30:00	57,2	92,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-25 19:30:00	60,2	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-25 19:00:00	63,0	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 19:00:00	60,9	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 19:00:00	60,1	90,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 19:00:00	60,7	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 18:30:00	62,8	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 18:30:00	61,1	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 18:30:00	53,2	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 18:30:00	60,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 18:00:00	63,0	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 18:00:00	61,3	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 18:00:00	53,9	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 18:00:00	60,6	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 17:30:00	63,0	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 17:30:00	61,4	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 17:30:00	54,0	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 17:30:00	60,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 17:00:00	62,0	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 17:00:00	60,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 17:00:00	65,8	93,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 17:00:00	58,6	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 16:30:00	59,5	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 16:30:00	58,8	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 16:30:00	52,0	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 16:30:00	57,6	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 16:00:00	59,5	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 16:00:00	58,5	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 16:00:00	51,8	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 16:00:00	57,5	68,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-25 15:30:00	67,7	89,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 15:30:00	57,8	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 15:30:00	50,2	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 15:30:00	57,4	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 15:00:00	62,9	88,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 15:00:00	58,7	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 15:00:00	53,0	82,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 15:00:00	58,2	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 14:30:00	67,5	87,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 14:30:00	60,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 14:30:00	53,4	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 14:30:00	58,8	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 14:00:00	66,4	87,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 14:00:00	61,2	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 14:00:00	53,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 14:00:00	60,4	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 13:30:00	65,7	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 13:30:00	60,4	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 13:30:00	52,8	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 13:30:00	60,4	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 13:00:00	66,2	93,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 13:00:00	59,8	80,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 13:00:00	54,2	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 13:00:00	59,0	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 12:30:00	72,2	91,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 12:30:00	59,5	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 12:30:00	52,2	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 12:30:00	58,7	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 12:00:00	65,8	94,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 12:00:00	59,7	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 12:00:00	55,8	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 12:00:00	59,7	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 11:30:00	61,6	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 11:30:00	59,1	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 11:30:00	67,0	101,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 11:30:00	57,9	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 11:00:00	62,3	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 11:00:00	59,8	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 11:00:00	64,8	92,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 11:00:00	59,3	79,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 10:30:00	62,8	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 10:30:00	59,5	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 10:30:00	51,4	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 10:30:00	58,3	69,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-25 10:00:00	65,7	84,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 10:00:00	61,3	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 10:00:00	53,7	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 10:00:00	60,3	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 09:30:00	64,6	86,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 09:30:00	60,7	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 09:30:00	52,0	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 09:30:00	59,5	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 09:00:00	64,1	87,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 09:00:00	59,9	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 09:00:00	51,5	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 09:00:00	59,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 08:30:00	63,8	89,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 08:30:00	59,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 08:30:00	51,8	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 08:30:00	58,4	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 08:00:00	65,3	83,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 08:00:00	59,1	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 08:00:00	51,7	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 08:00:00	58,2	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 07:30:00	63,1	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 07:30:00	59,7	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 07:30:00	52,0	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 07:30:00	60,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 07:00:00	62,4	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-25 07:00:00	59,5	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-25 07:00:00	50,6	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-25 07:00:00	59,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-25 06:30:00	63,5	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 06:30:00	60,5	75,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 06:30:00	51,7	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 06:30:00	61,0	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 06:00:00	63,3	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 06:00:00	61,8	83,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 06:00:00	58,9	84,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 06:00:00	62,1	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 05:30:00	60,6	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 05:30:00	58,2	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 05:30:00	49,8	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 05:30:00	59,4	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 05:00:00	57,5	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 05:00:00	55,4	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 05:00:00	47,0	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 05:00:00	56,1	68,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-06-25 04:30:00	56,0	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 04:30:00	53,5	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 04:30:00	44,9	52,4	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 04:30:00	53,9	67,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 04:00:00	55,5	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 04:00:00	53,6	63,0	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 04:00:00	44,7	51,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 04:00:00	54,5	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 03:30:00	54,4	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 03:30:00	52,7	65,3	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 03:30:00	44,6	51,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 03:30:00	53,7	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 03:00:00	53,6	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 03:00:00	51,5	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 03:00:00	43,3	54,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 03:00:00	53,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 02:30:00	53,1	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 02:30:00	52,7	74,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 02:30:00	47,5	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 02:30:00	52,5	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 02:00:00	53,9	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 02:00:00	53,6	76,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 02:00:00	48,6	75,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 02:00:00	53,1	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 01:30:00	55,8	72,4	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 01:30:00	53,0	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 01:30:00	45,1	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 01:30:00	55,6	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 01:00:00	56,0	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 01:00:00	54,1	72,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 01:00:00	46,8	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 01:00:00	54,5	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 00:30:00	47,7	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 00:30:00	57,9	74,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 00:30:00	54,9	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 00:30:00	55,8	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-25 00:00:00	48,0	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-25 00:00:00	58,4	78,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-25 00:00:00	56,1	76,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-25 00:00:00	55,5	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 23:30:00	48,2	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 23:30:00	58,8	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 23:30:00	56,2	73,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 23:30:00	56,7	70,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-24 23:00:00	48,7	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 23:00:00	59,7	66,4	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 23:00:00	57,5	77,0	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 23:00:00	57,8	66,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 22:30:00	49,7	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 22:30:00	61,2	73,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 22:30:00	57,6	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 22:30:00	59,4	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 22:00:00	50,5	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 22:00:00	61,5	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 22:00:00	58,4	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 22:00:00	59,3	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 21:30:00	59,4	83,6	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 21:30:00	61,9	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 21:30:00	62,0	83,6	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 21:30:00	60,2	81,2	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 21:00:00	51,2	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 21:00:00	62,3	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 21:00:00	60,0	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 21:00:00	60,5	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 20:30:00	52,0	73,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 20:30:00	62,3	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 20:30:00	60,1	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 20:30:00	60,2	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 20:00:00	52,6	76,1	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 20:00:00	62,5	78,2	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 20:00:00	60,4	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 20:00:00	60,5	75,8	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 19:30:00	52,8	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-06-24 19:30:00	64,2	80,8	-6,0	55	
ST01	Høvikveien 2C	2024-06-24 19:30:00	60,6	74,3	-6,0	55	
ST04	Sandviksveien 70	2024-06-24 19:30:00	60,4	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-06-24 19:00:00	52,9	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 19:00:00	64,5	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 19:00:00	60,7	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 19:00:00	60,8	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 18:30:00	53,3	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 18:30:00	64,9	84,7	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 18:30:00	61,0	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 18:30:00	60,8	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 18:00:00	62,4	95,4	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 18:00:00	66,0	88,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 18:00:00	60,7	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 18:00:00	60,6	72,1	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-24 17:30:00	52,9	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 17:30:00	65,8	83,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 17:30:00	61,0	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 17:30:00	61,1	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 17:00:00	53,4	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 17:00:00	64,5	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 17:00:00	60,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 17:00:00	61,0	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 16:30:00	52,6	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 16:30:00	63,8	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 16:30:00	59,7	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 16:30:00	59,8	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 16:00:00	51,9	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 16:00:00	61,4	82,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 16:00:00	57,8	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 16:00:00	58,2	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 15:30:00	48,5	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 15:30:00	60,7	86,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 15:30:00	57,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 15:30:00	58,0	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 15:00:00	50,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 15:00:00	61,8	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 15:00:00	57,6	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 15:00:00	59,2	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 14:30:00	50,5	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 14:30:00	63,1	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 14:30:00	58,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 14:30:00	58,9	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 14:00:00	51,4	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 14:00:00	62,8	80,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 14:00:00	59,5	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 14:00:00	58,7	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 13:30:00	50,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 13:30:00	62,8	85,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 13:30:00	58,6	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 13:30:00	59,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 13:00:00	50,4	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 13:00:00	62,4	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 13:00:00	58,7	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 13:00:00	58,8	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 12:30:00	52,9	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 12:30:00	62,9	86,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 12:30:00	59,8	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 12:30:00	58,3	74,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-24 12:00:00	50,3	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 12:00:00	62,2	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 12:00:00	58,0	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 12:00:00	58,3	65,7	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 11:30:00	51,6	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 11:30:00	63,3	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 11:30:00	60,5	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 11:30:00	60,7	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 11:00:00	52,1	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 11:00:00	63,4	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 11:00:00	60,0	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 11:00:00	60,3	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 10:30:00	51,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 10:30:00	62,6	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 10:30:00	59,7	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 10:30:00	59,2	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 10:00:00	53,9	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 10:00:00	64,3	94,1	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 10:00:00	58,5	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 10:00:00	57,5	65,8	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 09:30:00	51,6	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 09:30:00	64,0	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 09:30:00	58,8	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 09:30:00	59,5	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 09:00:00	53,5	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 09:00:00	63,5	88,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 09:00:00	59,6	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 09:00:00	59,2	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 08:30:00	49,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 08:30:00	65,6	90,3	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 08:30:00	57,8	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 08:30:00	59,8	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 08:00:00	49,7	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 08:00:00	63,2	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 08:00:00	58,3	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 08:00:00	61,0	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 07:30:00	49,4	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 07:30:00	64,5	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 07:30:00	59,5	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 07:30:00	62,0	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-06-24 07:00:00	48,7	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-06-24 07:00:00	63,9	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-06-24 07:00:00	59,1	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-06-24 07:00:00	61,8	71,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-24 06:30:00	49,0	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 06:30:00	63,6	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 06:30:00	59,0	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 06:30:00	62,5	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 06:00:00	50,1	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 06:00:00	63,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 06:00:00	59,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 06:00:00	63,8	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 05:30:00	47,9	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 05:30:00	61,3	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 05:30:00	58,0	77,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 05:30:00	62,2	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 05:00:00	47,2	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 05:00:00	58,2	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 05:00:00	55,9	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 05:00:00	58,2	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 04:30:00	45,5	55,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 04:30:00	56,6	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 04:30:00	53,9	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 04:30:00	56,3	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 04:00:00	45,6	65,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 04:00:00	54,1	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 04:00:00	52,9	61,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 04:00:00	53,8	66,1	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 03:30:00	43,7	54,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 03:30:00	54,1	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 03:30:00	51,8	63,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 03:30:00	54,2	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 03:00:00	43,9	55,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 03:00:00	52,9	63,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 03:00:00	51,3	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 03:00:00	52,6	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 02:30:00	44,1	54,0	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 02:30:00	55,0	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 02:30:00	52,0	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 02:30:00	54,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 02:00:00	46,3	75,1	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 02:00:00	54,9	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 02:00:00	53,1	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 02:00:00	53,8	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 01:30:00	45,2	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 01:30:00	54,9	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 01:30:00	52,3	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 01:30:00	54,2	69,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-06-24 01:00:00	45,2	65,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 01:00:00	56,0	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 01:00:00	53,6	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 01:00:00	55,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 00:30:00	46,0	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 00:30:00	56,2	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 00:30:00	53,5	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 00:30:00	55,4	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-06-24 00:00:00	47,7	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-06-24 00:00:00	58,5	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-06-24 00:00:00	55,3	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-06-24 00:00:00	58,2	72,6	-6,0	45	