



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-07 00:00:00	54,9	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-07 00:00:00	49,2	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-07 00:00:00	58,4	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-07 00:00:00	59,4	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 23:30:00	55,6	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 23:30:00	47,9	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 23:30:00	59,1	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 23:30:00	59,8	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 23:00:00	54,7	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 23:00:00	50,0	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 23:00:00	58,2	66,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 23:00:00	59,3	65,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 22:30:00	55,3	70,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 22:30:00	47,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 22:30:00	59,3	65,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 22:30:00	59,6	65,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 22:00:00	55,7	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 22:00:00	47,2	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 22:00:00	59,8	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 22:00:00	60,3	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 21:30:00	56,1	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 21:30:00	47,7	71,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 21:30:00	60,2	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 21:30:00	60,6	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 21:00:00	56,7	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 21:00:00	47,8	67,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 21:00:00	61,0	67,3	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 21:00:00	61,6	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 20:30:00	57,2	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 20:30:00	49,0	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 20:30:00	60,6	66,3	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 20:30:00	61,4	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 20:00:00	58,7	81,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 20:00:00	49,5	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 20:00:00	59,8	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 20:00:00	61,0	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 19:30:00	58,9	80,6	-6,0	55	
ST02	Kirkeveien 4	2024-07-06 19:30:00	50,2	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-06 19:30:00	59,3	66,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-06 19:30:00	61,0	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-06 19:00:00	59,4	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 19:00:00	51,6	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 19:00:00	60,9	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 19:00:00	62,3	77,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-06 18:30:00	59,4	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 18:30:00	51,0	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 18:30:00	60,3	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 18:30:00	62,1	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 18:00:00	60,3	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 18:00:00	52,0	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 18:00:00	60,4	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 18:00:00	62,6	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 17:30:00	61,9	83,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 17:30:00	52,4	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 17:30:00	60,2	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 17:30:00	62,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 17:00:00	60,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 17:00:00	52,0	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 17:00:00	60,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 17:00:00	62,5	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 16:30:00	60,6	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 16:30:00	52,3	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 16:30:00	60,4	65,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 16:30:00	62,8	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 16:00:00	60,9	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 16:00:00	52,2	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 16:00:00	60,1	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 16:00:00	63,8	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 15:30:00	61,2	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 15:30:00	53,2	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 15:30:00	60,3	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 15:30:00	65,2	78,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 15:00:00	61,4	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 15:00:00	60,2	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 15:00:00	53,2	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 15:00:00	66,4	84,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 14:30:00	61,5	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 14:30:00	60,6	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 14:30:00	62,0	97,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 14:30:00	68,2	86,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 14:00:00	61,5	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 14:00:00	60,7	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 14:00:00	53,5	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 14:00:00	66,2	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 13:30:00	61,5	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 13:30:00	60,5	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 13:30:00	53,5	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 13:30:00	65,7	79,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-06 13:00:00	61,0	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 13:00:00	59,9	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 13:00:00	53,7	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 13:00:00	65,0	83,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 12:30:00	61,5	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 12:30:00	60,3	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 12:30:00	53,0	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 12:30:00	63,4	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 12:00:00	61,0	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 12:00:00	60,2	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 12:00:00	52,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 12:00:00	63,5	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 11:30:00	60,6	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 11:30:00	60,2	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 11:30:00	52,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 11:30:00	63,0	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 11:00:00	60,1	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 11:00:00	60,0	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 11:00:00	51,5	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 11:00:00	62,8	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 10:30:00	59,4	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 10:30:00	59,5	64,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 10:30:00	50,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 10:30:00	62,4	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 10:00:00	58,6	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 10:00:00	59,4	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 10:00:00	49,6	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 10:00:00	61,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 09:30:00	58,5	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 09:30:00	59,2	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 09:30:00	49,4	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 09:30:00	61,1	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 09:00:00	57,0	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 09:00:00	58,9	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 09:00:00	48,4	66,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 09:00:00	61,1	78,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 08:30:00	57,5	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 08:30:00	58,9	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 08:30:00	48,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 08:30:00	60,5	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 08:00:00	56,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 08:00:00	57,5	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 08:00:00	48,1	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 08:00:00	59,1	76,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-06 07:30:00	56,2	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 07:30:00	57,8	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 07:30:00	48,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 07:30:00	59,5	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 07:00:00	55,1	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-06 07:00:00	57,2	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-06 07:00:00	47,8	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-06 07:00:00	58,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-06 06:30:00	55,2	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 06:30:00	57,4	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 06:30:00	47,6	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 06:30:00	58,6	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 06:00:00	54,1	77,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 06:00:00	54,2	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 06:00:00	46,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 06:00:00	55,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 05:30:00	53,3	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 05:30:00	55,2	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 05:30:00	45,4	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 05:30:00	56,4	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 05:00:00	52,7	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 05:00:00	54,5	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 05:00:00	45,1	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 05:00:00	55,8	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 04:30:00	52,6	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 04:30:00	54,0	66,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 04:30:00	45,2	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 04:30:00	54,8	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 04:00:00	52,4	61,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 04:00:00	54,7	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 04:00:00	43,3	50,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 04:00:00	55,2	63,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 03:30:00	52,8	62,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 03:30:00	54,8	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 03:30:00	43,7	51,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 03:30:00	55,3	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 03:00:00	52,3	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 03:00:00	54,2	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 03:00:00	44,5	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 03:00:00	54,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 02:30:00	52,5	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 02:30:00	54,4	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 02:30:00	44,9	58,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 02:30:00	55,2	65,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-06 02:00:00	52,3	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 02:00:00	54,1	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 02:00:00	43,0	50,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 02:00:00	55,2	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 01:30:00	52,9	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 01:30:00	54,9	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 01:30:00	45,1	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 01:30:00	56,1	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 01:00:00	54,0	74,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 01:00:00	55,5	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 01:00:00	46,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 01:00:00	56,7	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 00:30:00	56,2	78,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 00:30:00	57,5	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 00:30:00	47,4	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 00:30:00	58,5	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-06 00:00:00	56,2	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-06 00:00:00	57,5	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-06 00:00:00	48,2	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-06 00:00:00	58,4	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 23:30:00	56,5	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 23:30:00	57,3	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 23:30:00	49,4	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 23:30:00	58,2	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 23:00:00	56,3	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 23:00:00	56,8	67,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 23:00:00	48,7	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 23:00:00	58,3	65,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 22:30:00	57,0	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 22:30:00	57,0	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 22:30:00	49,6	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 22:30:00	59,1	73,6	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 22:00:00	58,1	77,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 22:00:00	58,0	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 22:00:00	50,4	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 22:00:00	59,9	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 21:30:00	59,0	77,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 21:30:00	58,7	69,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 21:30:00	51,0	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 21:30:00	60,8	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 21:00:00	59,4	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 21:00:00	59,1	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 21:00:00	51,5	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 21:00:00	61,3	68,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-05 20:30:00	59,7	73,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 20:30:00	58,8	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 20:30:00	51,4	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 20:30:00	61,6	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 20:00:00	60,0	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 20:00:00	59,0	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 20:00:00	53,2	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 20:00:00	61,5	79,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 19:30:00	60,7	77,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-05 19:30:00	59,6	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-05 19:30:00	52,8	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-05 19:30:00	62,6	76,6	-6,0	55	
ST01	Høvikveien 2C	2024-07-05 19:00:00	60,7	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 19:00:00	59,6	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 19:00:00	52,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 19:00:00	62,1	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 18:30:00	61,1	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 18:30:00	60,0	66,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 18:30:00	54,3	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 18:30:00	63,0	82,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 18:00:00	60,9	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 18:00:00	60,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 18:00:00	53,0	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 18:00:00	62,8	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 17:30:00	61,2	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 17:30:00	60,8	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 17:30:00	53,9	82,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 17:30:00	64,0	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 17:00:00	61,2	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 17:00:00	60,8	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 17:00:00	53,0	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 17:00:00	63,5	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 16:30:00	61,5	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 16:30:00	60,4	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 16:30:00	53,1	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 16:30:00	63,3	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 16:00:00	61,9	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 16:00:00	60,4	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 16:00:00	53,1	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 16:00:00	63,3	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 15:30:00	61,9	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 15:30:00	60,4	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 15:30:00	54,2	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 15:30:00	64,4	75,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-05 15:00:00	61,8	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 15:00:00	60,0	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 15:00:00	54,0	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 15:00:00	63,7	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 14:30:00	62,1	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 14:30:00	60,7	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 14:30:00	54,4	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 14:30:00	63,9	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 14:00:00	61,6	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 14:00:00	60,5	66,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 14:00:00	53,8	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 14:00:00	63,9	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 13:30:00	62,0	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 13:30:00	60,8	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 13:30:00	53,8	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 13:30:00	63,8	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 13:00:00	62,3	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 13:00:00	61,1	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 13:00:00	54,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 13:00:00	64,9	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 12:30:00	61,7	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 12:30:00	60,7	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 12:30:00	53,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 12:30:00	64,4	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 12:00:00	61,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 12:00:00	61,2	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 12:00:00	53,7	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 12:00:00	64,1	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 11:30:00	61,7	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 11:30:00	61,1	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 11:30:00	53,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 11:30:00	64,0	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 11:00:00	61,5	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 11:00:00	61,3	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 11:00:00	53,3	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 11:00:00	64,7	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 10:30:00	61,0	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 10:30:00	61,5	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 10:30:00	52,6	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 10:30:00	65,7	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 10:00:00	60,4	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 10:00:00	62,0	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 10:00:00	51,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 10:00:00	64,6	70,8	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-05 09:30:00	61,2	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 09:30:00	61,7	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 09:30:00	52,7	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 09:30:00	64,5	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 09:00:00	61,2	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 09:00:00	62,0	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 09:00:00	53,0	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 09:00:00	65,1	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 08:30:00	61,3	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 08:30:00	63,7	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 08:30:00	52,4	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 08:30:00	65,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 08:00:00	60,4	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 08:00:00	63,5	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 08:00:00	51,8	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 08:00:00	66,5	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 07:30:00	61,2	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 07:30:00	63,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 07:30:00	52,8	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 07:30:00	65,4	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 07:00:00	60,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-05 07:00:00	63,4	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-05 07:00:00	52,8	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-05 07:00:00	65,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-05 06:30:00	61,3	76,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 06:30:00	64,8	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 06:30:00	54,3	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 06:30:00	65,4	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 06:00:00	59,7	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 06:00:00	62,7	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 06:00:00	51,3	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 06:00:00	63,3	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 05:30:00	58,3	75,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 05:30:00	60,0	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 05:30:00	49,4	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 05:30:00	61,1	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 05:00:00	55,7	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 05:00:00	57,6	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 05:00:00	46,4	61,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 05:00:00	58,5	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 04:30:00	55,6	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 04:30:00	57,3	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 04:30:00	47,0	56,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 04:30:00	58,1	66,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-05 04:00:00	55,0	63,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 04:00:00	56,2	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 04:00:00	46,8	59,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 04:00:00	56,8	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 03:30:00	55,1	62,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 03:30:00	56,4	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 03:30:00	46,8	54,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 03:30:00	57,0	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 03:00:00	54,0	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 03:00:00	55,3	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 03:00:00	45,9	51,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 03:00:00	55,6	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 02:30:00	59,0	87,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 02:30:00	54,5	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 02:30:00	46,8	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 02:30:00	56,0	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 02:00:00	53,2	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 02:00:00	54,7	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 02:00:00	44,6	51,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 02:00:00	55,8	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 01:30:00	56,1	74,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 01:30:00	56,9	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 01:30:00	47,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 01:30:00	58,4	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 01:00:00	55,3	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 01:00:00	56,4	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 01:00:00	51,1	78,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 01:00:00	57,2	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 00:30:00	55,7	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 00:30:00	56,3	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 00:30:00	50,7	77,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 00:30:00	57,5	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-05 00:00:00	57,5	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-05 00:00:00	58,0	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-05 00:00:00	51,4	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-05 00:00:00	59,4	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 23:30:00	56,8	74,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 23:30:00	57,8	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 23:30:00	49,9	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 23:30:00	59,2	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 23:00:00	57,2	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 23:00:00	59,2	78,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 23:00:00	54,4	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 23:00:00	60,5	66,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-04 22:30:00	58,9	74,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 22:30:00	61,1	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 22:30:00	55,1	79,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 22:30:00	62,2	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 22:00:00	59,0	75,3	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 22:00:00	61,5	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 22:00:00	53,4	79,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 22:00:00	62,8	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 21:30:00	59,0	74,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 21:30:00	62,2	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 21:30:00	51,8	74,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 21:30:00	63,2	75,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 21:00:00	58,9	76,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 21:00:00	64,0	69,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 21:00:00	50,8	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 21:00:00	64,2	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 20:30:00	59,4	74,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 20:30:00	64,0	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 20:30:00	49,9	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 20:30:00	64,4	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 20:00:00	60,2	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 20:00:00	62,7	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 20:00:00	53,6	80,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 20:00:00	64,3	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 19:30:00	61,2	80,3	-6,0	55	
ST04	Sandviksveien 70	2024-07-04 19:30:00	63,8	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-04 19:30:00	53,7	76,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-04 19:30:00	67,7	93,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-04 19:00:00	61,1	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 19:00:00	63,4	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 19:00:00	53,7	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 19:00:00	65,6	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 18:30:00	61,4	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 18:30:00	63,3	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 18:30:00	54,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 18:30:00	65,5	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 18:00:00	60,7	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 18:00:00	62,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 18:00:00	55,4	66,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 18:00:00	65,3	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 17:30:00	59,4	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 17:30:00	60,2	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 17:30:00	56,9	79,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 17:30:00	64,2	78,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-04 17:00:00	59,2	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 17:00:00	59,3	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 17:00:00	52,3	77,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 17:00:00	62,0	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 16:30:00	59,5	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 16:30:00	58,9	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 16:30:00	53,3	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 16:30:00	60,6	66,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 16:00:00	59,3	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 16:00:00	59,2	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 16:00:00	53,2	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 16:00:00	61,3	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 15:30:00	58,7	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 15:30:00	59,9	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 15:30:00	52,6	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 15:30:00	63,6	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 15:00:00	60,0	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 15:00:00	60,5	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 15:00:00	53,8	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 15:00:00	63,7	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 14:30:00	60,8	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 14:30:00	61,1	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 14:30:00	54,5	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 14:30:00	64,6	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 14:00:00	62,3	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 14:00:00	61,4	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 14:00:00	57,2	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 14:00:00	65,4	74,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 13:30:00	62,4	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 13:30:00	62,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 13:30:00	57,3	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 13:30:00	65,7	78,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 13:00:00	61,7	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 13:00:00	62,8	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 13:00:00	54,9	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 13:00:00	66,4	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 12:30:00	62,2	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 12:30:00	62,1	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 12:30:00	56,1	80,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 12:30:00	66,4	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 12:00:00	61,2	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 12:00:00	60,0	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 12:00:00	54,8	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 12:00:00	64,4	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-04 11:30:00	60,2	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 11:30:00	60,8	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 11:30:00	53,9	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 11:30:00	63,4	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 11:00:00	62,5	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 11:00:00	64,7	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 11:00:00	55,6	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 11:00:00	66,6	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 10:30:00	63,1	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 10:30:00	64,4	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 10:30:00	55,7	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 10:30:00	67,8	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 10:00:00	62,7	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 10:00:00	64,1	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 10:00:00	56,8	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 10:00:00	67,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 09:30:00	62,5	80,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 09:30:00	63,0	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 09:30:00	57,3	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 09:30:00	66,8	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 09:00:00	62,1	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 09:00:00	63,4	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 09:00:00	56,7	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 09:00:00	66,4	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 08:30:00	61,3	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 08:30:00	61,9	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 08:30:00	56,1	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 08:30:00	65,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 08:00:00	62,0	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 08:00:00	62,7	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 08:00:00	56,9	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 08:00:00	66,1	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 07:30:00	61,8	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 07:30:00	57,0	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 07:30:00	63,7	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 07:30:00	68,7	84,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 07:00:00	61,3	77,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-04 07:00:00	55,3	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-04 07:00:00	63,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-04 07:00:00	64,7	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-04 06:30:00	61,2	74,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 06:30:00	53,5	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 06:30:00	62,5	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 06:30:00	64,0	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-04 06:00:00	61,4	81,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 06:00:00	53,0	76,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 06:00:00	60,7	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 06:00:00	62,2	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 05:30:00	60,4	87,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 05:30:00	50,2	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 05:30:00	58,1	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 05:30:00	60,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 05:00:00	56,6	76,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 05:00:00	51,8	78,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 05:00:00	55,0	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 05:00:00	57,4	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 04:30:00	56,0	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 04:30:00	48,2	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 04:30:00	54,9	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 04:30:00	56,7	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 04:00:00	54,7	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 04:00:00	46,2	59,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 04:00:00	54,0	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 04:00:00	55,4	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 03:30:00	54,2	64,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 03:30:00	47,0	57,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 03:30:00	54,0	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 03:30:00	55,3	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 03:00:00	54,4	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 03:00:00	46,5	54,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 03:00:00	53,5	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 03:00:00	54,6	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 02:30:00	53,9	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 02:30:00	46,2	55,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 02:30:00	53,5	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 02:30:00	55,1	64,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 02:00:00	53,5	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 02:00:00	45,1	53,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 02:00:00	53,5	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 02:00:00	55,3	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 01:30:00	53,3	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 01:30:00	45,7	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 01:30:00	54,4	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 01:30:00	55,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 01:00:00	53,8	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 01:00:00	46,5	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 01:00:00	54,9	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 01:00:00	55,6	64,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-04 00:30:00	55,2	75,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 00:30:00	50,3	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 00:30:00	56,0	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 00:30:00	56,8	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-04 00:00:00	56,2	77,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-04 00:00:00	54,0	83,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-04 00:00:00	55,7	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-04 00:00:00	57,2	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 23:30:00	56,8	72,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 23:30:00	50,9	75,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 23:30:00	57,0	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 23:30:00	58,7	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 23:00:00	57,9	75,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 23:00:00	51,1	75,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 23:00:00	58,5	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 23:00:00	60,4	81,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 22:30:00	58,0	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 22:30:00	50,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 22:30:00	60,3	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 22:30:00	58,6	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 22:00:00	59,2	76,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 22:00:00	53,5	79,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 22:00:00	61,3	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 22:00:00	59,2	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 21:30:00	59,5	76,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 21:30:00	55,4	85,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 21:30:00	61,4	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 21:30:00	59,5	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 21:00:00	59,9	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 21:00:00	53,5	75,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 21:00:00	62,3	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 21:00:00	60,5	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 20:30:00	60,2	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 20:30:00	52,9	75,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 20:30:00	62,6	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 20:30:00	60,8	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 20:00:00	60,9	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 20:00:00	53,2	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 20:00:00	62,9	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 20:00:00	60,6	74,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-03 19:30:00	61,5	78,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-03 19:30:00	55,8	81,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-03 19:30:00	69,1	86,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-03 19:30:00	60,6	68,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-03 19:00:00	61,7	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 19:00:00	55,8	81,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 19:00:00	64,7	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 19:00:00	60,8	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 18:30:00	61,2	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 18:30:00	54,5	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 18:30:00	65,0	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 18:30:00	61,2	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 18:00:00	60,9	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 18:00:00	54,3	80,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 18:00:00	64,6	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 18:00:00	62,2	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 17:30:00	60,2	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 17:30:00	52,1	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 17:30:00	64,2	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 17:30:00	62,1	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 17:00:00	59,2	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 17:00:00	65,9	96,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 17:00:00	62,3	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 17:00:00	60,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 16:30:00	58,6	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 16:30:00	54,2	82,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 16:30:00	59,5	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 16:30:00	59,8	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 16:00:00	57,4	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 16:00:00	62,5	92,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 16:00:00	60,5	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 16:00:00	59,5	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 15:30:00	57,3	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 15:30:00	51,1	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 15:30:00	61,8	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 15:30:00	57,3	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 15:00:00	56,3	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 15:00:00	48,6	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 15:00:00	64,3	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 15:00:00	57,3	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 14:30:00	58,4	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 14:30:00	52,5	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 14:30:00	62,2	82,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 14:30:00	58,1	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 14:00:00	58,1	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 14:00:00	53,4	80,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 14:00:00	62,4	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 14:00:00	56,4	68,4	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-03 13:30:00	60,9	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 13:30:00	53,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 13:30:00	63,4	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 13:30:00	61,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 13:00:00	60,8	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 13:00:00	53,0	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 13:00:00	64,6	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 13:00:00	60,7	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 12:30:00	60,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 12:30:00	51,6	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 12:30:00	64,6	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 12:30:00	61,7	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 12:00:00	59,2	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 12:00:00	53,5	81,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 12:00:00	64,5	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 12:00:00	62,4	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 11:30:00	59,6	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 11:30:00	63,9	92,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 11:30:00	63,4	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 11:30:00	62,4	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 11:00:00	59,7	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 11:00:00	51,9	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 11:00:00	64,0	83,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 11:00:00	62,7	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 10:30:00	60,2	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 10:30:00	54,3	81,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 10:30:00	65,8	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 10:30:00	62,3	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 10:00:00	60,4	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 10:00:00	52,5	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 10:00:00	65,8	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 10:00:00	62,2	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 09:30:00	60,3	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 09:30:00	54,1	82,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 09:30:00	64,8	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 09:30:00	62,8	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 09:00:00	59,9	80,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 09:00:00	55,7	83,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 09:00:00	65,1	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 09:00:00	61,4	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 08:30:00	59,5	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 08:30:00	52,5	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 08:30:00	64,9	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 08:30:00	60,5	73,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-03 08:00:00	60,5	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 08:00:00	53,1	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 08:00:00	68,3	83,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 08:00:00	62,1	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 07:30:00	50,8	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 07:30:00	60,3	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 07:30:00	64,3	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 07:30:00	62,2	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 07:00:00	52,5	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-03 07:00:00	59,5	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-03 07:00:00	63,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-03 07:00:00	61,7	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-03 06:30:00	54,7	82,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 06:30:00	60,9	80,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 06:30:00	62,6	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 06:30:00	61,0	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 06:00:00	51,6	76,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 06:00:00	59,4	73,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 06:00:00	62,7	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 06:00:00	62,6	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 05:30:00	48,5	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 05:30:00	57,1	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 05:30:00	60,2	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 05:30:00	59,7	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 05:00:00	50,6	77,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 05:00:00	56,0	77,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 05:00:00	58,2	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 05:00:00	57,8	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 04:30:00	53,3	82,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 04:30:00	55,7	81,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 04:30:00	56,6	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 04:30:00	56,4	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 04:00:00	49,8	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 04:00:00	54,2	72,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 04:00:00	55,6	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 04:00:00	55,8	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 03:30:00	51,1	79,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 03:30:00	54,4	76,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 03:30:00	55,3	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 03:30:00	54,8	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 03:00:00	44,3	52,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 03:00:00	52,3	62,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 03:00:00	54,2	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 03:00:00	54,1	68,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-03 02:30:00	44,3	60,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 02:30:00	53,0	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 02:30:00	54,2	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 02:30:00	53,9	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 02:00:00	41,9	48,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 02:00:00	51,9	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 02:00:00	54,6	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 02:00:00	53,9	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 01:30:00	46,9	72,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 01:30:00	53,2	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 01:30:00	55,5	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 01:30:00	54,5	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 01:00:00	53,1	82,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 01:00:00	56,0	80,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 01:00:00	57,4	77,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 01:00:00	55,2	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 00:30:00	51,6	79,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 00:30:00	55,6	76,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 00:30:00	58,5	82,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 00:30:00	57,2	75,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-03 00:00:00	48,8	75,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-03 00:00:00	54,9	76,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-03 00:00:00	57,0	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-03 00:00:00	56,3	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 23:30:00	49,4	75,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 23:30:00	55,3	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 23:30:00	58,5	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 23:30:00	57,5	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 23:00:00	46,8	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 23:00:00	59,2	66,9	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 23:00:00	55,6	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 23:00:00	58,5	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 22:30:00	52,0	79,4	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 22:30:00	59,3	65,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 22:30:00	57,4	77,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 22:30:00	58,6	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 22:00:00	53,5	81,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 22:00:00	60,2	65,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 22:00:00	58,4	77,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 22:00:00	58,8	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 21:30:00	51,7	75,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 21:30:00	60,8	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 21:30:00	58,7	74,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 21:30:00	58,9	70,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-02 21:00:00	52,2	76,4	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 21:00:00	61,5	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 21:00:00	59,3	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 21:00:00	60,1	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 20:30:00	50,2	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 20:30:00	61,8	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 20:30:00	59,3	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 20:30:00	60,7	81,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 20:00:00	54,2	81,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 20:00:00	62,1	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 20:00:00	60,3	80,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 20:00:00	60,3	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 19:30:00	54,7	81,4	-6,0	55	
ST03	Sandviksveien 52	2024-07-02 19:30:00	68,1	82,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-02 19:30:00	60,3	77,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-02 19:30:00	60,8	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-02 19:00:00	52,2	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 19:00:00	63,8	80,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 19:00:00	60,5	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 19:00:00	61,3	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 18:30:00	53,1	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 18:30:00	64,2	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 18:30:00	60,6	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 18:30:00	61,4	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 18:00:00	51,9	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 18:00:00	64,1	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 18:00:00	60,4	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 18:00:00	61,1	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 17:30:00	54,6	82,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 17:30:00	62,4	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 17:30:00	59,5	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 17:30:00	59,8	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 17:00:00	53,5	80,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 17:00:00	61,3	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 17:00:00	58,7	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 17:00:00	59,9	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 16:30:00	52,2	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 16:30:00	60,4	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 16:30:00	58,8	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 16:30:00	59,5	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 16:00:00	51,2	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 16:00:00	60,7	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 16:00:00	57,9	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 16:00:00	59,3	76,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-02 15:30:00	49,8	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 15:30:00	62,9	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 15:30:00	58,5	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 15:30:00	60,2	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 15:00:00	54,1	82,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 15:00:00	64,5	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 15:00:00	60,2	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 15:00:00	62,2	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 14:30:00	53,9	81,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 14:30:00	65,4	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 14:30:00	60,4	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 14:30:00	62,7	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 14:00:00	51,3	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 14:00:00	67,2	88,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 14:00:00	60,2	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 14:00:00	62,4	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 13:30:00	52,1	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 13:30:00	64,3	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 13:30:00	60,0	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 13:30:00	62,5	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 13:00:00	49,5	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 13:00:00	64,7	80,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 13:00:00	59,8	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 13:00:00	62,7	84,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 12:30:00	53,5	80,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 12:30:00	65,6	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 12:30:00	60,3	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 12:30:00	62,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 12:00:00	54,1	81,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 12:00:00	64,5	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 12:00:00	60,0	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 12:00:00	63,3	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 11:30:00	51,6	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 11:30:00	63,5	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 11:30:00	59,9	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 11:30:00	63,0	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 11:00:00	50,5	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 11:00:00	65,1	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 11:00:00	61,7	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 11:00:00	62,7	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 10:30:00	50,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 10:30:00	65,4	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 10:30:00	60,0	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 10:30:00	62,6	67,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-02 10:00:00	53,7	81,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 10:00:00	66,8	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 10:00:00	60,1	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 10:00:00	63,2	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 09:30:00	54,5	82,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 09:30:00	66,4	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 09:30:00	60,7	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 09:30:00	63,8	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 09:00:00	51,2	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 09:00:00	67,6	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 09:00:00	57,9	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 09:00:00	61,4	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 08:30:00	51,6	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 08:30:00	65,4	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 08:30:00	58,2	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 08:30:00	60,7	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 08:00:00	50,2	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 08:00:00	68,7	85,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 08:00:00	59,1	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 08:00:00	63,4	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 07:30:00	53,5	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 07:30:00	68,4	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 07:30:00	60,2	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 07:30:00	63,9	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 07:00:00	52,7	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-02 07:00:00	63,4	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-02 07:00:00	59,5	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-02 07:00:00	62,5	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-02 06:30:00	51,0	75,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 06:30:00	62,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 06:30:00	58,6	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 06:30:00	61,5	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 06:00:00	51,6	77,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 06:00:00	62,2	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 06:00:00	59,0	78,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 06:00:00	62,7	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 05:30:00	47,9	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 05:30:00	60,2	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 05:30:00	56,8	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 05:30:00	60,4	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 05:00:00	56,0	84,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 05:00:00	58,4	75,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 05:00:00	57,6	81,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 05:00:00	57,8	67,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-02 04:30:00	47,3	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 04:30:00	56,7	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 04:30:00	54,5	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 04:30:00	56,1	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 04:00:00	43,5	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 04:00:00	54,8	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 04:00:00	51,9	62,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 04:00:00	53,6	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 03:30:00	42,9	50,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 03:30:00	56,2	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 03:30:00	52,9	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 03:30:00	56,6	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 03:00:00	42,3	48,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 03:00:00	54,5	65,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 03:00:00	50,8	61,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 03:00:00	54,9	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 02:30:00	42,5	56,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 02:30:00	54,8	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 02:30:00	51,7	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 02:30:00	54,7	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 02:00:00	44,1	53,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 02:00:00	55,4	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 02:00:00	53,2	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 02:00:00	55,1	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 01:30:00	46,7	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 01:30:00	56,8	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 01:30:00	54,3	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 01:30:00	56,0	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 01:00:00	46,9	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 01:00:00	56,5	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 01:00:00	54,7	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 01:00:00	55,9	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 00:30:00	53,0	82,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 00:30:00	58,3	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 00:30:00	56,0	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 00:30:00	56,2	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-02 00:00:00	53,3	82,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-02 00:00:00	57,8	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-02 00:00:00	56,0	77,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-02 00:00:00	57,1	74,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 23:30:00	51,4	79,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 23:30:00	58,2	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 23:30:00	56,4	77,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 23:30:00	57,0	73,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-01 23:00:00	48,5	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 23:00:00	60,1	85,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 23:00:00	56,6	69,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 23:00:00	59,1	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 22:30:00	48,9	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 22:30:00	60,0	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 22:30:00	56,9	73,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 22:30:00	58,9	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 22:00:00	54,2	82,8	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 22:00:00	60,6	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 22:00:00	58,3	80,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 22:00:00	59,8	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 21:30:00	53,7	81,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 21:30:00	61,3	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 21:30:00	59,0	76,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 21:30:00	59,9	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 21:00:00	52,5	76,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 21:00:00	61,2	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 21:00:00	59,6	78,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 21:00:00	60,2	77,6	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 20:30:00	54,0	77,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 20:30:00	62,0	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 20:30:00	60,3	74,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 20:30:00	60,9	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 20:00:00	55,3	88,7	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 20:00:00	61,8	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 20:00:00	60,0	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 20:00:00	60,4	77,5	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 19:30:00	55,7	83,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-01 19:30:00	62,7	79,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-01 19:30:00	60,8	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-01 19:30:00	60,5	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-01 19:00:00	57,7	88,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 19:00:00	62,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 19:00:00	61,0	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 19:00:00	60,5	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 18:30:00	55,1	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 18:30:00	62,9	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 18:30:00	61,6	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 18:30:00	60,6	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 18:00:00	55,5	77,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 18:00:00	66,6	84,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 18:00:00	61,6	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 18:00:00	60,3	72,0	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-01 17:30:00	53,7	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 17:30:00	66,0	85,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 17:30:00	61,5	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 17:30:00	60,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 17:00:00	56,7	84,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 17:00:00	70,5	86,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 17:00:00	61,8	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 17:00:00	60,8	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 16:30:00	55,2	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 16:30:00	71,4	90,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 16:30:00	60,8	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 16:30:00	60,7	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 16:00:00	52,5	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 16:00:00	68,6	90,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 16:00:00	59,8	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 16:00:00	59,4	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 15:30:00	52,1	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 15:30:00	70,3	94,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 15:30:00	58,3	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 15:30:00	60,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 15:00:00	52,9	77,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 15:00:00	71,5	91,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 15:00:00	60,2	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 15:00:00	61,2	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 14:30:00	55,3	82,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 14:30:00	72,5	92,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 14:30:00	60,9	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 14:30:00	61,7	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 14:00:00	55,3	82,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 14:00:00	70,6	92,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 14:00:00	60,5	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 14:00:00	62,0	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 13:30:00	52,1	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 13:30:00	75,9	96,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 13:30:00	60,2	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 13:30:00	63,0	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 13:00:00	52,7	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 13:00:00	75,1	97,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 13:00:00	60,2	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 13:00:00	62,1	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 12:30:00	50,5	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 12:30:00	75,9	94,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 12:30:00	58,4	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 12:30:00	61,2	78,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-01 12:00:00	52,7	79,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 12:00:00	73,2	93,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 12:00:00	58,4	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 12:00:00	60,0	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 11:30:00	54,5	83,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 11:30:00	62,4	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 11:30:00	58,8	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 11:30:00	60,4	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 11:00:00	50,8	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 11:00:00	74,2	94,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 11:00:00	60,0	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 11:00:00	61,3	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 10:30:00	53,6	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 10:30:00	73,3	93,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 10:30:00	60,8	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 10:30:00	60,9	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 10:00:00	52,5	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 10:00:00	72,2	91,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 10:00:00	60,9	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 10:00:00	61,2	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 09:30:00	53,7	79,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 09:30:00	70,8	91,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 09:30:00	60,8	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 09:30:00	61,8	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 09:00:00	55,0	82,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 09:00:00	69,0	87,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 09:00:00	60,7	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 09:00:00	61,0	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 08:30:00	53,1	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 08:30:00	68,8	87,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 08:30:00	60,0	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 08:30:00	62,0	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 08:00:00	52,8	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 08:00:00	65,6	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 08:00:00	60,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 08:00:00	61,8	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 07:30:00	51,4	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 07:30:00	64,2	79,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 07:30:00	60,5	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 07:30:00	62,3	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-01 07:00:00	54,1	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-01 07:00:00	63,4	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-01 07:00:00	59,8	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-01 07:00:00	61,4	70,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-01 06:30:00	54,7	81,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 06:30:00	63,3	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 06:30:00	60,1	76,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 06:30:00	62,5	77,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 06:00:00	53,2	75,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 06:00:00	62,9	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 06:00:00	60,3	77,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 06:00:00	62,4	74,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 05:30:00	51,5	75,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 05:30:00	60,0	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 05:30:00	57,9	73,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 05:30:00	59,5	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 05:00:00	53,1	82,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 05:00:00	56,6	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 05:00:00	56,0	79,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 05:00:00	56,0	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 04:30:00	44,4	50,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 04:30:00	55,7	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 04:30:00	53,0	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 04:30:00	55,0	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 04:00:00	43,3	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 04:00:00	54,5	63,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 04:00:00	51,7	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 04:00:00	54,1	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 03:30:00	42,7	55,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 03:30:00	53,1	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 03:30:00	51,0	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 03:30:00	53,0	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 03:00:00	42,0	49,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 03:00:00	52,2	61,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 03:00:00	49,5	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 03:00:00	51,7	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 02:30:00	43,8	63,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 02:30:00	53,9	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 02:30:00	50,9	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 02:30:00	53,1	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 02:00:00	42,3	52,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 02:00:00	54,1	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 02:00:00	51,2	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 02:00:00	52,9	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 01:30:00	44,3	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 01:30:00	54,2	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 01:30:00	51,3	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 01:30:00	53,4	68,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-07-01 01:00:00	45,8	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 01:00:00	55,7	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 01:00:00	52,5	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 01:00:00	54,5	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 00:30:00	47,4	72,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 00:30:00	56,9	74,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 00:30:00	53,6	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 00:30:00	56,2	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-01 00:00:00	49,2	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-07-01 00:00:00	57,8	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-01 00:00:00	54,9	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-01 00:00:00	56,9	67,5	-6,0	45	