


◆ ST04 ◆ ST03 ◆ ST02 ◆ ST01 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-21 00:00:00	56,6	64,9	-6,0	45
ST03	Sandviksveien 52	2024-07-21 00:00:00	57,2	63,2	-6,0	45
ST02	Kirkeveien 4	2024-07-21 00:00:00	48,3	69,9	-6,0	45
ST01	Høvikveien 2C	2024-07-21 00:00:00	55,3	72,9	-6,0	45
ST04	Sandviksveien 70	2024-07-20 23:30:00	57,3	65,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 23:30:00	58,3	66,5	-6,0	45
ST02	Kirkeveien 4	2024-07-20 23:30:00	46,8	68,8	-6,0	45
ST01	Høvikveien 2C	2024-07-20 23:30:00	55,6	72,0	-6,0	45
ST04	Sandviksveien 70	2024-07-20 23:00:00	58,0	67,8	-6,0	55
ST03	Sandviksveien 52	2024-07-20 23:00:00	58,6	65,4	-6,0	55
ST02	Kirkeveien 4	2024-07-20 23:00:00	47,3	66,4	-6,0	55
ST01	Høvikveien 2C	2024-07-20 23:00:00	56,0	71,8	-6,0	55
ST04	Sandviksveien 70	2024-07-20 22:30:00	58,6	73,9	-6,0	55
ST03	Sandviksveien 52	2024-07-20 22:30:00	60,3	81,5	-6,0	55
ST02	Kirkeveien 4	2024-07-20 22:30:00	50,9	78,7	-6,0	55
ST01	Høvikveien 2C	2024-07-20 22:30:00	57,1	79,0	-6,0	55
ST04	Sandviksveien 70	2024-07-20 22:00:00	58,7	69,9	-6,0	55
ST03	Sandviksveien 52	2024-07-20 22:00:00	59,5	66,1	-6,0	55
ST02	Kirkeveien 4	2024-07-20 22:00:00	49,3	70,7	-6,0	55
ST01	Høvikveien 2C	2024-07-20 22:00:00	57,1	75,2	-6,0	55
ST04	Sandviksveien 70	2024-07-20 21:30:00	58,9	68,8	-6,0	55
ST03	Sandviksveien 52	2024-07-20 21:30:00	59,6	67,0	-6,0	55
ST02	Kirkeveien 4	2024-07-20 21:30:00	49,2	70,0	-6,0	55
ST01	Høvikveien 2C	2024-07-20 21:30:00	57,5	78,3	-6,0	55
ST04	Sandviksveien 70	2024-07-20 21:00:00	58,8	67,5	-6,0	55
ST03	Sandviksveien 52	2024-07-20 21:00:00	59,9	67,6	-6,0	55
ST02	Kirkeveien 4	2024-07-20 21:00:00	51,8	82,0	-6,0	55
ST01	Høvikveien 2C	2024-07-20 21:00:00	57,9	70,9	-6,0	55
ST04	Sandviksveien 70	2024-07-20 20:30:00	58,6	67,5	-6,0	55
ST03	Sandviksveien 52	2024-07-20 20:30:00	59,9	65,6	-6,0	55
ST02	Kirkeveien 4	2024-07-20 20:30:00	50,8	77,7	-6,0	55
ST01	Høvikveien 2C	2024-07-20 20:30:00	57,9	72,5	-6,0	55
ST04	Sandviksveien 70	2024-07-20 20:00:00	58,7	67,8	-6,0	55
ST03	Sandviksveien 52	2024-07-20 20:00:00	60,2	65,7	-6,0	55
ST02	Kirkeveien 4	2024-07-20 20:00:00	49,1	68,3	-6,0	55
ST01	Høvikveien 2C	2024-07-20 20:00:00	58,1	70,7	-6,0	55
ST04	Sandviksveien 70	2024-07-20 19:30:00	58,5	68,6	-6,0	55
ST03	Sandviksveien 52	2024-07-20 19:30:00	60,1	68,6	-6,0	55
ST02	Kirkeveien 4	2024-07-20 19:30:00	49,8	69,5	-6,0	55
ST01	Høvikveien 2C	2024-07-20 19:30:00	58,0	71,2	-6,0	55
ST04	Sandviksveien 70	2024-07-20 19:00:00	59,0	69,5	-6,0	60
ST03	Sandviksveien 52	2024-07-20 19:00:00	61,3	72,3	-6,0	60
ST02	Kirkeveien 4	2024-07-20 19:00:00	49,9	70,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 19:00:00	58,6	70,6	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-20 18:30:00	59,4	70,7	-6,0	60
ST03	Sandviksveien 52	2024-07-20 18:30:00	63,5	73,4	-6,0	60
ST02	Kirkeveien 4	2024-07-20 18:30:00	50,3	69,1	-6,0	60
ST01	Høvikveien 2C	2024-07-20 18:30:00	59,4	76,1	-6,0	60
ST04	Sandviksveien 70	2024-07-20 18:00:00	59,3	69,7	-6,0	60
ST03	Sandviksveien 52	2024-07-20 18:00:00	61,1	71,7	-6,0	60
ST02	Kirkeveien 4	2024-07-20 18:00:00	50,2	73,7	-6,0	60
ST01	Høvikveien 2C	2024-07-20 18:00:00	59,2	74,4	-6,0	60
ST04	Sandviksveien 70	2024-07-20 17:30:00	59,0	70,1	-6,0	60
ST03	Sandviksveien 52	2024-07-20 17:30:00	60,7	70,2	-6,0	60
ST02	Kirkeveien 4	2024-07-20 17:30:00	50,6	69,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 17:30:00	58,8	68,7	-6,0	60
ST04	Sandviksveien 70	2024-07-20 17:00:00	58,9	66,2	-6,0	60
ST03	Sandviksveien 52	2024-07-20 17:00:00	60,5	67,8	-6,0	60
ST02	Kirkeveien 4	2024-07-20 17:00:00	54,9	83,6	-6,0	60
ST01	Høvikveien 2C	2024-07-20 17:00:00	58,9	73,1	-6,0	60
ST04	Sandviksveien 70	2024-07-20 16:30:00	59,4	70,6	-6,0	60
ST03	Sandviksveien 52	2024-07-20 16:30:00	60,9	65,4	-6,0	60
ST02	Kirkeveien 4	2024-07-20 16:30:00	56,0	81,2	-6,0	60
ST01	Høvikveien 2C	2024-07-20 16:30:00	59,0	75,0	-6,0	60
ST04	Sandviksveien 70	2024-07-20 16:00:00	59,3	67,4	-6,0	60
ST03	Sandviksveien 52	2024-07-20 16:00:00	60,6	66,7	-6,0	60
ST02	Kirkeveien 4	2024-07-20 16:00:00	50,1	70,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 16:00:00	59,0	73,7	-6,0	60
ST04	Sandviksveien 70	2024-07-20 15:30:00	58,8	67,0	-6,0	60
ST03	Sandviksveien 52	2024-07-20 15:30:00	60,8	65,6	-6,0	60
ST02	Kirkeveien 4	2024-07-20 15:30:00	52,0	79,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 15:30:00	58,8	74,6	-6,0	60
ST04	Sandviksveien 70	2024-07-20 15:00:00	58,9	67,9	-6,0	60
ST03	Sandviksveien 52	2024-07-20 15:00:00	61,0	65,8	-6,0	60
ST02	Kirkeveien 4	2024-07-20 15:00:00	49,8	72,3	-6,0	60
ST01	Høvikveien 2C	2024-07-20 15:00:00	58,7	72,1	-6,0	60
ST04	Sandviksveien 70	2024-07-20 14:30:00	59,3	72,1	-6,0	60
ST03	Sandviksveien 52	2024-07-20 14:30:00	61,0	68,7	-6,0	60
ST02	Kirkeveien 4	2024-07-20 14:30:00	49,9	73,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 14:30:00	58,6	74,0	-6,0	60
ST04	Sandviksveien 70	2024-07-20 14:00:00	59,3	68,5	-6,0	60
ST03	Sandviksveien 52	2024-07-20 14:00:00	61,2	65,0	-6,0	60
ST02	Kirkeveien 4	2024-07-20 14:00:00	49,7	72,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 14:00:00	58,6	70,7	-6,0	60
ST04	Sandviksveien 70	2024-07-20 13:30:00	59,9	70,8	-6,0	60
ST03	Sandviksveien 52	2024-07-20 13:30:00	60,9	70,8	-6,0	60
ST02	Kirkeveien 4	2024-07-20 13:30:00	49,8	76,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 13:30:00	58,6	73,4	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-20 13:00:00	60,0	69,3	-6,0	60
ST03	Sandviksveien 52	2024-07-20 13:00:00	60,9	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-20 13:00:00	49,9	74,8	-6,0	60
ST01	Høvikveien 2C	2024-07-20 13:00:00	58,4	73,1	-6,0	60
ST04	Sandviksveien 70	2024-07-20 12:30:00	59,9	74,6	-6,0	60
ST03	Sandviksveien 52	2024-07-20 12:30:00	61,1	72,1	-6,0	60
ST02	Kirkeveien 4	2024-07-20 12:30:00	52,9	82,2	-6,0	60
ST01	Høvikveien 2C	2024-07-20 12:30:00	59,2	77,4	-6,0	60
ST04	Sandviksveien 70	2024-07-20 12:00:00	59,5	66,0	-6,0	60
ST03	Sandviksveien 52	2024-07-20 12:00:00	61,4	67,1	-6,0	60
ST02	Kirkeveien 4	2024-07-20 12:00:00	51,1	72,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 12:00:00	59,3	73,3	-6,0	60
ST04	Sandviksveien 70	2024-07-20 11:30:00	59,5	65,3	-6,0	60
ST03	Sandviksveien 52	2024-07-20 11:30:00	61,1	67,2	-6,0	60
ST02	Kirkeveien 4	2024-07-20 11:30:00	50,9	78,0	-6,0	60
ST01	Høvikveien 2C	2024-07-20 11:30:00	58,4	68,5	-6,0	60
ST04	Sandviksveien 70	2024-07-20 11:00:00	59,5	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-20 11:00:00	61,4	65,0	-6,0	60
ST02	Kirkeveien 4	2024-07-20 11:00:00	49,4	76,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 11:00:00	58,5	69,2	-6,0	60
ST04	Sandviksveien 70	2024-07-20 10:30:00	59,5	66,1	-6,0	60
ST03	Sandviksveien 52	2024-07-20 10:30:00	61,3	64,7	-6,0	60
ST02	Kirkeveien 4	2024-07-20 10:30:00	49,1	68,5	-6,0	60
ST01	Høvikveien 2C	2024-07-20 10:30:00	58,6	71,2	-6,0	60
ST04	Sandviksveien 70	2024-07-20 10:00:00	59,7	67,1	-6,0	60
ST03	Sandviksveien 52	2024-07-20 10:00:00	61,3	66,3	-6,0	60
ST02	Kirkeveien 4	2024-07-20 10:00:00	48,8	69,0	-6,0	60
ST01	Høvikveien 2C	2024-07-20 10:00:00	58,2	76,0	-6,0	60
ST04	Sandviksveien 70	2024-07-20 09:30:00	59,3	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-20 09:30:00	60,6	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-20 09:30:00	48,5	68,8	-6,0	60
ST01	Høvikveien 2C	2024-07-20 09:30:00	57,7	68,4	-6,0	60
ST04	Sandviksveien 70	2024-07-20 09:00:00	58,1	66,9	-6,0	60
ST03	Sandviksveien 52	2024-07-20 09:00:00	59,8	65,4	-6,0	60
ST02	Kirkeveien 4	2024-07-20 09:00:00	48,1	68,7	-6,0	60
ST01	Høvikveien 2C	2024-07-20 09:00:00	56,8	71,4	-6,0	60
ST04	Sandviksveien 70	2024-07-20 08:30:00	57,4	69,8	-6,0	60
ST03	Sandviksveien 52	2024-07-20 08:30:00	59,1	65,2	-6,0	60
ST02	Kirkeveien 4	2024-07-20 08:30:00	47,7	68,1	-6,0	60
ST01	Høvikveien 2C	2024-07-20 08:30:00	56,3	72,9	-6,0	60
ST04	Sandviksveien 70	2024-07-20 08:00:00	57,2	67,8	-6,0	60
ST03	Sandviksveien 52	2024-07-20 08:00:00	58,3	64,7	-6,0	60
ST02	Kirkeveien 4	2024-07-20 08:00:00	47,1	68,3	-6,0	60
ST01	Høvikveien 2C	2024-07-20 08:00:00	55,1	72,5	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-20 07:30:00	56,5	71,1	-6,0	60
ST03	Sandviksveien 52	2024-07-20 07:30:00	57,6	67,3	-6,0	60
ST02	Kirkeveien 4	2024-07-20 07:30:00	46,1	68,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 07:30:00	54,4	70,8	-6,0	60
ST04	Sandviksveien 70	2024-07-20 07:00:00	55,7	68,0	-6,0	60
ST03	Sandviksveien 52	2024-07-20 07:00:00	56,7	65,6	-6,0	60
ST02	Kirkeveien 4	2024-07-20 07:00:00	45,1	67,4	-6,0	60
ST01	Høvikveien 2C	2024-07-20 07:00:00	53,3	71,6	-6,0	60
ST04	Sandviksveien 70	2024-07-20 06:30:00	55,7	67,5	-6,0	45
ST03	Sandviksveien 52	2024-07-20 06:30:00	56,4	65,1	-6,0	45
ST02	Kirkeveien 4	2024-07-20 06:30:00	45,4	67,0	-6,0	45
ST01	Høvikveien 2C	2024-07-20 06:30:00	53,0	70,2	-6,0	45
ST04	Sandviksveien 70	2024-07-20 06:00:00	53,6	65,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 06:00:00	54,7	63,7	-6,0	45
ST02	Kirkeveien 4	2024-07-20 06:00:00	45,0	69,4	-6,0	45
ST01	Høvikveien 2C	2024-07-20 06:00:00	51,7	68,5	-6,0	45
ST04	Sandviksveien 70	2024-07-20 05:30:00	52,9	66,5	-6,0	45
ST03	Sandviksveien 52	2024-07-20 05:30:00	53,8	65,5	-6,0	45
ST02	Kirkeveien 4	2024-07-20 05:30:00	43,4	67,2	-6,0	45
ST01	Høvikveien 2C	2024-07-20 05:30:00	51,3	69,8	-6,0	45
ST04	Sandviksveien 70	2024-07-20 05:00:00	53,4	66,9	-6,0	45
ST03	Sandviksveien 52	2024-07-20 05:00:00	54,3	62,9	-6,0	45
ST02	Kirkeveien 4	2024-07-20 05:00:00	42,8	66,5	-6,0	45
ST01	Høvikveien 2C	2024-07-20 05:00:00	51,0	69,0	-6,0	45
ST04	Sandviksveien 70	2024-07-20 04:30:00	53,4	67,0	-6,0	45
ST03	Sandviksveien 52	2024-07-20 04:30:00	54,4	64,8	-6,0	45
ST02	Kirkeveien 4	2024-07-20 04:30:00	42,8	65,4	-6,0	45
ST01	Høvikveien 2C	2024-07-20 04:30:00	51,3	70,2	-6,0	45
ST04	Sandviksveien 70	2024-07-20 04:00:00	54,0	67,5	-6,0	45
ST03	Sandviksveien 52	2024-07-20 04:00:00	54,9	65,4	-6,0	45
ST02	Kirkeveien 4	2024-07-20 04:00:00	41,1	48,9	-6,0	45
ST01	Høvikveien 2C	2024-07-20 04:00:00	51,1	60,4	-6,0	45
ST04	Sandviksveien 70	2024-07-20 03:30:00	55,1	68,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 03:30:00	56,0	64,6	-6,0	45
ST02	Kirkeveien 4	2024-07-20 03:30:00	42,0	49,2	-6,0	45
ST01	Høvikveien 2C	2024-07-20 03:30:00	51,7	61,1	-6,0	45
ST04	Sandviksveien 70	2024-07-20 03:00:00	53,8	68,5	-6,0	45
ST03	Sandviksveien 52	2024-07-20 03:00:00	54,9	66,3	-6,0	45
ST02	Kirkeveien 4	2024-07-20 03:00:00	42,1	53,9	-6,0	45
ST01	Høvikveien 2C	2024-07-20 03:00:00	51,0	61,3	-6,0	45
ST04	Sandviksveien 70	2024-07-20 02:30:00	53,2	66,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 02:30:00	54,4	64,6	-6,0	45
ST02	Kirkeveien 4	2024-07-20 02:30:00	40,3	47,9	-6,0	45
ST01	Høvikveien 2C	2024-07-20 02:30:00	49,9	60,4	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-20 02:00:00	54,3	68,2	-6,0	45
ST03	Sandviksveien 52	2024-07-20 02:00:00	55,6	64,6	-6,0	45
ST02	Kirkeveien 4	2024-07-20 02:00:00	41,1	48,3	-6,0	45
ST01	Høvikveien 2C	2024-07-20 02:00:00	50,9	60,8	-6,0	45
ST04	Sandviksveien 70	2024-07-20 01:30:00	54,4	67,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 01:30:00	55,6	65,6	-6,0	45
ST02	Kirkeveien 4	2024-07-20 01:30:00	42,9	65,8	-6,0	45
ST01	Høvikveien 2C	2024-07-20 01:30:00	51,8	69,0	-6,0	45
ST04	Sandviksveien 70	2024-07-20 01:00:00	55,0	67,2	-6,0	45
ST03	Sandviksveien 52	2024-07-20 01:00:00	56,1	64,8	-6,0	45
ST02	Kirkeveien 4	2024-07-20 01:00:00	45,5	69,9	-6,0	45
ST01	Høvikveien 2C	2024-07-20 01:00:00	52,7	70,7	-6,0	45
ST04	Sandviksveien 70	2024-07-20 00:30:00	56,5	68,2	-6,0	45
ST03	Sandviksveien 52	2024-07-20 00:30:00	57,4	64,6	-6,0	45
ST02	Kirkeveien 4	2024-07-20 00:30:00	46,4	67,7	-6,0	45
ST01	Høvikveien 2C	2024-07-20 00:30:00	54,0	71,5	-6,0	45
ST04	Sandviksveien 70	2024-07-20 00:00:00	56,6	67,8	-6,0	45
ST03	Sandviksveien 52	2024-07-20 00:00:00	57,8	74,5	-6,0	45
ST02	Kirkeveien 4	2024-07-20 00:00:00	47,6	70,8	-6,0	45
ST01	Høvikveien 2C	2024-07-20 00:00:00	55,1	73,2	-6,0	45
ST04	Sandviksveien 70	2024-07-19 23:30:00	56,8	67,0	-6,0	45
ST03	Sandviksveien 52	2024-07-19 23:30:00	57,8	64,2	-6,0	45
ST02	Kirkeveien 4	2024-07-19 23:30:00	46,8	69,4	-6,0	45
ST01	Høvikveien 2C	2024-07-19 23:30:00	54,9	71,7	-6,0	45
ST04	Sandviksveien 70	2024-07-19 23:00:00	57,7	67,7	-6,0	55
ST03	Sandviksveien 52	2024-07-19 23:00:00	58,7	82,3	-6,0	55
ST02	Kirkeveien 4	2024-07-19 23:00:00	47,5	68,9	-6,0	55
ST01	Høvikveien 2C	2024-07-19 23:00:00	56,1	74,6	-6,0	55
ST04	Sandviksveien 70	2024-07-19 22:30:00	58,5	70,4	-6,0	55
ST03	Sandviksveien 52	2024-07-19 22:30:00	59,8	68,3	-6,0	55
ST02	Kirkeveien 4	2024-07-19 22:30:00	49,1	70,0	-6,0	55
ST01	Høvikveien 2C	2024-07-19 22:30:00	57,4	70,5	-6,0	55
ST04	Sandviksveien 70	2024-07-19 22:00:00	58,2	66,4	-6,0	55
ST03	Sandviksveien 52	2024-07-19 22:00:00	60,0	65,3	-6,0	55
ST02	Kirkeveien 4	2024-07-19 22:00:00	49,8	77,1	-6,0	55
ST01	Høvikveien 2C	2024-07-19 22:00:00	57,8	75,5	-6,0	55
ST04	Sandviksveien 70	2024-07-19 21:30:00	58,9	66,6	-6,0	55
ST03	Sandviksveien 52	2024-07-19 21:30:00	60,7	69,6	-6,0	55
ST02	Kirkeveien 4	2024-07-19 21:30:00	51,0	75,7	-6,0	55
ST01	Høvikveien 2C	2024-07-19 21:30:00	58,2	74,8	-6,0	55
ST04	Sandviksveien 70	2024-07-19 21:00:00	59,3	67,2	-6,0	55
ST03	Sandviksveien 52	2024-07-19 21:00:00	60,8	67,4	-6,0	55
ST02	Kirkeveien 4	2024-07-19 21:00:00	52,0	80,7	-6,0	55
ST01	Høvikveien 2C	2024-07-19 21:00:00	58,6	72,9	-6,0	55

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-19 20:30:00	59,4	67,1	-6,0	55
ST03	Sandviksveien 52	2024-07-19 20:30:00	61,0	66,5	-6,0	55
ST02	Kirkeveien 4	2024-07-19 20:30:00	50,4	72,6	-6,0	55
ST01	Høvikveien 2C	2024-07-19 20:30:00	59,2	79,1	-6,0	55
ST04	Sandviksveien 70	2024-07-19 20:00:00	59,0	67,7	-6,0	55
ST03	Sandviksveien 52	2024-07-19 20:00:00	60,8	66,9	-6,0	55
ST02	Kirkeveien 4	2024-07-19 20:00:00	52,0	78,7	-6,0	55
ST01	Høvikveien 2C	2024-07-19 20:00:00	59,2	72,3	-6,0	55
ST04	Sandviksveien 70	2024-07-19 19:30:00	59,1	66,1	-6,0	55
ST03	Sandviksveien 52	2024-07-19 19:30:00	60,9	66,4	-6,0	55
ST02	Kirkeveien 4	2024-07-19 19:30:00	51,1	81,2	-6,0	55
ST01	Høvikveien 2C	2024-07-19 19:30:00	59,0	66,7	-6,0	55
ST04	Sandviksveien 70	2024-07-19 19:00:00	59,5	70,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 19:00:00	61,0	68,9	-6,0	60
ST02	Kirkeveien 4	2024-07-19 19:00:00	52,0	75,6	-6,0	60
ST01	Høvikveien 2C	2024-07-19 19:00:00	59,5	71,6	-6,0	60
ST04	Sandviksveien 70	2024-07-19 18:30:00	59,5	66,4	-6,0	60
ST03	Sandviksveien 52	2024-07-19 18:30:00	62,1	84,2	-6,0	60
ST02	Kirkeveien 4	2024-07-19 18:30:00	51,7	72,1	-6,0	60
ST01	Høvikveien 2C	2024-07-19 18:30:00	60,5	80,6	-6,0	60
ST04	Sandviksveien 70	2024-07-19 18:00:00	60,2	77,2	-6,0	60
ST03	Sandviksveien 52	2024-07-19 18:00:00	61,9	72,9	-6,0	60
ST02	Kirkeveien 4	2024-07-19 18:00:00	51,4	75,7	-6,0	60
ST01	Høvikveien 2C	2024-07-19 18:00:00	60,4	77,7	-6,0	60
ST04	Sandviksveien 70	2024-07-19 17:30:00	59,7	70,0	-6,0	60
ST03	Sandviksveien 52	2024-07-19 17:30:00	61,9	67,6	-6,0	60
ST02	Kirkeveien 4	2024-07-19 17:30:00	51,8	69,7	-6,0	60
ST01	Høvikveien 2C	2024-07-19 17:30:00	60,2	71,7	-6,0	60
ST04	Sandviksveien 70	2024-07-19 17:00:00	60,1	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 17:00:00	62,3	80,2	-6,0	60
ST02	Kirkeveien 4	2024-07-19 17:00:00	51,2	69,7	-6,0	60
ST01	Høvikveien 2C	2024-07-19 17:00:00	60,1	70,8	-6,0	60
ST04	Sandviksveien 70	2024-07-19 16:30:00	60,6	81,0	-6,0	60
ST03	Sandviksveien 52	2024-07-19 16:30:00	62,0	68,9	-6,0	60
ST02	Kirkeveien 4	2024-07-19 16:30:00	55,7	90,3	-6,0	60
ST01	Høvikveien 2C	2024-07-19 16:30:00	60,3	71,7	-6,0	60
ST04	Sandviksveien 70	2024-07-19 16:00:00	60,3	72,8	-6,0	60
ST03	Sandviksveien 52	2024-07-19 16:00:00	61,9	69,0	-6,0	60
ST02	Kirkeveien 4	2024-07-19 16:00:00	51,2	69,6	-6,0	60
ST01	Høvikveien 2C	2024-07-19 16:00:00	60,3	71,8	-6,0	60
ST04	Sandviksveien 70	2024-07-19 15:30:00	60,1	66,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 15:30:00	61,9	72,8	-6,0	60
ST02	Kirkeveien 4	2024-07-19 15:30:00	52,4	81,7	-6,0	60
ST01	Høvikveien 2C	2024-07-19 15:30:00	60,4	78,4	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-19 15:00:00	60,3	69,1	-6,0	60
ST03	Sandviksveien 52	2024-07-19 15:00:00	62,5	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-19 15:00:00	51,0	71,4	-6,0	60
ST01	Høvikveien 2C	2024-07-19 15:00:00	60,1	73,8	-6,0	60
ST04	Sandviksveien 70	2024-07-19 14:30:00	60,5	72,1	-6,0	60
ST03	Sandviksveien 52	2024-07-19 14:30:00	62,6	70,1	-6,0	60
ST02	Kirkeveien 4	2024-07-19 14:30:00	56,8	89,8	-6,0	60
ST01	Høvikveien 2C	2024-07-19 14:30:00	60,1	71,8	-6,0	60
ST04	Sandviksveien 70	2024-07-19 14:00:00	60,4	77,2	-6,0	60
ST03	Sandviksveien 52	2024-07-19 14:00:00	62,2	67,7	-6,0	60
ST02	Kirkeveien 4	2024-07-19 14:00:00	50,8	68,5	-6,0	60
ST01	Høvikveien 2C	2024-07-19 14:00:00	59,9	72,8	-6,0	60
ST04	Sandviksveien 70	2024-07-19 13:30:00	61,3	69,8	-6,0	60
ST03	Sandviksveien 52	2024-07-19 13:30:00	62,5	72,5	-6,0	60
ST02	Kirkeveien 4	2024-07-19 13:30:00	50,8	69,1	-6,0	60
ST01	Høvikveien 2C	2024-07-19 13:30:00	59,9	71,7	-6,0	60
ST04	Sandviksveien 70	2024-07-19 13:00:00	62,9	75,4	-6,0	60
ST03	Sandviksveien 52	2024-07-19 13:00:00	62,7	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-19 13:00:00	50,9	70,8	-6,0	60
ST01	Høvikveien 2C	2024-07-19 13:00:00	60,1	77,0	-6,0	60
ST04	Sandviksveien 70	2024-07-19 12:30:00	61,9	66,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 12:30:00	62,3	80,0	-6,0	60
ST02	Kirkeveien 4	2024-07-19 12:30:00	50,5	68,9	-6,0	60
ST01	Høvikveien 2C	2024-07-19 12:30:00	60,0	71,0	-6,0	60
ST04	Sandviksveien 70	2024-07-19 12:00:00	60,3	68,4	-6,0	60
ST03	Sandviksveien 52	2024-07-19 12:00:00	62,3	69,2	-6,0	60
ST02	Kirkeveien 4	2024-07-19 12:00:00	50,4	70,4	-6,0	60
ST01	Høvikveien 2C	2024-07-19 12:00:00	59,7	69,9	-6,0	60
ST04	Sandviksveien 70	2024-07-19 11:30:00	60,4	67,5	-6,0	60
ST03	Sandviksveien 52	2024-07-19 11:30:00	62,5	73,5	-6,0	60
ST02	Kirkeveien 4	2024-07-19 11:30:00	50,2	69,4	-6,0	60
ST01	Høvikveien 2C	2024-07-19 11:30:00	59,7	69,2	-6,0	60
ST04	Sandviksveien 70	2024-07-19 11:00:00	60,4	70,4	-6,0	60
ST03	Sandviksveien 52	2024-07-19 11:00:00	62,3	73,3	-6,0	60
ST02	Kirkeveien 4	2024-07-19 11:00:00	50,5	69,8	-6,0	60
ST01	Høvikveien 2C	2024-07-19 11:00:00	59,7	72,0	-6,0	60
ST04	Sandviksveien 70	2024-07-19 10:30:00	60,7	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 10:30:00	62,2	73,0	-6,0	60
ST02	Kirkeveien 4	2024-07-19 10:30:00	50,4	70,0	-6,0	60
ST01	Høvikveien 2C	2024-07-19 10:30:00	59,9	75,7	-6,0	60
ST04	Sandviksveien 70	2024-07-19 10:00:00	60,6	70,6	-6,0	60
ST03	Sandviksveien 52	2024-07-19 10:00:00	62,1	69,3	-6,0	60
ST02	Kirkeveien 4	2024-07-19 10:00:00	49,9	74,2	-6,0	60
ST01	Høvikveien 2C	2024-07-19 10:00:00	59,2	69,9	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-19 09:30:00	60,4	68,2	-6,0	60
ST03	Sandviksveien 52	2024-07-19 09:30:00	62,0	67,5	-6,0	60
ST02	Kirkeveien 4	2024-07-19 09:30:00	50,1	73,6	-6,0	60
ST01	Høvikveien 2C	2024-07-19 09:30:00	59,2	68,2	-6,0	60
ST04	Sandviksveien 70	2024-07-19 09:00:00	60,4	67,8	-6,0	60
ST03	Sandviksveien 52	2024-07-19 09:00:00	61,9	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-19 09:00:00	49,8	74,9	-6,0	60
ST01	Høvikveien 2C	2024-07-19 09:00:00	58,7	69,4	-6,0	60
ST04	Sandviksveien 70	2024-07-19 08:30:00	61,0	70,0	-6,0	60
ST03	Sandviksveien 52	2024-07-19 08:30:00	61,8	68,5	-6,0	60
ST02	Kirkeveien 4	2024-07-19 08:30:00	53,6	90,3	-6,0	60
ST01	Høvikveien 2C	2024-07-19 08:30:00	58,8	70,1	-6,0	60
ST04	Sandviksveien 70	2024-07-19 08:00:00	60,1	67,1	-6,0	60
ST03	Sandviksveien 52	2024-07-19 08:00:00	61,2	66,6	-6,0	60
ST02	Kirkeveien 4	2024-07-19 08:00:00	49,0	68,1	-6,0	60
ST01	Høvikveien 2C	2024-07-19 08:00:00	58,4	77,0	-6,0	60
ST04	Sandviksveien 70	2024-07-19 07:30:00	60,7	68,7	-6,0	60
ST03	Sandviksveien 52	2024-07-19 07:30:00	62,1	67,4	-6,0	60
ST02	Kirkeveien 4	2024-07-19 07:30:00	48,8	68,7	-6,0	60
ST01	Høvikveien 2C	2024-07-19 07:30:00	58,4	70,1	-6,0	60
ST04	Sandviksveien 70	2024-07-19 07:00:00	60,8	70,2	-6,0	60
ST03	Sandviksveien 52	2024-07-19 07:00:00	61,8	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-19 07:00:00	48,9	70,6	-6,0	60
ST01	Høvikveien 2C	2024-07-19 07:00:00	58,1	69,6	-6,0	60
ST04	Sandviksveien 70	2024-07-19 06:30:00	61,1	75,7	-6,0	45
ST03	Sandviksveien 52	2024-07-19 06:30:00	61,6	75,1	-6,0	45
ST02	Kirkeveien 4	2024-07-19 06:30:00	48,4	67,9	-6,0	45
ST01	Høvikveien 2C	2024-07-19 06:30:00	57,8	69,9	-6,0	45
ST04	Sandviksveien 70	2024-07-19 06:00:00	58,7	67,2	-6,0	45
ST03	Sandviksveien 52	2024-07-19 06:00:00	59,2	66,5	-6,0	45
ST02	Kirkeveien 4	2024-07-19 06:00:00	52,5	77,6	-6,0	45
ST01	Høvikveien 2C	2024-07-19 06:00:00	57,2	75,0	-6,0	45
ST04	Sandviksveien 70	2024-07-19 05:30:00	56,9	69,5	-6,0	45
ST03	Sandviksveien 52	2024-07-19 05:30:00	58,0	68,3	-6,0	45
ST02	Kirkeveien 4	2024-07-19 05:30:00	46,6	70,1	-6,0	45
ST01	Høvikveien 2C	2024-07-19 05:30:00	54,7	76,2	-6,0	45
ST04	Sandviksveien 70	2024-07-19 05:00:00	55,8	67,5	-6,0	45
ST03	Sandviksveien 52	2024-07-19 05:00:00	57,1	66,8	-6,0	45
ST02	Kirkeveien 4	2024-07-19 05:00:00	43,6	57,2	-6,0	45
ST01	Høvikveien 2C	2024-07-19 05:00:00	53,3	61,7	-6,0	45
ST04	Sandviksveien 70	2024-07-19 04:30:00	54,9	69,8	-6,0	45
ST03	Sandviksveien 52	2024-07-19 04:30:00	55,8	66,9	-6,0	45
ST02	Kirkeveien 4	2024-07-19 04:30:00	43,3	49,5	-6,0	45
ST01	Høvikveien 2C	2024-07-19 04:30:00	52,6	63,0	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-19 04:00:00	55,6	68,0	-6,0	45
ST03	Sandviksveien 52	2024-07-19 04:00:00	55,5	65,5	-6,0	45
ST02	Kirkeveien 4	2024-07-19 04:00:00	43,4	55,0	-6,0	45
ST01	Høvikveien 2C	2024-07-19 04:00:00	53,1	61,9	-6,0	45
ST04	Sandviksveien 70	2024-07-19 03:30:00	54,4	66,8	-6,0	45
ST03	Sandviksveien 52	2024-07-19 03:30:00	54,4	65,8	-6,0	45
ST02	Kirkeveien 4	2024-07-19 03:30:00	43,8	63,1	-6,0	45
ST01	Høvikveien 2C	2024-07-19 03:30:00	51,7	60,0	-6,0	45
ST04	Sandviksveien 70	2024-07-19 03:00:00	54,2	68,0	-6,0	45
ST03	Sandviksveien 52	2024-07-19 03:00:00	54,7	65,0	-6,0	45
ST02	Kirkeveien 4	2024-07-19 03:00:00	43,5	65,6	-6,0	45
ST01	Høvikveien 2C	2024-07-19 03:00:00	51,8	62,6	-6,0	45
ST04	Sandviksveien 70	2024-07-19 02:30:00	53,8	67,6	-6,0	45
ST03	Sandviksveien 52	2024-07-19 02:30:00	54,4	66,2	-6,0	45
ST02	Kirkeveien 4	2024-07-19 02:30:00	41,8	49,8	-6,0	45
ST01	Høvikveien 2C	2024-07-19 02:30:00	51,2	61,0	-6,0	45
ST04	Sandviksveien 70	2024-07-19 02:00:00	54,3	70,2	-6,0	45
ST03	Sandviksveien 52	2024-07-19 02:00:00	55,3	67,0	-6,0	45
ST02	Kirkeveien 4	2024-07-19 02:00:00	42,0	49,7	-6,0	45
ST01	Høvikveien 2C	2024-07-19 02:00:00	51,1	61,5	-6,0	45
ST04	Sandviksveien 70	2024-07-19 01:30:00	54,4	69,2	-6,0	45
ST03	Sandviksveien 52	2024-07-19 01:30:00	55,7	64,9	-6,0	45
ST02	Kirkeveien 4	2024-07-19 01:30:00	44,5	70,2	-6,0	45
ST01	Høvikveien 2C	2024-07-19 01:30:00	51,4	72,5	-6,0	45
ST04	Sandviksveien 70	2024-07-19 01:00:00	55,3	69,3	-6,0	45
ST03	Sandviksveien 52	2024-07-19 01:00:00	56,3	65,1	-6,0	45
ST02	Kirkeveien 4	2024-07-19 01:00:00	46,0	71,3	-6,0	45
ST01	Høvikveien 2C	2024-07-19 01:00:00	52,9	73,5	-6,0	45
ST04	Sandviksveien 70	2024-07-19 00:30:00	56,0	67,3	-6,0	45
ST03	Sandviksveien 52	2024-07-19 00:30:00	56,8	67,4	-6,0	45
ST02	Kirkeveien 4	2024-07-19 00:30:00	51,0	82,2	-6,0	45
ST01	Høvikveien 2C	2024-07-19 00:30:00	54,4	75,1	-6,0	45
ST04	Sandviksveien 70	2024-07-19 00:00:00	57,1	67,2	-6,0	45
ST03	Sandviksveien 52	2024-07-19 00:00:00	57,7	65,3	-6,0	45
ST02	Kirkeveien 4	2024-07-19 00:00:00	50,9	73,3	-6,0	45
ST01	Høvikveien 2C	2024-07-19 00:00:00	55,9	74,3	-6,0	45
ST04	Sandviksveien 70	2024-07-18 23:30:00	57,7	69,6	-6,0	45
ST03	Sandviksveien 52	2024-07-18 23:30:00	58,4	66,8	-6,0	45
ST02	Kirkeveien 4	2024-07-18 23:30:00	47,8	69,0	-6,0	45
ST01	Høvikveien 2C	2024-07-18 23:30:00	55,3	72,0	-6,0	45
ST04	Sandviksveien 70	2024-07-18 23:00:00	58,4	69,0	-6,0	55
ST03	Sandviksveien 52	2024-07-18 23:00:00	59,7	66,7	-6,0	55
ST02	Kirkeveien 4	2024-07-18 23:00:00	52,4	79,8	-6,0	55
ST01	Høvikveien 2C	2024-07-18 23:00:00	57,5	78,6	-6,0	55

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-18 22:30:00	58,8	69,8	-6,0	55
ST03	Sandviksveien 52	2024-07-18 22:30:00	60,4	71,9	-6,0	55
ST02	Kirkeveien 4	2024-07-18 22:30:00	54,0	81,8	-6,0	55
ST01	Høvikveien 2C	2024-07-18 22:30:00	57,8	78,4	-6,0	55
ST04	Sandviksveien 70	2024-07-18 22:00:00	58,7	68,1	-6,0	55
ST03	Sandviksveien 52	2024-07-18 22:00:00	60,6	68,5	-6,0	55
ST02	Kirkeveien 4	2024-07-18 22:00:00	52,1	79,6	-6,0	55
ST01	Høvikveien 2C	2024-07-18 22:00:00	57,7	75,1	-6,0	55
ST04	Sandviksveien 70	2024-07-18 21:30:00	59,5	72,3	-6,0	55
ST03	Sandviksveien 52	2024-07-18 21:30:00	61,0	70,8	-6,0	55
ST02	Kirkeveien 4	2024-07-18 21:30:00	49,7	70,1	-6,0	55
ST01	Høvikveien 2C	2024-07-18 21:30:00	58,6	78,5	-6,0	55
ST04	Sandviksveien 70	2024-07-18 21:00:00	59,6	67,6	-6,0	55
ST03	Sandviksveien 52	2024-07-18 21:00:00	61,2	70,0	-6,0	55
ST02	Kirkeveien 4	2024-07-18 21:00:00	50,3	69,3	-6,0	55
ST01	Høvikveien 2C	2024-07-18 21:00:00	58,9	73,7	-6,0	55
ST04	Sandviksveien 70	2024-07-18 20:30:00	59,6	70,1	-6,0	55
ST03	Sandviksveien 52	2024-07-18 20:30:00	61,6	76,2	-6,0	55
ST02	Kirkeveien 4	2024-07-18 20:30:00	53,8	80,0	-6,0	55
ST01	Høvikveien 2C	2024-07-18 20:30:00	60,0	80,2	-6,0	55
ST04	Sandviksveien 70	2024-07-18 20:00:00	60,3	67,9	-6,0	55
ST03	Sandviksveien 52	2024-07-18 20:00:00	61,8	67,3	-6,0	55
ST02	Kirkeveien 4	2024-07-18 20:00:00	51,5	77,7	-6,0	55
ST01	Høvikveien 2C	2024-07-18 20:00:00	59,8	74,1	-6,0	55
ST04	Sandviksveien 70	2024-07-18 19:30:00	60,4	73,8	-6,0	55
ST03	Sandviksveien 52	2024-07-18 19:30:00	61,6	70,0	-6,0	55
ST02	Kirkeveien 4	2024-07-18 19:30:00	55,2	78,4	-6,0	55
ST01	Høvikveien 2C	2024-07-18 19:30:00	59,9	75,4	-6,0	55
ST04	Sandviksveien 70	2024-07-18 19:00:00	59,5	73,6	-6,0	60
ST03	Sandviksveien 52	2024-07-18 19:00:00	61,6	66,9	-6,0	60
ST02	Kirkeveien 4	2024-07-18 19:00:00	54,8	92,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 19:00:00	59,9	77,9	-6,0	60
ST04	Sandviksveien 70	2024-07-18 18:30:00	60,1	73,2	-6,0	60
ST03	Sandviksveien 52	2024-07-18 18:30:00	62,2	68,9	-6,0	60
ST02	Kirkeveien 4	2024-07-18 18:30:00	56,6	94,9	-6,0	60
ST01	Høvikveien 2C	2024-07-18 18:30:00	60,4	73,2	-6,0	60
ST04	Sandviksveien 70	2024-07-18 18:00:00	59,7	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-18 18:00:00	62,1	71,9	-6,0	60
ST02	Kirkeveien 4	2024-07-18 18:00:00	55,5	81,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 18:00:00	61,0	80,5	-6,0	60
ST04	Sandviksveien 70	2024-07-18 17:30:00	60,3	77,5	-6,0	60
ST03	Sandviksveien 52	2024-07-18 17:30:00	62,4	70,7	-6,0	60
ST02	Kirkeveien 4	2024-07-18 17:30:00	52,3	74,5	-6,0	60
ST01	Høvikveien 2C	2024-07-18 17:30:00	60,5	76,3	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-18 17:00:00	59,9	72,9	-6,0	60
ST03	Sandviksveien 52	2024-07-18 17:00:00	62,0	69,3	-6,0	60
ST02	Kirkeveien 4	2024-07-18 17:00:00	52,1	74,7	-6,0	60
ST01	Høvikveien 2C	2024-07-18 17:00:00	60,2	75,7	-6,0	60
ST04	Sandviksveien 70	2024-07-18 16:30:00	60,4	71,4	-6,0	60
ST03	Sandviksveien 52	2024-07-18 16:30:00	62,6	74,0	-6,0	60
ST02	Kirkeveien 4	2024-07-18 16:30:00	51,4	71,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 16:30:00	60,3	75,9	-6,0	60
ST04	Sandviksveien 70	2024-07-18 16:00:00	60,1	66,8	-6,0	60
ST03	Sandviksveien 52	2024-07-18 16:00:00	62,2	66,8	-6,0	60
ST02	Kirkeveien 4	2024-07-18 16:00:00	56,8	80,3	-6,0	60
ST01	Høvikveien 2C	2024-07-18 16:00:00	61,2	77,5	-6,0	60
ST04	Sandviksveien 70	2024-07-18 15:30:00	60,2	67,2	-6,0	60
ST03	Sandviksveien 52	2024-07-18 15:30:00	62,3	69,9	-6,0	60
ST02	Kirkeveien 4	2024-07-18 15:30:00	58,5	80,8	-6,0	60
ST01	Høvikveien 2C	2024-07-18 15:30:00	62,0	79,1	-6,0	60
ST04	Sandviksveien 70	2024-07-18 15:00:00	60,2	69,5	-6,0	60
ST03	Sandviksveien 52	2024-07-18 15:00:00	62,5	69,9	-6,0	60
ST02	Kirkeveien 4	2024-07-18 15:00:00	59,2	78,4	-6,0	60
ST01	Høvikveien 2C	2024-07-18 15:00:00	60,4	73,5	-6,0	60
ST04	Sandviksveien 70	2024-07-18 14:30:00	60,1	67,0	-6,0	60
ST03	Sandviksveien 52	2024-07-18 14:30:00	62,2	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-18 14:30:00	52,8	76,6	-6,0	60
ST01	Høvikveien 2C	2024-07-18 14:30:00	60,5	76,0	-6,0	60
ST04	Sandviksveien 70	2024-07-18 14:00:00	60,2	67,9	-6,0	60
ST03	Sandviksveien 52	2024-07-18 14:00:00	61,9	70,0	-6,0	60
ST02	Kirkeveien 4	2024-07-18 14:00:00	50,8	70,8	-6,0	60
ST01	Høvikveien 2C	2024-07-18 14:00:00	60,2	76,6	-6,0	60
ST04	Sandviksveien 70	2024-07-18 13:30:00	61,0	68,0	-6,0	60
ST03	Sandviksveien 52	2024-07-18 13:30:00	62,7	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-18 13:30:00	49,9	69,4	-6,0	60
ST01	Høvikveien 2C	2024-07-18 13:30:00	59,4	72,9	-6,0	60
ST04	Sandviksveien 70	2024-07-18 13:00:00	61,8	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-18 13:00:00	62,5	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-18 13:00:00	53,3	81,2	-6,0	60
ST01	Høvikveien 2C	2024-07-18 13:00:00	59,7	79,6	-6,0	60
ST04	Sandviksveien 70	2024-07-18 12:30:00	62,2	68,9	-6,0	60
ST03	Sandviksveien 52	2024-07-18 12:30:00	63,2	68,2	-6,0	60
ST02	Kirkeveien 4	2024-07-18 12:30:00	48,5	77,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 12:30:00	58,7	70,4	-6,0	60
ST04	Sandviksveien 70	2024-07-18 12:00:00	63,3	77,2	-6,0	60
ST03	Sandviksveien 52	2024-07-18 12:00:00	63,8	73,3	-6,0	60
ST02	Kirkeveien 4	2024-07-18 12:00:00	50,5	76,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 12:00:00	59,5	77,3	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-18 11:30:00	62,6	72,8	-6,0	60
ST03	Sandviksveien 52	2024-07-18 11:30:00	63,8	67,8	-6,0	60
ST02	Kirkeveien 4	2024-07-18 11:30:00	48,4	70,8	-6,0	60
ST01	Høvikveien 2C	2024-07-18 11:30:00	59,2	76,0	-6,0	60
ST04	Sandviksveien 70	2024-07-18 11:00:00	62,6	68,0	-6,0	60
ST03	Sandviksveien 52	2024-07-18 11:00:00	63,8	68,6	-6,0	60
ST02	Kirkeveien 4	2024-07-18 11:00:00	58,3	73,8	-6,0	60
ST01	Høvikveien 2C	2024-07-18 11:00:00	60,7	73,3	-6,0	60
ST04	Sandviksveien 70	2024-07-18 10:30:00	62,1	68,7	-6,0	60
ST03	Sandviksveien 52	2024-07-18 10:30:00	63,2	67,2	-6,0	60
ST02	Kirkeveien 4	2024-07-18 10:30:00	53,9	79,9	-6,0	60
ST01	Høvikveien 2C	2024-07-18 10:30:00	63,1	81,9	-6,0	60
ST04	Sandviksveien 70	2024-07-18 10:00:00	61,7	68,8	-6,0	60
ST03	Sandviksveien 52	2024-07-18 10:00:00	62,7	67,7	-6,0	60
ST02	Kirkeveien 4	2024-07-18 10:00:00	50,0	68,3	-6,0	60
ST01	Høvikveien 2C	2024-07-18 10:00:00	59,5	69,1	-6,0	60
ST04	Sandviksveien 70	2024-07-18 09:30:00	61,6	68,3	-6,0	60
ST03	Sandviksveien 52	2024-07-18 09:30:00	62,6	67,7	-6,0	60
ST02	Kirkeveien 4	2024-07-18 09:30:00	50,4	73,2	-6,0	60
ST01	Høvikveien 2C	2024-07-18 09:30:00	59,5	73,8	-6,0	60
ST04	Sandviksveien 70	2024-07-18 09:00:00	60,8	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-18 09:00:00	62,2	69,4	-6,0	60
ST02	Kirkeveien 4	2024-07-18 09:00:00	50,8	72,2	-6,0	60
ST01	Høvikveien 2C	2024-07-18 09:00:00	61,2	76,5	-6,0	60
ST04	Sandviksveien 70	2024-07-18 08:30:00	61,7	70,6	-6,0	60
ST03	Sandviksveien 52	2024-07-18 08:30:00	63,2	71,5	-6,0	60
ST02	Kirkeveien 4	2024-07-18 08:30:00	48,3	68,4	-6,0	60
ST01	Høvikveien 2C	2024-07-18 08:30:00	69,8	88,2	-6,0	60
ST04	Sandviksveien 70	2024-07-18 08:00:00	62,7	69,0	-6,0	60
ST03	Sandviksveien 52	2024-07-18 08:00:00	63,5	69,7	-6,0	60
ST02	Kirkeveien 4	2024-07-18 08:00:00	50,9	76,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 08:00:00	67,8	87,9	-6,0	60
ST04	Sandviksveien 70	2024-07-18 07:30:00	61,3	68,9	-6,0	60
ST03	Sandviksveien 52	2024-07-18 07:30:00	63,2	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-18 07:30:00	49,5	69,1	-6,0	60
ST01	Høvikveien 2C	2024-07-18 07:30:00	58,8	69,4	-6,0	60
ST04	Sandviksveien 70	2024-07-18 07:00:00	61,3	68,5	-6,0	60
ST03	Sandviksveien 52	2024-07-18 07:00:00	62,7	69,4	-6,0	60
ST02	Kirkeveien 4	2024-07-18 07:00:00	53,0	76,3	-6,0	60
ST01	Høvikveien 2C	2024-07-18 07:00:00	59,8	75,1	-6,0	60
ST04	Sandviksveien 70	2024-07-18 06:30:00	60,8	68,7	-6,0	45
ST03	Sandviksveien 52	2024-07-18 06:30:00	62,2	69,2	-6,0	45
ST02	Kirkeveien 4	2024-07-18 06:30:00	52,7	71,3	-6,0	45
ST01	Høvikveien 2C	2024-07-18 06:30:00	59,8	76,9	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-18 06:00:00	60,2	71,0	-6,0	45
ST03	Sandviksveien 52	2024-07-18 06:00:00	61,0	68,0	-6,0	45
ST02	Kirkeveien 4	2024-07-18 06:00:00	50,4	68,2	-6,0	45
ST01	Høvikveien 2C	2024-07-18 06:00:00	58,4	70,7	-6,0	45
ST04	Sandviksveien 70	2024-07-18 05:30:00	58,2	67,7	-6,0	45
ST03	Sandviksveien 52	2024-07-18 05:30:00	58,8	67,9	-6,0	45
ST02	Kirkeveien 4	2024-07-18 05:30:00	52,4	80,6	-6,0	45
ST01	Høvikveien 2C	2024-07-18 05:30:00	57,4	80,5	-6,0	45
ST04	Sandviksveien 70	2024-07-18 05:00:00	56,0	67,5	-6,0	45
ST03	Sandviksveien 52	2024-07-18 05:00:00	57,0	67,0	-6,0	45
ST02	Kirkeveien 4	2024-07-18 05:00:00	47,9	69,4	-6,0	45
ST01	Høvikveien 2C	2024-07-18 05:00:00	55,2	71,5	-6,0	45
ST04	Sandviksveien 70	2024-07-18 04:30:00	54,5	66,5	-6,0	45
ST03	Sandviksveien 52	2024-07-18 04:30:00	56,0	65,6	-6,0	45
ST02	Kirkeveien 4	2024-07-18 04:30:00	46,1	71,5	-6,0	45
ST01	Høvikveien 2C	2024-07-18 04:30:00	53,9	70,1	-6,0	45
ST04	Sandviksveien 70	2024-07-18 04:00:00	56,0	70,5	-6,0	45
ST03	Sandviksveien 52	2024-07-18 04:00:00	56,0	65,3	-6,0	45
ST02	Kirkeveien 4	2024-07-18 04:00:00	43,8	51,2	-6,0	45
ST01	Høvikveien 2C	2024-07-18 04:00:00	54,2	62,6	-6,0	45
ST04	Sandviksveien 70	2024-07-18 03:30:00	54,0	66,9	-6,0	45
ST03	Sandviksveien 52	2024-07-18 03:30:00	54,1	64,3	-6,0	45
ST02	Kirkeveien 4	2024-07-18 03:30:00	44,7	56,6	-6,0	45
ST01	Høvikveien 2C	2024-07-18 03:30:00	51,9	60,5	-6,0	45
ST04	Sandviksveien 70	2024-07-18 03:00:00	54,1	67,6	-6,0	45
ST03	Sandviksveien 52	2024-07-18 03:00:00	54,9	63,9	-6,0	45
ST02	Kirkeveien 4	2024-07-18 03:00:00	42,9	48,7	-6,0	45
ST01	Høvikveien 2C	2024-07-18 03:00:00	52,5	61,9	-6,0	45
ST04	Sandviksveien 70	2024-07-18 02:30:00	54,6	68,4	-6,0	45
ST03	Sandviksveien 52	2024-07-18 02:30:00	55,3	65,3	-6,0	45
ST02	Kirkeveien 4	2024-07-18 02:30:00	42,5	49,7	-6,0	45
ST01	Høvikveien 2C	2024-07-18 02:30:00	52,4	62,3	-6,0	45
ST04	Sandviksveien 70	2024-07-18 02:00:00	55,6	69,6	-6,0	45
ST03	Sandviksveien 52	2024-07-18 02:00:00	56,0	66,1	-6,0	45
ST02	Kirkeveien 4	2024-07-18 02:00:00	44,0	51,1	-6,0	45
ST01	Høvikveien 2C	2024-07-18 02:00:00	53,4	64,1	-6,0	45
ST04	Sandviksveien 70	2024-07-18 01:30:00	53,6	67,9	-6,0	45
ST03	Sandviksveien 52	2024-07-18 01:30:00	54,9	63,8	-6,0	45
ST02	Kirkeveien 4	2024-07-18 01:30:00	46,3	69,4	-6,0	45
ST01	Høvikveien 2C	2024-07-18 01:30:00	52,8	70,7	-6,0	45
ST04	Sandviksveien 70	2024-07-18 01:00:00	54,7	68,2	-6,0	45
ST03	Sandviksveien 52	2024-07-18 01:00:00	55,7	65,4	-6,0	45
ST02	Kirkeveien 4	2024-07-18 01:00:00	47,2	71,8	-6,0	45
ST01	Høvikveien 2C	2024-07-18 01:00:00	53,8	69,9	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-18 00:30:00	55,3	68,5	-6,0	45
ST03	Sandviksveien 52	2024-07-18 00:30:00	56,6	65,9	-6,0	45
ST02	Kirkeveien 4	2024-07-18 00:30:00	47,5	68,6	-6,0	45
ST01	Høvikveien 2C	2024-07-18 00:30:00	54,4	72,1	-6,0	45
ST04	Sandviksveien 70	2024-07-18 00:00:00	55,5	69,5	-6,0	45
ST03	Sandviksveien 52	2024-07-18 00:00:00	56,9	65,4	-6,0	45
ST02	Kirkeveien 4	2024-07-18 00:00:00	52,1	78,6	-6,0	45
ST01	Høvikveien 2C	2024-07-18 00:00:00	57,0	78,5	-6,0	45
ST04	Sandviksveien 70	2024-07-17 23:30:00	56,8	69,5	-6,0	45
ST03	Sandviksveien 52	2024-07-17 23:30:00	58,1	69,2	-6,0	45
ST02	Kirkeveien 4	2024-07-17 23:30:00	47,6	71,3	-6,0	45
ST01	Høvikveien 2C	2024-07-17 23:30:00	58,5	85,7	-6,0	45
ST04	Sandviksveien 70	2024-07-17 23:00:00	57,1	67,0	-6,0	55
ST03	Sandviksveien 52	2024-07-17 23:00:00	58,6	65,1	-6,0	55
ST02	Kirkeveien 4	2024-07-17 23:00:00	49,8	74,5	-6,0	55
ST01	Høvikveien 2C	2024-07-17 23:00:00	56,6	76,2	-6,0	55
ST04	Sandviksveien 70	2024-07-17 22:30:00	57,8	66,6	-6,0	55
ST03	Sandviksveien 52	2024-07-17 22:30:00	59,5	66,6	-6,0	55
ST02	Kirkeveien 4	2024-07-17 22:30:00	48,9	72,2	-6,0	55
ST01	Høvikveien 2C	2024-07-17 22:30:00	58,3	80,9	-6,0	55
ST04	Sandviksveien 70	2024-07-17 22:00:00	59,1	68,8	-6,0	55
ST03	Sandviksveien 52	2024-07-17 22:00:00	60,6	66,7	-6,0	55
ST02	Kirkeveien 4	2024-07-17 22:00:00	49,9	69,6	-6,0	55
ST01	Høvikveien 2C	2024-07-17 22:00:00	58,8	80,3	-6,0	55
ST04	Sandviksveien 70	2024-07-17 21:30:00	59,2	67,9	-6,0	55
ST03	Sandviksveien 52	2024-07-17 21:30:00	61,1	66,3	-6,0	55
ST02	Kirkeveien 4	2024-07-17 21:30:00	51,8	77,0	-6,0	55
ST01	Høvikveien 2C	2024-07-17 21:30:00	59,3	78,0	-6,0	55
ST04	Sandviksveien 70	2024-07-17 21:00:00	59,9	66,1	-6,0	55
ST03	Sandviksveien 52	2024-07-17 21:00:00	61,7	67,0	-6,0	55
ST02	Kirkeveien 4	2024-07-17 21:00:00	50,7	68,3	-6,0	55
ST01	Høvikveien 2C	2024-07-17 21:00:00	60,1	82,5	-6,0	55
ST04	Sandviksveien 70	2024-07-17 20:30:00	60,1	67,2	-6,0	55
ST03	Sandviksveien 52	2024-07-17 20:30:00	62,1	67,1	-6,0	55
ST02	Kirkeveien 4	2024-07-17 20:30:00	52,1	73,8	-6,0	55
ST01	Høvikveien 2C	2024-07-17 20:30:00	60,3	79,9	-6,0	55
ST04	Sandviksveien 70	2024-07-17 20:00:00	60,6	71,1	-6,0	55
ST03	Sandviksveien 52	2024-07-17 20:00:00	62,6	72,5	-6,0	55
ST02	Kirkeveien 4	2024-07-17 20:00:00	50,7	69,7	-6,0	55
ST01	Høvikveien 2C	2024-07-17 20:00:00	60,3	79,8	-6,0	55
ST04	Sandviksveien 70	2024-07-17 19:30:00	61,0	67,9	-6,0	55
ST03	Sandviksveien 52	2024-07-17 19:30:00	62,6	69,3	-6,0	55
ST02	Kirkeveien 4	2024-07-17 19:30:00	50,4	68,1	-6,0	55
ST01	Høvikveien 2C	2024-07-17 19:30:00	59,6	69,2	-6,0	55

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-17 19:00:00	61,7	72,3	-6,0	60
ST03	Sandviksveien 52	2024-07-17 19:00:00	63,1	68,3	-6,0	60
ST02	Kirkeveien 4	2024-07-17 19:00:00	52,4	77,3	-6,0	60
ST01	Høvikveien 2C	2024-07-17 19:00:00	60,3	76,6	-6,0	60
ST04	Sandviksveien 70	2024-07-17 18:30:00	61,9	68,1	-6,0	60
ST03	Sandviksveien 52	2024-07-17 18:30:00	63,4	75,2	-6,0	60
ST02	Kirkeveien 4	2024-07-17 18:30:00	50,5	67,6	-6,0	60
ST01	Høvikveien 2C	2024-07-17 18:30:00	60,3	70,1	-6,0	60
ST04	Sandviksveien 70	2024-07-17 18:00:00	62,0	67,7	-6,0	60
ST03	Sandviksveien 52	2024-07-17 18:00:00	63,6	68,8	-6,0	60
ST02	Kirkeveien 4	2024-07-17 18:00:00	53,4	83,6	-6,0	60
ST01	Høvikveien 2C	2024-07-17 18:00:00	61,1	83,1	-6,0	60
ST04	Sandviksveien 70	2024-07-17 17:30:00	63,5	68,9	-6,0	60
ST03	Sandviksveien 52	2024-07-17 17:30:00	64,6	68,5	-6,0	60
ST02	Kirkeveien 4	2024-07-17 17:30:00	50,3	72,8	-6,0	60
ST01	Høvikveien 2C	2024-07-17 17:30:00	60,4	69,7	-6,0	60
ST04	Sandviksveien 70	2024-07-17 17:00:00	63,3	71,3	-6,0	60
ST03	Sandviksveien 52	2024-07-17 17:00:00	64,6	69,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 17:00:00	50,1	67,2	-6,0	60
ST01	Høvikveien 2C	2024-07-17 17:00:00	60,3	71,3	-6,0	60
ST04	Sandviksveien 70	2024-07-17 16:30:00	63,1	69,7	-6,0	60
ST03	Sandviksveien 52	2024-07-17 16:30:00	64,6	71,8	-6,0	60
ST02	Kirkeveien 4	2024-07-17 16:30:00	53,6	80,5	-6,0	60
ST01	Høvikveien 2C	2024-07-17 16:30:00	61,6	81,0	-6,0	60
ST04	Sandviksveien 70	2024-07-17 16:00:00	63,0	70,4	-6,0	60
ST03	Sandviksveien 52	2024-07-17 16:00:00	64,7	74,2	-6,0	60
ST02	Kirkeveien 4	2024-07-17 16:00:00	50,5	68,4	-6,0	60
ST01	Høvikveien 2C	2024-07-17 16:00:00	60,7	69,7	-6,0	60
ST04	Sandviksveien 70	2024-07-17 15:30:00	62,9	68,0	-6,0	60
ST03	Sandviksveien 52	2024-07-17 15:30:00	64,6	69,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 15:30:00	52,0	69,9	-6,0	60
ST01	Høvikveien 2C	2024-07-17 15:30:00	61,1	82,3	-6,0	60
ST04	Sandviksveien 70	2024-07-17 15:00:00	63,1	72,1	-6,0	60
ST03	Sandviksveien 52	2024-07-17 15:00:00	64,7	69,0	-6,0	60
ST02	Kirkeveien 4	2024-07-17 15:00:00	50,6	71,3	-6,0	60
ST01	Høvikveien 2C	2024-07-17 15:00:00	61,5	81,4	-6,0	60
ST04	Sandviksveien 70	2024-07-17 14:30:00	62,8	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-17 14:30:00	64,2	81,8	-6,0	60
ST02	Kirkeveien 4	2024-07-17 14:30:00	50,4	70,1	-6,0	60
ST01	Høvikveien 2C	2024-07-17 14:30:00	60,5	70,8	-6,0	60
ST04	Sandviksveien 70	2024-07-17 14:00:00	62,1	69,2	-6,0	60
ST03	Sandviksveien 52	2024-07-17 14:00:00	63,1	68,0	-6,0	60
ST02	Kirkeveien 4	2024-07-17 14:00:00	50,0	68,3	-6,0	60
ST01	Høvikveien 2C	2024-07-17 14:00:00	59,9	74,6	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-17 13:30:00	63,0	71,5	-6,0	60
ST03	Sandviksveien 52	2024-07-17 13:30:00	64,6	68,2	-6,0	60
ST02	Kirkeveien 4	2024-07-17 13:30:00	50,5	68,7	-6,0	60
ST01	Høvikveien 2C	2024-07-17 13:30:00	60,3	79,5	-6,0	60
ST04	Sandviksveien 70	2024-07-17 13:00:00	63,2	67,9	-6,0	60
ST03	Sandviksveien 52	2024-07-17 13:00:00	65,1	72,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 13:00:00	50,5	70,8	-6,0	60
ST01	Høvikveien 2C	2024-07-17 13:00:00	61,1	79,5	-6,0	60
ST04	Sandviksveien 70	2024-07-17 12:30:00	63,9	69,1	-6,0	60
ST03	Sandviksveien 52	2024-07-17 12:30:00	65,1	79,0	-6,0	60
ST02	Kirkeveien 4	2024-07-17 12:30:00	51,0	73,5	-6,0	60
ST01	Høvikveien 2C	2024-07-17 12:30:00	60,8	77,2	-6,0	60
ST04	Sandviksveien 70	2024-07-17 12:00:00	63,7	69,0	-6,0	60
ST03	Sandviksveien 52	2024-07-17 12:00:00	64,9	68,6	-6,0	60
ST02	Kirkeveien 4	2024-07-17 12:00:00	50,6	67,9	-6,0	60
ST01	Høvikveien 2C	2024-07-17 12:00:00	60,9	78,4	-6,0	60
ST04	Sandviksveien 70	2024-07-17 11:30:00	62,8	72,5	-6,0	60
ST03	Sandviksveien 52	2024-07-17 11:30:00	64,5	73,3	-6,0	60
ST02	Kirkeveien 4	2024-07-17 11:30:00	53,9	79,0	-6,0	60
ST01	Høvikveien 2C	2024-07-17 11:30:00	60,9	74,7	-6,0	60
ST04	Sandviksveien 70	2024-07-17 11:00:00	63,1	78,6	-6,0	60
ST03	Sandviksveien 52	2024-07-17 11:00:00	64,5	69,5	-6,0	60
ST02	Kirkeveien 4	2024-07-17 11:00:00	53,1	80,0	-6,0	60
ST01	Høvikveien 2C	2024-07-17 11:00:00	61,0	79,2	-6,0	60
ST04	Sandviksveien 70	2024-07-17 10:30:00	63,5	69,9	-6,0	60
ST03	Sandviksveien 52	2024-07-17 10:30:00	64,4	68,9	-6,0	60
ST02	Kirkeveien 4	2024-07-17 10:30:00	49,8	70,2	-6,0	60
ST01	Høvikveien 2C	2024-07-17 10:30:00	60,4	76,1	-6,0	60
ST04	Sandviksveien 70	2024-07-17 10:00:00	62,4	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-17 10:00:00	63,8	69,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 10:00:00	51,0	73,8	-6,0	60
ST01	Høvikveien 2C	2024-07-17 10:00:00	60,1	74,5	-6,0	60
ST04	Sandviksveien 70	2024-07-17 09:30:00	62,2	67,8	-6,0	60
ST03	Sandviksveien 52	2024-07-17 09:30:00	63,8	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 09:30:00	50,7	71,9	-6,0	60
ST01	Høvikveien 2C	2024-07-17 09:30:00	60,3	81,1	-6,0	60
ST04	Sandviksveien 70	2024-07-17 09:00:00	61,8	71,7	-6,0	60
ST03	Sandviksveien 52	2024-07-17 09:00:00	63,1	68,6	-6,0	60
ST02	Kirkeveien 4	2024-07-17 09:00:00	50,1	69,4	-6,0	60
ST01	Høvikveien 2C	2024-07-17 09:00:00	59,4	69,9	-6,0	60
ST04	Sandviksveien 70	2024-07-17 08:30:00	61,7	68,2	-6,0	60
ST03	Sandviksveien 52	2024-07-17 08:30:00	63,2	68,1	-6,0	60
ST02	Kirkeveien 4	2024-07-17 08:30:00	52,3	78,7	-6,0	60
ST01	Høvikveien 2C	2024-07-17 08:30:00	60,0	79,6	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-17 08:00:00	62,1	68,9	-6,0	60
ST03	Sandviksveien 52	2024-07-17 08:00:00	63,2	67,9	-6,0	60
ST02	Kirkeveien 4	2024-07-17 08:00:00	50,2	71,4	-6,0	60
ST01	Høvikveien 2C	2024-07-17 08:00:00	59,1	68,5	-6,0	60
ST04	Sandviksveien 70	2024-07-17 07:30:00	61,9	73,0	-6,0	60
ST03	Sandviksveien 52	2024-07-17 07:30:00	63,0	67,9	-6,0	60
ST02	Kirkeveien 4	2024-07-17 07:30:00	51,0	71,3	-6,0	60
ST01	Høvikveien 2C	2024-07-17 07:30:00	59,8	78,7	-6,0	60
ST04	Sandviksveien 70	2024-07-17 07:00:00	61,7	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-17 07:00:00	62,8	70,6	-6,0	60
ST02	Kirkeveien 4	2024-07-17 07:00:00	49,5	69,0	-6,0	60
ST01	Høvikveien 2C	2024-07-17 07:00:00	59,1	73,7	-6,0	60
ST04	Sandviksveien 70	2024-07-17 06:30:00	62,4	69,2	-6,0	45
ST03	Sandviksveien 52	2024-07-17 06:30:00	62,7	67,7	-6,0	45
ST02	Kirkeveien 4	2024-07-17 06:30:00	49,1	69,1	-6,0	45
ST01	Høvikveien 2C	2024-07-17 06:30:00	59,2	73,1	-6,0	45
ST04	Sandviksveien 70	2024-07-17 06:00:00	59,1	68,6	-6,0	45
ST03	Sandviksveien 52	2024-07-17 06:00:00	59,8	66,6	-6,0	45
ST02	Kirkeveien 4	2024-07-17 06:00:00	52,6	80,7	-6,0	45
ST01	Høvikveien 2C	2024-07-17 06:00:00	58,4	79,5	-6,0	45
ST04	Sandviksveien 70	2024-07-17 05:30:00	57,2	68,2	-6,0	45
ST03	Sandviksveien 52	2024-07-17 05:30:00	58,3	67,8	-6,0	45
ST02	Kirkeveien 4	2024-07-17 05:30:00	47,9	71,7	-6,0	45
ST01	Høvikveien 2C	2024-07-17 05:30:00	56,2	71,5	-6,0	45
ST04	Sandviksveien 70	2024-07-17 05:00:00	55,6	67,6	-6,0	45
ST03	Sandviksveien 52	2024-07-17 05:00:00	56,8	65,8	-6,0	45
ST02	Kirkeveien 4	2024-07-17 05:00:00	47,0	67,9	-6,0	45
ST01	Høvikveien 2C	2024-07-17 05:00:00	54,6	70,2	-6,0	45
ST04	Sandviksveien 70	2024-07-17 04:30:00	54,3	68,8	-6,0	45
ST03	Sandviksveien 52	2024-07-17 04:30:00	55,3	65,2	-6,0	45
ST02	Kirkeveien 4	2024-07-17 04:30:00	46,1	69,7	-6,0	45
ST01	Høvikveien 2C	2024-07-17 04:30:00	53,5	72,9	-6,0	45
ST04	Sandviksveien 70	2024-07-17 04:00:00	55,4	68,1	-6,0	45
ST03	Sandviksveien 52	2024-07-17 04:00:00	56,1	65,6	-6,0	45
ST02	Kirkeveien 4	2024-07-17 04:00:00	44,4	54,6	-6,0	45
ST01	Høvikveien 2C	2024-07-17 04:00:00	53,4	63,0	-6,0	45
ST04	Sandviksveien 70	2024-07-17 03:30:00	54,1	67,5	-6,0	45
ST03	Sandviksveien 52	2024-07-17 03:30:00	55,2	65,2	-6,0	45
ST02	Kirkeveien 4	2024-07-17 03:30:00	44,2	53,8	-6,0	45
ST01	Høvikveien 2C	2024-07-17 03:30:00	52,6	62,3	-6,0	45
ST04	Sandviksveien 70	2024-07-17 03:00:00	53,6	67,9	-6,0	45
ST03	Sandviksveien 52	2024-07-17 03:00:00	53,9	64,0	-6,0	45
ST02	Kirkeveien 4	2024-07-17 03:00:00	42,2	49,0	-6,0	45
ST01	Høvikveien 2C	2024-07-17 03:00:00	51,4	62,3	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-17 02:30:00	54,1	68,6	-6,0	45
ST03	Sandviksveien 52	2024-07-17 02:30:00	55,0	64,8	-6,0	45
ST02	Kirkeveien 4	2024-07-17 02:30:00	42,9	49,4	-6,0	45
ST01	Høvikveien 2C	2024-07-17 02:30:00	52,4	62,9	-6,0	45
ST04	Sandviksveien 70	2024-07-17 02:00:00	52,2	67,8	-6,0	45
ST03	Sandviksveien 52	2024-07-17 02:00:00	54,2	64,2	-6,0	45
ST02	Kirkeveien 4	2024-07-17 02:00:00	42,6	49,6	-6,0	45
ST01	Høvikveien 2C	2024-07-17 02:00:00	51,2	61,9	-6,0	45
ST04	Sandviksveien 70	2024-07-17 01:30:00	53,9	66,9	-6,0	45
ST03	Sandviksveien 52	2024-07-17 01:30:00	55,5	65,2	-6,0	45
ST02	Kirkeveien 4	2024-07-17 01:30:00	46,3	72,1	-6,0	45
ST01	Høvikveien 2C	2024-07-17 01:30:00	53,4	69,3	-6,0	45
ST04	Sandviksveien 70	2024-07-17 01:00:00	54,6	68,0	-6,0	45
ST03	Sandviksveien 52	2024-07-17 01:00:00	55,8	64,9	-6,0	45
ST02	Kirkeveien 4	2024-07-17 01:00:00	46,6	69,4	-6,0	45
ST01	Høvikveien 2C	2024-07-17 01:00:00	53,5	70,8	-6,0	45
ST04	Sandviksveien 70	2024-07-17 00:30:00	55,8	67,9	-6,0	45
ST03	Sandviksveien 52	2024-07-17 00:30:00	56,9	65,7	-6,0	45
ST02	Kirkeveien 4	2024-07-17 00:30:00	46,1	68,8	-6,0	45
ST01	Høvikveien 2C	2024-07-17 00:30:00	54,1	68,5	-6,0	45
ST04	Sandviksveien 70	2024-07-17 00:00:00	55,5	67,2	-6,0	45
ST03	Sandviksveien 52	2024-07-17 00:00:00	57,4	65,4	-6,0	45
ST02	Kirkeveien 4	2024-07-17 00:00:00	49,8	68,4	-6,0	45
ST01	Høvikveien 2C	2024-07-17 00:00:00	54,7	71,8	-6,0	45
ST04	Sandviksveien 70	2024-07-16 23:30:00	56,1	68,5	-6,0	45
ST03	Sandviksveien 52	2024-07-16 23:30:00	57,8	65,8	-6,0	45
ST02	Kirkeveien 4	2024-07-16 23:30:00	50,0	70,4	-6,0	45
ST01	Høvikveien 2C	2024-07-16 23:30:00	55,1	70,0	-6,0	45
ST04	Sandviksveien 70	2024-07-16 23:00:00	57,3	68,6	-6,0	55
ST03	Sandviksveien 52	2024-07-16 23:00:00	58,8	67,4	-6,0	55
ST02	Kirkeveien 4	2024-07-16 23:00:00	47,7	68,0	-6,0	55
ST01	Høvikveien 2C	2024-07-16 23:00:00	55,4	71,3	-6,0	55
ST04	Sandviksveien 70	2024-07-16 22:30:00	58,7	71,1	-6,0	55
ST03	Sandviksveien 52	2024-07-16 22:30:00	59,8	65,5	-6,0	55
ST02	Kirkeveien 4	2024-07-16 22:30:00	47,8	68,8	-6,0	55
ST01	Høvikveien 2C	2024-07-16 22:30:00	56,8	72,7	-6,0	55
ST04	Sandviksveien 70	2024-07-16 22:00:00	59,3	70,7	-6,0	55
ST03	Sandviksveien 52	2024-07-16 22:00:00	60,5	67,2	-6,0	55
ST02	Kirkeveien 4	2024-07-16 22:00:00	48,1	67,7	-6,0	55
ST01	Høvikveien 2C	2024-07-16 22:00:00	57,5	72,6	-6,0	55
ST04	Sandviksveien 70	2024-07-16 21:30:00	59,9	70,3	-6,0	55
ST03	Sandviksveien 52	2024-07-16 21:30:00	60,9	70,8	-6,0	55
ST02	Kirkeveien 4	2024-07-16 21:30:00	48,6	71,9	-6,0	55
ST01	Høvikveien 2C	2024-07-16 21:30:00	57,6	70,9	-6,0	55

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-16 21:00:00	61,1	67,3	-6,0	55
ST03	Sandviksveien 52	2024-07-16 21:00:00	62,1	67,2	-6,0	55
ST02	Kirkeveien 4	2024-07-16 21:00:00	53,3	81,1	-6,0	55
ST01	Høvikveien 2C	2024-07-16 21:00:00	59,0	80,2	-6,0	55
ST04	Sandviksveien 70	2024-07-16 20:30:00	61,0	67,9	-6,0	55
ST03	Sandviksveien 52	2024-07-16 20:30:00	62,1	67,4	-6,0	55
ST02	Kirkeveien 4	2024-07-16 20:30:00	49,3	70,9	-6,0	55
ST01	Høvikveien 2C	2024-07-16 20:30:00	58,5	70,5	-6,0	55
ST04	Sandviksveien 70	2024-07-16 20:00:00	61,3	76,7	-6,0	55
ST03	Sandviksveien 52	2024-07-16 20:00:00	62,6	69,3	-6,0	55
ST02	Kirkeveien 4	2024-07-16 20:00:00	50,7	75,6	-6,0	55
ST01	Høvikveien 2C	2024-07-16 20:00:00	59,5	77,2	-6,0	55
ST04	Sandviksveien 70	2024-07-16 19:30:00	61,4	70,0	-6,0	55
ST03	Sandviksveien 52	2024-07-16 19:30:00	62,8	67,9	-6,0	55
ST02	Kirkeveien 4	2024-07-16 19:30:00	50,3	66,7	-6,0	55
ST01	Høvikveien 2C	2024-07-16 19:30:00	59,7	72,2	-6,0	55
ST04	Sandviksveien 70	2024-07-16 19:00:00	60,8	68,6	-6,0	60
ST03	Sandviksveien 52	2024-07-16 19:00:00	62,3	70,8	-6,0	60
ST02	Kirkeveien 4	2024-07-16 19:00:00	51,3	70,3	-6,0	60
ST01	Høvikveien 2C	2024-07-16 19:00:00	60,0	71,4	-6,0	60
ST04	Sandviksveien 70	2024-07-16 18:30:00	61,3	68,9	-6,0	60
ST03	Sandviksveien 52	2024-07-16 18:30:00	62,9	67,7	-6,0	60
ST02	Kirkeveien 4	2024-07-16 18:30:00	55,1	82,6	-6,0	60
ST01	Høvikveien 2C	2024-07-16 18:30:00	61,3	82,4	-6,0	60
ST04	Sandviksveien 70	2024-07-16 18:00:00	61,2	66,2	-6,0	60
ST03	Sandviksveien 52	2024-07-16 18:00:00	63,0	67,5	-6,0	60
ST02	Kirkeveien 4	2024-07-16 18:00:00	51,7	68,5	-6,0	60
ST01	Høvikveien 2C	2024-07-16 18:00:00	60,3	73,0	-6,0	60
ST04	Sandviksveien 70	2024-07-16 17:30:00	61,5	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-16 17:30:00	63,2	68,2	-6,0	60
ST02	Kirkeveien 4	2024-07-16 17:30:00	52,1	74,9	-6,0	60
ST01	Høvikveien 2C	2024-07-16 17:30:00	61,2	81,6	-6,0	60
ST04	Sandviksveien 70	2024-07-16 17:00:00	61,4	72,6	-6,0	60
ST03	Sandviksveien 52	2024-07-16 17:00:00	63,3	69,6	-6,0	60
ST02	Kirkeveien 4	2024-07-16 17:00:00	51,1	69,5	-6,0	60
ST01	Høvikveien 2C	2024-07-16 17:00:00	60,1	70,7	-6,0	60
ST04	Sandviksveien 70	2024-07-16 16:30:00	61,3	71,5	-6,0	60
ST03	Sandviksveien 52	2024-07-16 16:30:00	63,3	68,4	-6,0	60
ST02	Kirkeveien 4	2024-07-16 16:30:00	51,2	71,6	-6,0	60
ST01	Høvikveien 2C	2024-07-16 16:30:00	60,3	72,1	-6,0	60
ST04	Sandviksveien 70	2024-07-16 16:00:00	61,7	69,6	-6,0	60
ST03	Sandviksveien 52	2024-07-16 16:00:00	63,4	67,1	-6,0	60
ST02	Kirkeveien 4	2024-07-16 16:00:00	54,5	81,7	-6,0	60
ST01	Høvikveien 2C	2024-07-16 16:00:00	60,4	79,0	-6,0	60

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST04	Sandviksveien 70	2024-07-16 15:30:00	61,5	69,0	-6,0	60
ST03	Sandviksveien 52	2024-07-16 15:30:00	63,4	67,5	-6,0	60
ST02	Kirkeveien 4	2024-07-16 15:30:00	51,6	71,3	-6,0	60
ST01	Høvikveien 2C	2024-07-16 15:30:00	60,3	71,6	-6,0	60
ST04	Sandviksveien 70	2024-07-16 15:00:00	61,3	73,1	-6,0	60
ST03	Sandviksveien 52	2024-07-16 15:00:00	63,3	66,8	-6,0	60
ST02	Kirkeveien 4	2024-07-16 15:00:00	54,4	81,2	-6,0	60
ST01	Høvikveien 2C	2024-07-16 15:00:00	60,1	71,1	-6,0	60
ST01	Høvikveien 2C	2024-07-16 14:45:00	59,9	70,6	-6,0	60
ST03	Sandviksveien 52	2024-07-16 14:30:00	63,3	75,6	-6,0	60
ST01	Høvikveien 2C	2024-07-15 19:00:00	59,9	72,2	-6,0	60
ST01	Høvikveien 2C	2024-07-15 18:30:00	59,9	71,3	-6,0	60
ST01	Høvikveien 2C	2024-07-15 18:00:00	60,5	78,5	-6,0	60
ST01	Høvikveien 2C	2024-07-15 17:30:00	60,8	71,4	-6,0	60
ST01	Høvikveien 2C	2024-07-15 17:00:00	61,5	80,6	-6,0	60
ST01	Høvikveien 2C	2024-07-15 16:30:00	59,7	71,5	-6,0	60
ST01	Høvikveien 2C	2024-07-15 16:00:00	59,7	74,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 15:30:00	61,3	77,3	-6,0	60
ST01	Høvikveien 2C	2024-07-15 15:00:00	56,9	69,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 14:30:00	60,0	77,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 14:00:00	60,6	76,7	-6,0	60
ST01	Høvikveien 2C	2024-07-15 13:30:00	60,5	71,8	-6,0	60
ST01	Høvikveien 2C	2024-07-15 13:00:00	59,7	71,5	-6,0	60
ST01	Høvikveien 2C	2024-07-15 12:30:00	61,3	77,2	-6,0	60
ST01	Høvikveien 2C	2024-07-15 12:00:00	61,6	79,4	-6,0	60
ST01	Høvikveien 2C	2024-07-15 11:30:00	60,4	68,5	-6,0	60
ST01	Høvikveien 2C	2024-07-15 11:00:00	60,5	75,5	-6,0	60
ST01	Høvikveien 2C	2024-07-15 10:30:00	60,5	76,8	-6,0	60
ST01	Høvikveien 2C	2024-07-15 10:00:00	60,8	77,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 09:30:00	60,5	75,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 09:00:00	60,2	72,2	-6,0	60
ST01	Høvikveien 2C	2024-07-15 08:30:00	60,2	74,7	-6,0	60
ST01	Høvikveien 2C	2024-07-15 08:00:00	59,2	69,1	-6,0	60
ST01	Høvikveien 2C	2024-07-15 07:30:00	59,2	67,8	-6,0	60
ST01	Høvikveien 2C	2024-07-15 07:00:00	59,7	80,6	-6,0	60
ST01	Høvikveien 2C	2024-07-15 06:30:00	58,9	73,8	-6,0	45
ST01	Høvikveien 2C	2024-07-15 06:00:00	57,9	74,7	-6,0	45
ST01	Høvikveien 2C	2024-07-15 05:30:00	55,5	72,3	-6,0	45
ST01	Høvikveien 2C	2024-07-15 05:00:00	53,4	73,3	-6,0	45
ST01	Høvikveien 2C	2024-07-15 04:30:00	54,3	76,2	-6,0	45
ST01	Høvikveien 2C	2024-07-15 04:00:00	53,0	62,7	-6,0	45
ST01	Høvikveien 2C	2024-07-15 03:30:00	51,4	61,4	-6,0	45
ST01	Høvikveien 2C	2024-07-15 03:00:00	51,0	61,3	-6,0	45
ST01	Høvikveien 2C	2024-07-15 02:30:00	51,4	61,7	-6,0	45

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm
ST01	Høvikveien 2C	2024-07-15 02:00:00	51,6	60,5	-6,0	45
ST01	Høvikveien 2C	2024-07-15 01:30:00	54,1	71,2	-6,0	45
ST01	Høvikveien 2C	2024-07-15 01:00:00	55,4	73,5	-6,0	45
ST01	Høvikveien 2C	2024-07-15 00:30:00	55,8	71,4	-6,0	45
ST01	Høvikveien 2C	2024-07-15 00:00:00	56,9	70,4	-6,0	45