


◆ ST04 ◆ ST02 ◆ ST03 ◆ ST01 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-04 00:00:00	56,5	64,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-04 00:00:00	49,2	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-04 00:00:00	57,7	65,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-04 00:00:00	58,1	79,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 23:30:00	57,3	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 23:30:00	47,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 23:30:00	58,3	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 23:30:00	55,4	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 23:00:00	58,1	66,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 23:00:00	48,6	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 23:00:00	59,3	65,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 23:00:00	56,4	72,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 22:30:00	59,0	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 22:30:00	48,9	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 22:30:00	59,9	66,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 22:30:00	56,9	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 22:00:00	58,6	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 22:00:00	50,2	73,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 22:00:00	59,9	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 22:00:00	57,8	73,9	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 21:30:00	59,0	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 21:30:00	49,8	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 21:30:00	60,8	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 21:30:00	58,3	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 21:00:00	59,3	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 21:00:00	50,2	74,1	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 21:00:00	60,9	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 21:00:00	58,8	71,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 20:30:00	60,3	80,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 20:30:00	50,7	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 20:30:00	61,6	73,0	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 20:30:00	59,6	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 20:00:00	60,0	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 20:00:00	50,9	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 20:00:00	61,9	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 20:00:00	59,7	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 19:30:00	60,1	67,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-03 19:30:00	51,1	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-03 19:30:00	61,8	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-03 19:30:00	59,9	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-03 19:00:00	60,1	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 19:00:00	56,6	84,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 19:00:00	61,8	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 19:00:00	59,9	71,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-03 18:30:00	60,4	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 18:30:00	56,3	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 18:30:00	64,3	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 18:30:00	60,2	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 18:00:00	60,1	65,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 18:00:00	51,9	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 18:00:00	62,7	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 18:00:00	60,7	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 17:30:00	58,3	65,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 17:30:00	58,1	76,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 17:30:00	61,3	65,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 17:30:00	59,4	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 17:00:00	59,1	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 17:00:00	61,3	77,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 17:00:00	61,3	65,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 17:00:00	59,4	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 16:30:00	59,7	64,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 16:30:00	60,7	80,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 16:30:00	61,9	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 16:30:00	60,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 16:00:00	58,6	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 16:00:00	51,0	65,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 16:00:00	61,3	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 16:00:00	59,1	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 15:30:00	58,9	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 15:30:00	51,0	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 15:30:00	61,5	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 15:30:00	59,2	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 15:00:00	58,4	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 15:00:00	61,0	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 15:00:00	58,0	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 15:00:00	49,7	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 14:30:00	60,0	66,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 14:30:00	62,6	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 14:30:00	59,5	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 14:30:00	50,0	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 14:00:00	60,4	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 14:00:00	62,2	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 14:00:00	59,4	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 14:00:00	50,0	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 13:30:00	60,6	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 13:30:00	62,1	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 13:30:00	58,8	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 13:30:00	49,8	68,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-03 13:00:00	60,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 13:00:00	62,2	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 13:00:00	58,7	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 13:00:00	49,4	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 12:30:00	60,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 12:30:00	62,1	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 12:30:00	59,3	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 12:30:00	55,5	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 12:00:00	60,8	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 12:00:00	63,0	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 12:00:00	59,9	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 12:00:00	53,1	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 11:30:00	60,7	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 11:30:00	62,0	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 11:30:00	58,9	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 11:30:00	49,6	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 11:00:00	60,3	65,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 11:00:00	61,9	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 11:00:00	59,2	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 11:00:00	50,0	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 10:30:00	60,1	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 10:30:00	63,6	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 10:30:00	59,2	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 10:30:00	54,5	90,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 10:00:00	60,2	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 10:00:00	62,5	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 10:00:00	58,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 10:00:00	49,8	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 09:30:00	59,4	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 09:30:00	61,0	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 09:30:00	57,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 09:30:00	49,4	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 09:00:00	59,1	65,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 09:00:00	61,8	81,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 09:00:00	57,3	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 09:00:00	49,0	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 08:30:00	59,2	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 08:30:00	66,0	81,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 08:30:00	56,8	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 08:30:00	50,5	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 08:00:00	58,3	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 08:00:00	64,4	85,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 08:00:00	55,1	63,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 08:00:00	45,5	59,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-08-03 07:30:00	59,0	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 07:30:00	61,1	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 07:30:00	55,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 07:30:00	47,0	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-03 07:00:00	56,5	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 07:00:00	57,5	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-03 07:00:00	53,7	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-03 07:00:00	46,3	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-03 06:30:00	56,8	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 06:30:00	56,1	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 06:30:00	53,3	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 06:30:00	45,4	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 06:00:00	55,8	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 06:00:00	55,0	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 06:00:00	52,1	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 06:00:00	45,7	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 05:30:00	55,3	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 05:30:00	54,2	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 05:30:00	51,1	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 05:30:00	43,4	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 05:00:00	55,3	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 05:00:00	53,9	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 05:00:00	51,5	74,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 05:00:00	43,6	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 04:30:00	54,7	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 04:30:00	53,9	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 04:30:00	51,8	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 04:30:00	45,6	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 04:00:00	55,1	63,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 04:00:00	54,3	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 04:00:00	52,6	75,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 04:00:00	48,0	76,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 03:30:00	55,7	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 03:30:00	54,7	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 03:30:00	51,2	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 03:30:00	41,8	48,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 03:00:00	54,4	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 03:00:00	53,6	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 03:00:00	50,4	60,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 03:00:00	40,8	47,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 02:30:00	55,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 02:30:00	54,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 02:30:00	51,2	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 02:30:00	41,2	50,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-03 02:00:00	56,5	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 02:00:00	55,3	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 02:00:00	51,6	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 02:00:00	42,2	49,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 01:30:00	57,3	76,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 01:30:00	56,8	77,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 01:30:00	53,4	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 01:30:00	45,5	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 01:00:00	57,2	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 01:00:00	56,0	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 01:00:00	53,1	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 01:00:00	45,7	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 00:30:00	57,1	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 00:30:00	55,7	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 00:30:00	53,7	72,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 00:30:00	45,9	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-03 00:00:00	57,5	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-03 00:00:00	56,8	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-03 00:00:00	54,5	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-03 00:00:00	46,3	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 23:30:00	58,2	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 23:30:00	57,1	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 23:30:00	55,0	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 23:30:00	47,3	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 23:00:00	59,5	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 23:00:00	58,4	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 23:00:00	56,8	77,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 23:00:00	52,8	80,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 22:30:00	59,6	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 22:30:00	58,9	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 22:30:00	57,2	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 22:30:00	49,4	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 22:00:00	60,8	66,2	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 22:00:00	59,4	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 22:00:00	57,9	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 22:00:00	50,3	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 21:30:00	61,6	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 21:30:00	59,8	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 21:30:00	58,4	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 21:30:00	50,3	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 21:00:00	61,5	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 21:00:00	60,0	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 21:00:00	58,9	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 21:00:00	49,9	68,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-08-02 20:30:00	62,0	80,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 20:30:00	59,8	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 20:30:00	59,1	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 20:30:00	50,4	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 20:00:00	61,9	79,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 20:00:00	59,9	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 20:00:00	59,6	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 20:00:00	51,2	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 19:30:00	61,7	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-08-02 19:30:00	59,9	71,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-02 19:30:00	59,1	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-02 19:30:00	52,3	72,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-02 19:00:00	63,2	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 19:00:00	59,7	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 19:00:00	58,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 19:00:00	55,6	92,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 18:30:00	63,6	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 18:30:00	59,2	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 18:30:00	58,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 18:30:00	54,2	88,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 18:00:00	63,5	83,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 18:00:00	60,2	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 18:00:00	59,7	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 18:00:00	51,8	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 17:30:00	65,4	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 17:30:00	60,3	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 17:30:00	60,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 17:30:00	52,6	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 17:00:00	64,2	84,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 17:00:00	60,8	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 17:00:00	59,8	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 17:00:00	51,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 16:30:00	62,6	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 16:30:00	60,7	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 16:30:00	59,9	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 16:30:00	51,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 16:00:00	62,4	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 16:00:00	60,1	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 16:00:00	59,2	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 16:00:00	52,0	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 15:30:00	58,0	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 15:30:00	62,7	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 15:30:00	57,9	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 15:30:00	49,1	68,5	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-02 15:00:00	59,6	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 15:00:00	63,9	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 15:00:00	58,9	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 15:00:00	50,9	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 14:30:00	57,8	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 14:30:00	63,7	85,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 14:30:00	57,3	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 14:30:00	50,1	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 14:00:00	58,9	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 14:00:00	63,4	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 14:00:00	57,3	63,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 14:00:00	55,7	81,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 13:30:00	59,3	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 13:30:00	63,9	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 13:30:00	60,1	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 13:30:00	50,5	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 13:00:00	59,8	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 13:00:00	65,9	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 13:00:00	60,8	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 13:00:00	51,2	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 12:30:00	59,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 12:30:00	64,0	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 12:30:00	60,8	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 12:30:00	51,3	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 12:00:00	60,3	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 12:00:00	64,6	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 12:00:00	60,9	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 12:00:00	51,6	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 11:30:00	60,1	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 11:30:00	62,8	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 11:30:00	60,8	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 11:30:00	50,6	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 11:00:00	59,8	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 11:00:00	63,8	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 11:00:00	61,4	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 11:00:00	50,5	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 10:30:00	59,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 10:30:00	65,8	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 10:30:00	61,2	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 10:30:00	50,7	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 10:00:00	59,7	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 10:00:00	67,6	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 10:00:00	61,5	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 10:00:00	52,1	69,0	-6,0	60	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-02 09:30:00	59,6	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 09:30:00	67,9	86,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 09:30:00	62,4	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 09:30:00	50,8	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 09:00:00	59,5	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 09:00:00	68,0	89,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 09:00:00	62,8	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 09:00:00	50,4	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 08:30:00	59,5	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 08:30:00	66,9	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 08:30:00	63,3	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 08:30:00	51,1	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 08:00:00	59,7	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 08:00:00	67,0	85,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 08:00:00	63,5	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 08:00:00	52,3	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 07:30:00	59,2	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 07:30:00	65,6	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 07:30:00	63,2	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 07:30:00	51,8	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 07:00:00	59,6	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-02 07:00:00	62,1	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-02 07:00:00	52,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-02 07:00:00	62,9	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-02 06:30:00	59,9	77,1	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 06:30:00	62,1	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 06:30:00	52,1	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 06:30:00	62,4	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 06:00:00	58,2	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 06:00:00	60,5	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 06:00:00	50,4	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 06:00:00	60,4	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 05:30:00	56,3	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 05:30:00	58,1	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 05:30:00	49,1	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 05:30:00	58,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 05:00:00	54,2	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 05:00:00	55,2	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 05:00:00	47,0	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 05:00:00	55,6	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 04:30:00	52,8	62,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 04:30:00	55,4	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 04:30:00	43,9	50,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 04:30:00	56,0	66,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-02 04:00:00	52,3	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 04:00:00	54,5	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 04:00:00	43,4	49,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 04:00:00	54,6	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 03:30:00	51,3	61,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 03:30:00	53,6	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 03:30:00	42,3	49,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 03:30:00	54,0	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 03:00:00	51,5	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 03:00:00	54,3	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 03:00:00	42,0	48,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 03:00:00	54,8	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 02:30:00	50,6	60,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 02:30:00	53,7	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 02:30:00	41,5	48,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 02:30:00	54,8	64,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 02:00:00	50,2	60,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 02:00:00	53,0	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 02:00:00	41,3	47,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 02:00:00	54,0	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 01:30:00	52,0	78,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 01:30:00	54,0	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 01:30:00	43,5	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 01:30:00	55,1	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 01:00:00	53,5	77,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 01:00:00	55,4	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 01:00:00	45,1	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 01:00:00	56,3	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 00:30:00	53,7	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 00:30:00	55,8	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 00:30:00	46,1	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 00:30:00	57,0	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-02 00:00:00	54,2	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-08-02 00:00:00	56,7	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-02 00:00:00	46,1	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-02 00:00:00	57,5	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 23:30:00	54,7	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 23:30:00	57,2	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 23:30:00	46,8	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 23:30:00	58,0	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 23:00:00	55,7	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 23:00:00	58,4	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 23:00:00	46,7	66,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 23:00:00	59,2	68,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-01 22:30:00	57,3	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 22:30:00	59,2	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 22:30:00	48,6	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 22:30:00	60,1	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 22:00:00	58,5	72,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 22:00:00	60,1	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 22:00:00	50,5	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 22:00:00	60,9	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 21:30:00	59,5	79,0	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 21:30:00	60,2	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 21:30:00	50,4	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 21:30:00	61,7	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 21:00:00	59,3	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 21:00:00	59,8	67,0	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 21:00:00	50,8	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 21:00:00	61,5	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 20:30:00	59,5	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 20:30:00	60,3	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 20:30:00	51,6	76,6	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 20:30:00	61,6	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 20:00:00	59,4	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 20:00:00	60,4	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 20:00:00	50,1	66,7	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 20:00:00	63,6	77,9	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 19:30:00	59,8	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-08-01 19:30:00	60,6	70,9	-6,0	55	
ST02	Kirkeveien 4	2024-08-01 19:30:00	51,3	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-08-01 19:30:00	64,9	79,5	-6,0	55	
ST01	Høvikveien 2C	2024-08-01 19:00:00	59,9	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 19:00:00	60,5	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 19:00:00	51,4	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 19:00:00	65,6	84,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 18:30:00	60,4	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 18:30:00	61,0	79,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 18:30:00	51,7	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 18:30:00	65,0	83,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 18:00:00	60,4	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 18:00:00	60,7	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 18:00:00	52,0	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 18:00:00	63,7	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 17:30:00	60,2	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 17:30:00	61,0	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 17:30:00	52,7	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 17:30:00	69,3	84,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-01 17:00:00	59,3	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 17:00:00	60,3	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 17:00:00	51,6	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 17:00:00	66,4	82,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 16:30:00	57,9	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 16:30:00	58,3	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 16:30:00	49,1	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 16:30:00	60,2	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 16:00:00	57,1	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 16:00:00	57,8	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 16:00:00	50,3	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 16:00:00	65,2	89,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 15:30:00	59,7	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 15:30:00	58,8	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 15:30:00	51,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 15:30:00	65,8	94,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 15:00:00	59,7	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 15:00:00	59,1	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 15:00:00	51,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 15:00:00	65,8	82,5	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 14:30:00	59,0	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 14:30:00	59,7	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 14:30:00	50,3	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 14:30:00	65,2	86,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 14:00:00	59,8	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 14:00:00	59,8	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 14:00:00	50,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 14:00:00	63,0	85,6	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 13:30:00	59,6	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 13:30:00	59,8	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 13:30:00	50,5	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 13:30:00	64,5	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 13:00:00	59,8	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 13:00:00	60,2	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 13:00:00	51,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 13:00:00	67,1	89,8	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 12:30:00	58,7	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 12:30:00	61,0	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 12:30:00	50,8	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 12:30:00	66,0	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 12:00:00	60,0	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 12:00:00	61,8	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 12:00:00	51,4	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 12:00:00	66,3	74,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-01 11:30:00	59,7	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 11:30:00	61,9	66,1	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 11:30:00	50,6	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 11:30:00	63,1	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 11:00:00	60,2	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 11:00:00	61,6	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 11:00:00	51,5	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 11:00:00	64,5	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 10:30:00	60,2	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 10:30:00	62,1	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 10:30:00	52,5	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 10:30:00	68,0	85,1	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 10:00:00	60,1	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 10:00:00	62,2	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 10:00:00	51,7	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 10:00:00	66,4	84,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 09:30:00	59,7	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 09:30:00	63,0	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 09:30:00	51,0	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 09:30:00	66,6	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 09:00:00	59,8	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 09:00:00	63,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 09:00:00	51,3	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 09:00:00	67,4	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 08:30:00	59,9	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 08:30:00	64,0	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 08:30:00	51,4	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 08:30:00	67,2	79,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 08:00:00	59,9	70,4	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 08:00:00	64,5	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 08:00:00	51,9	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 08:00:00	67,7	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 07:30:00	59,8	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 07:30:00	63,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 07:30:00	52,4	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 07:30:00	66,2	84,7	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 07:00:00	59,7	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-08-01 07:00:00	63,0	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-08-01 07:00:00	51,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-08-01 07:00:00	63,8	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-08-01 06:30:00	60,1	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 06:30:00	62,7	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 06:30:00	51,8	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 06:30:00	62,8	70,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-01 06:00:00	61,4	83,7	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 06:00:00	61,5	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 06:00:00	58,7	84,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 06:00:00	61,3	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 05:30:00	57,0	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 05:30:00	59,0	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 05:30:00	49,7	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 05:30:00	59,1	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 05:00:00	54,0	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 05:00:00	56,1	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 05:00:00	46,7	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 05:00:00	56,7	64,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 04:30:00	54,2	62,9	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 04:30:00	56,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 04:30:00	45,3	51,4	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 04:30:00	55,9	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 04:00:00	52,0	61,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 04:00:00	54,0	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 04:00:00	43,7	52,0	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 04:00:00	54,0	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 03:30:00	51,9	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 03:30:00	54,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 03:30:00	43,6	50,9	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 03:30:00	54,0	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 03:00:00	51,9	62,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 03:00:00	53,5	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 03:00:00	43,1	50,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 03:00:00	53,7	63,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 02:30:00	51,9	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 02:30:00	54,2	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 02:30:00	43,4	53,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 02:30:00	54,6	64,6	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 02:00:00	51,2	60,6	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 02:00:00	53,8	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 02:00:00	42,5	49,7	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 02:00:00	55,0	63,7	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 01:30:00	52,6	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 01:30:00	55,6	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 01:30:00	44,9	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 01:30:00	56,4	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 01:00:00	53,4	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 01:00:00	55,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 01:00:00	46,6	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 01:00:00	55,9	64,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-08-01 00:30:00	52,9	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 00:30:00	55,2	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 00:30:00	45,9	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 00:30:00	56,4	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-08-01 00:00:00	54,3	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-08-01 00:00:00	57,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-08-01 00:00:00	46,0	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-08-01 00:00:00	58,6	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 23:30:00	54,8	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 23:30:00	57,5	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 23:30:00	46,7	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 23:30:00	58,8	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 23:00:00	56,4	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 23:00:00	59,0	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 23:00:00	47,9	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 23:00:00	59,8	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 22:30:00	58,3	74,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 22:30:00	59,6	68,3	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 22:30:00	50,8	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 22:30:00	60,7	66,5	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 22:00:00	58,7	72,3	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 22:00:00	60,7	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 22:00:00	50,9	71,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 22:00:00	61,7	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 21:30:00	59,3	73,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 21:30:00	59,9	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 21:30:00	51,2	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 21:30:00	61,6	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 21:00:00	59,6	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 21:00:00	60,5	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 21:00:00	51,5	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 21:00:00	61,7	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 20:30:00	59,9	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 20:30:00	60,4	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 20:30:00	51,8	78,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 20:30:00	61,8	71,9	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 20:00:00	59,5	68,2	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 20:00:00	61,3	70,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 20:00:00	50,0	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 20:00:00	62,0	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-07-31 19:30:00	59,8	77,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-31 19:30:00	62,0	81,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-31 19:30:00	50,9	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-31 19:30:00	62,6	71,7	-6,0	55	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-31 19:00:00	59,0	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 19:00:00	61,5	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 19:00:00	49,8	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 19:00:00	62,4	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 18:30:00	59,1	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 18:30:00	62,1	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 18:30:00	49,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 18:30:00	63,1	79,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 18:00:00	59,1	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 18:00:00	62,4	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 18:00:00	49,0	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 18:00:00	63,6	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 17:30:00	59,4	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 17:30:00	62,7	78,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 17:30:00	50,8	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 17:30:00	64,0	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 17:00:00	59,1	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 17:00:00	61,7	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 17:00:00	49,8	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 17:00:00	63,6	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 16:30:00	58,7	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 16:30:00	60,8	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 16:30:00	48,7	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 16:30:00	65,3	86,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 16:00:00	59,0	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 16:00:00	60,8	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 16:00:00	49,1	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 16:00:00	63,1	81,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 15:30:00	59,4	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 15:30:00	60,4	65,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 15:30:00	50,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 15:30:00	63,2	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 15:00:00	59,5	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 15:00:00	62,1	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 15:00:00	50,3	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 15:00:00	63,7	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 14:30:00	59,4	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 14:30:00	62,3	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 14:30:00	49,9	75,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 14:30:00	63,6	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 14:00:00	59,7	84,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 14:00:00	62,9	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 14:00:00	49,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 14:00:00	64,4	82,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-31 13:30:00	59,2	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 13:30:00	62,7	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 13:30:00	49,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 13:30:00	64,1	84,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 13:00:00	59,5	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 13:00:00	62,5	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 13:00:00	51,6	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 13:00:00	63,7	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 12:30:00	59,4	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 12:30:00	63,0	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 12:30:00	49,9	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 12:30:00	63,8	81,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 12:00:00	59,7	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 12:00:00	63,4	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 12:00:00	49,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 12:00:00	64,5	82,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 11:30:00	59,3	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 11:30:00	63,2	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 11:30:00	49,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 11:30:00	64,1	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 11:00:00	60,9	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 11:00:00	63,6	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 11:00:00	49,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 11:00:00	64,4	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 10:30:00	61,2	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 10:30:00	64,1	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 10:30:00	55,8	77,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 10:30:00	64,6	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 10:00:00	60,2	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 10:00:00	63,7	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 10:00:00	49,9	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 10:00:00	68,0	84,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 09:30:00	60,3	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 09:30:00	64,1	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 09:30:00	49,1	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 09:30:00	65,8	79,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 09:00:00	59,4	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 09:00:00	64,0	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 09:00:00	49,5	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 09:00:00	68,7	87,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 08:30:00	62,8	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 08:30:00	63,4	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 08:30:00	50,7	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 08:30:00	67,2	84,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-31 08:00:00	61,5	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 08:00:00	63,4	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 08:00:00	50,9	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 08:00:00	66,7	91,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 07:30:00	60,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 07:30:00	62,5	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 07:30:00	52,1	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 07:30:00	63,9	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 07:00:00	60,4	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-31 07:00:00	61,9	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-31 07:00:00	52,3	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-31 07:00:00	63,1	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-31 06:30:00	59,8	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 06:30:00	61,7	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 06:30:00	50,5	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 06:30:00	62,5	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 06:00:00	58,2	74,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 06:00:00	60,1	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 06:00:00	49,4	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 06:00:00	60,7	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 05:30:00	56,0	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 05:30:00	58,8	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 05:30:00	47,7	67,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 05:30:00	59,2	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 05:00:00	54,3	75,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 05:00:00	56,7	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 05:00:00	47,2	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 05:00:00	57,4	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 04:30:00	52,9	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 04:30:00	55,9	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 04:30:00	44,7	54,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 04:30:00	56,6	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 04:00:00	52,6	61,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 04:00:00	55,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 04:00:00	44,0	51,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 04:00:00	55,4	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 03:30:00	52,1	61,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 03:30:00	54,3	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 03:30:00	43,7	52,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 03:30:00	54,7	64,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 03:00:00	51,8	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 03:00:00	54,4	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 03:00:00	43,7	54,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 03:00:00	54,2	65,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-31 02:30:00	51,5	61,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 02:30:00	53,7	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 02:30:00	43,2	51,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 02:30:00	54,6	65,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 02:00:00	51,4	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 02:00:00	53,8	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 02:00:00	42,5	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 02:00:00	54,7	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 01:30:00	52,7	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 01:30:00	55,6	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 01:30:00	45,0	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 01:30:00	56,1	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 01:00:00	54,5	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 01:00:00	55,3	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 01:00:00	48,5	75,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 01:00:00	55,9	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 00:30:00	54,7	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 00:30:00	56,0	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 00:30:00	47,5	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 00:30:00	56,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-31 00:00:00	55,6	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-31 00:00:00	56,6	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-07-31 00:00:00	48,5	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-31 00:00:00	57,7	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 23:30:00	56,4	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 23:30:00	56,9	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 23:30:00	49,4	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 23:30:00	58,2	78,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 23:00:00	56,7	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 23:00:00	58,7	65,1	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 23:00:00	58,2	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 23:00:00	49,3	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 22:30:00	57,5	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 22:30:00	59,9	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 22:30:00	58,8	67,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 22:30:00	50,2	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 22:00:00	60,4	82,2	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 22:00:00	61,6	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 22:00:00	59,7	67,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 22:00:00	57,3	82,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 21:30:00	59,2	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 21:30:00	61,3	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 21:30:00	59,7	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 21:30:00	51,5	70,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-30 21:00:00	59,8	77,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 21:00:00	61,5	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 21:00:00	60,1	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 21:00:00	51,0	70,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 20:30:00	59,5	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 20:30:00	61,5	66,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 20:30:00	60,1	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 20:30:00	52,0	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 20:00:00	64,8	87,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 20:00:00	62,4	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 20:00:00	61,1	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 20:00:00	61,0	84,9	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 19:30:00	60,3	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-07-30 19:30:00	62,3	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-30 19:30:00	60,7	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-07-30 19:30:00	53,8	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-07-30 19:00:00	60,5	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 19:00:00	62,7	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 19:00:00	60,6	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 19:00:00	52,7	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 18:30:00	60,4	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 18:30:00	62,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 18:30:00	60,5	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 18:30:00	52,3	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 18:00:00	60,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 18:00:00	63,4	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 18:00:00	61,0	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 18:00:00	52,4	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 17:30:00	60,7	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 17:30:00	63,0	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 17:30:00	60,8	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 17:30:00	52,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 17:00:00	61,0	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 17:00:00	64,0	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 17:00:00	60,9	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 17:00:00	53,1	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 16:30:00	61,2	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 16:30:00	63,6	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 16:30:00	60,2	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 16:30:00	53,3	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 16:00:00	61,4	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 16:00:00	63,5	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 16:00:00	60,7	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 16:00:00	53,4	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-30 15:30:00	61,4	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 15:30:00	63,3	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 15:30:00	60,9	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 15:30:00	52,5	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 15:00:00	61,4	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 15:00:00	63,6	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 15:00:00	60,6	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 15:00:00	53,7	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 14:30:00	60,9	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 14:30:00	63,0	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 14:30:00	60,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 14:30:00	53,0	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 14:00:00	60,5	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 14:00:00	63,5	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 14:00:00	60,8	69,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 14:00:00	53,0	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 13:30:00	59,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 13:30:00	67,6	87,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 13:30:00	60,2	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 13:30:00	51,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 13:00:00	57,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 13:00:00	61,3	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 13:00:00	58,5	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 13:00:00	49,8	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 12:30:00	57,5	73,7	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 12:30:00	65,8	85,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 12:30:00	57,9	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 12:30:00	49,2	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 12:00:00	57,2	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 12:00:00	61,3	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 12:00:00	56,4	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 12:00:00	49,1	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 11:30:00	57,0	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 11:30:00	64,4	82,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 11:30:00	56,3	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 11:30:00	48,9	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 11:00:00	59,6	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 11:00:00	67,4	80,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 11:00:00	61,2	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 11:00:00	50,7	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 10:30:00	60,3	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 10:30:00	64,6	83,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 10:30:00	60,9	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 10:30:00	51,3	67,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-30 10:00:00	60,0	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 10:00:00	65,9	85,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 10:00:00	61,4	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 10:00:00	51,0	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 09:30:00	60,1	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 09:30:00	63,4	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 09:30:00	61,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 09:30:00	50,6	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 09:00:00	59,9	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 09:00:00	66,8	84,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 09:00:00	61,9	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 09:00:00	50,5	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 08:30:00	59,6	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 08:30:00	64,1	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 08:30:00	62,6	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 08:30:00	49,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 08:00:00	59,9	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 08:00:00	64,5	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 08:00:00	62,9	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 08:00:00	50,1	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 07:30:00	59,4	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 07:30:00	64,1	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 07:30:00	63,4	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 07:30:00	49,3	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 07:00:00	59,3	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-30 07:00:00	63,7	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-30 07:00:00	63,5	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-30 07:00:00	49,4	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-30 06:30:00	58,7	72,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 06:30:00	63,1	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 06:30:00	63,2	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 06:30:00	49,1	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 06:00:00	57,8	75,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 06:00:00	61,6	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 06:00:00	61,5	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 06:00:00	48,0	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 05:30:00	55,2	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 05:30:00	58,9	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 05:30:00	58,3	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 05:30:00	46,2	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 05:00:00	52,6	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 05:00:00	55,9	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 05:00:00	54,9	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 05:00:00	44,5	69,6	-6,0	45	



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-30 04:30:00	52,5	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 04:30:00	55,2	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 04:30:00	54,8	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 04:30:00	43,1	51,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 04:00:00	51,7	61,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 04:00:00	54,1	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 04:00:00	54,3	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 04:00:00	42,9	52,6	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 03:30:00	50,5	60,3	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 03:30:00	53,1	63,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 03:30:00	52,8	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 03:30:00	41,8	48,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 03:00:00	50,8	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 03:00:00	54,6	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 03:00:00	53,7	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 03:00:00	41,7	50,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 02:30:00	49,7	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 02:30:00	53,9	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 02:30:00	52,8	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 02:30:00	41,0	49,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 02:00:00	51,3	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 02:00:00	55,3	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 02:00:00	54,3	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 02:00:00	41,7	49,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 01:30:00	51,8	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 01:30:00	55,7	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 01:30:00	54,8	76,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 01:30:00	43,4	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 01:00:00	53,4	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 01:00:00	56,0	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 01:00:00	55,5	73,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 01:00:00	46,6	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 00:30:00	53,4	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 00:30:00	57,3	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 00:30:00	56,5	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 00:30:00	45,8	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-30 00:00:00	53,9	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-30 00:00:00	57,2	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-30 00:00:00	56,1	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-30 00:00:00	45,8	66,7	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 23:30:00	55,1	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 23:30:00	58,3	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 23:30:00	57,4	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 23:30:00	47,0	68,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-29 23:00:00	55,7	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 23:00:00	58,8	73,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 23:00:00	58,1	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 23:00:00	47,0	66,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 22:30:00	57,0	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 22:30:00	59,9	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 22:30:00	59,1	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 22:30:00	49,0	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 22:00:00	58,6	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 22:00:00	61,0	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 22:00:00	60,3	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 22:00:00	50,9	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 21:30:00	59,1	72,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 21:30:00	61,9	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 21:30:00	60,3	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 21:30:00	51,4	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 21:00:00	60,5	77,4	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 21:00:00	61,6	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 21:00:00	60,0	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 21:00:00	55,1	76,3	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 20:30:00	60,7	80,9	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 20:30:00	61,9	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 20:30:00	60,3	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 20:30:00	58,6	85,2	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 20:00:00	59,9	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 20:00:00	61,6	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 20:00:00	60,0	69,9	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 20:00:00	51,0	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 19:30:00	60,0	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-07-29 19:30:00	62,5	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-07-29 19:30:00	60,2	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-07-29 19:30:00	52,0	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-07-29 19:00:00	60,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 19:00:00	64,4	90,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 19:00:00	60,9	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 19:00:00	51,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 18:30:00	60,9	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 18:30:00	64,8	90,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 18:30:00	61,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 18:30:00	52,0	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 18:00:00	61,0	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 18:00:00	63,6	84,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 18:00:00	61,1	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 18:00:00	52,3	71,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-29 17:30:00	61,0	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 17:30:00	62,8	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 17:30:00	60,9	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 17:30:00	52,7	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 17:00:00	60,9	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 17:00:00	63,2	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 17:00:00	60,1	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 17:00:00	52,5	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 16:30:00	60,8	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 16:30:00	63,9	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 16:30:00	59,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 16:30:00	52,0	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 16:00:00	60,8	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 16:00:00	62,8	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 16:00:00	59,5	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 16:00:00	52,3	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 15:30:00	59,1	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 15:30:00	62,0	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 15:30:00	58,3	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 15:30:00	51,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 15:00:00	59,9	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 15:00:00	62,4	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 15:00:00	59,4	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 15:00:00	51,5	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 14:30:00	59,4	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 14:30:00	60,1	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 14:30:00	56,3	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 14:30:00	50,7	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 14:00:00	59,1	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 14:00:00	60,7	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 14:00:00	55,2	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 14:00:00	49,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 13:30:00	59,4	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 13:30:00	62,2	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 13:30:00	60,2	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 13:30:00	51,0	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 13:00:00	60,0	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 13:00:00	62,9	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 13:00:00	60,2	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 13:00:00	51,4	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 12:30:00	60,7	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 12:30:00	66,8	82,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 12:30:00	61,3	83,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 12:30:00	52,0	68,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-29 12:00:00	60,7	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 12:00:00	63,1	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 12:00:00	60,7	66,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 12:00:00	52,1	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 11:30:00	60,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 11:30:00	63,3	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 11:30:00	61,1	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 11:30:00	51,6	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 11:00:00	60,3	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 11:00:00	63,3	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 11:00:00	61,1	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 11:00:00	52,2	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 10:30:00	60,3	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 10:30:00	63,3	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 10:30:00	61,0	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 10:30:00	51,8	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 10:00:00	60,7	81,6	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 10:00:00	64,8	88,3	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 10:00:00	61,2	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 10:00:00	51,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 09:30:00	60,0	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 09:30:00	68,5	90,4	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 09:30:00	61,4	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 09:30:00	51,2	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 09:00:00	59,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 09:00:00	64,9	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 09:00:00	60,9	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 09:00:00	50,7	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 08:30:00	59,8	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 08:30:00	66,8	87,7	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 08:30:00	61,3	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 08:30:00	50,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 08:00:00	60,2	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 08:00:00	67,8	88,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 08:00:00	62,4	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 08:00:00	51,3	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 07:30:00	59,7	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 07:30:00	63,9	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 07:30:00	62,6	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 07:30:00	51,7	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-07-29 07:00:00	60,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-07-29 07:00:00	63,3	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-07-29 07:00:00	62,5	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-07-29 07:00:00	52,5	73,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-29 06:30:00	60,2	74,7	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 06:30:00	62,8	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 06:30:00	62,6	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 06:30:00	52,5	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 06:00:00	59,3	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 06:00:00	61,6	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 06:00:00	61,6	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 06:00:00	51,2	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 05:30:00	56,7	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 05:30:00	58,9	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 05:30:00	59,4	78,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 05:30:00	48,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 05:00:00	54,4	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 05:00:00	57,1	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 05:00:00	56,6	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 05:00:00	46,4	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 04:30:00	52,8	63,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 04:30:00	55,4	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 04:30:00	54,8	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 04:30:00	43,9	52,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 04:00:00	52,1	63,5	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 04:00:00	54,1	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 04:00:00	53,5	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 04:00:00	43,6	51,9	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 03:30:00	51,2	61,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 03:30:00	53,0	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 03:30:00	52,4	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 03:30:00	43,1	53,1	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 03:00:00	51,3	62,9	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 03:00:00	52,9	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 03:00:00	52,6	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 03:00:00	42,9	50,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 02:30:00	51,3	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 02:30:00	53,7	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 02:30:00	52,8	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 02:30:00	43,0	51,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 02:00:00	51,3	59,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 02:00:00	53,9	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 02:00:00	52,3	66,2	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 02:00:00	43,2	51,0	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 01:30:00	53,0	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 01:30:00	54,6	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 01:30:00	53,4	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 01:30:00	46,5	71,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-07-29 01:00:00	54,4	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 01:00:00	55,9	64,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 01:00:00	54,9	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 01:00:00	47,9	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 00:30:00	55,6	74,4	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 00:30:00	56,7	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 00:30:00	56,0	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 00:30:00	50,1	75,5	-6,0	45	
ST01	Høvikveien 2C	2024-07-29 00:00:00	55,3	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-07-29 00:00:00	57,8	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-07-29 00:00:00	56,8	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-07-29 00:00:00	47,0	69,1	-6,0	45	